## GIGABYTE Z790 EAGLE AX Motherboard - Supports Intel Core 14th Gen CPUs, 12+1+□Phases Digital VRM, up to 7600MHz DDR5 (OC), 3xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

**Brand:** GIGABYTE Product code: Z790 EAGLE AX

**Product name :** Z790 EAGLE AX Motherboard - Supports Intel Core 14th Gen CPUs, 12+1+ Phases Digital VRM, up to 7600MHz DDR5 (OC), 3xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

Z790, 4 x DDR5, Wi-Fi 6E, 2.5GbE LAN, 4 x SATA 6Gb/s, USB 3.2

GIGABYTE Z790 EAGLE AX Motherboard - Supports Intel Core 14th Gen CPUs, 12+1+∏Phases Digital VRM, up to 7600MHz DDR5 (OC), 3xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.





Processor			Rear panel I/O ports	
Processor manufacturer * Processor socket *		Intel LGA 1700 Intel® Celeron®, Intel® Core™ i3,	DisplayPort version Headphone outputs Microphone in	1.2
Compatible processor series *		Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold	S/PDIF out port WiFi-AP antenna jack	<b>√</b> 2
Maximum number of SMP processors		1	USB connector type	USB Type-A, USB Type-C
Supported processor sockets		LGA 1700	Network	
Maximum internal memory supported by processor		192 GB	Ethernet LAN Ethernet interface type	2.5 Gigabit Ethernet
Memory			Wi-Fi *	V
Supported memory types * Number of memory slots * Memory slots type Memory channels ECC	DDR5-SDRAM 4 DIMM Dual-channel		Top Wi-Fi standard Wi-Fi standards	Wi-Fi 6E (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Non-ECC Supported memory clock speeds Supported memory clock speed (max) Maximum internal memory *	√ 4400,4800,5200,5400, MHz 7600 MHz 192 GB	5600,5800,6000,6200,6400,6600,6800,7000,7200,7400,7600	WLAN controller model Bluetooth Bluetooth version	Intel Wi-Fi 6E AX211  5.3
Supported memory module capacities		.2GB, 16GB, 32GB, 48GB	Features	
Storage controllers Supported storage drive types HDD & SSD Supported storage drive interfaces * M.2, SATA III		Motherboard chipset * Audio chip Audio output channels *	Intel Z790 Express Realtek ALC897 7.1 channels	
Number of HDDs supported  Number of storage drives supported		4	Product colour  PC health monitoring	Brown Fan, Temperature, Voltage, Water cooling
RAID support		✓	Component for *	PC
RAID levels		0, 1, 5, 10	Motherboard form factor *	ATX
Graphics			Motherboard chipset family *	Intel
Parallel processing technology support *		Not supported	Power source type Windows operating systems supported	ATX Windows 10 x64, Windows 11 x64
On-board graphics card		4096 x 2304 pixels	Expansion slots	
Maximum resolution HDCP		'	•	2
HUCF		✓	PCI Express x1 (Gen 3.x) slots	2

Graphics		Expansion slots	
Discrete graphics support	1	PCI Express x16 (Gen 3.x) slots	1
5	•	PCI Express x16 (Gen 4.x) slots	1
Internal I/O		PCI Express x16 (Gen 5.x) slots	1
USB 2.0 connectors *	2	Number of M.2 (M) slots	3
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	BIOS	
USB 3.2 Gen 2 (3.1 Gen 2)	1	BIOS type *	UEFI AMI
connectors * Number of SATA III connectors *	4	BIOS memory size	256 Mbit
Total number of SATA connectors	4	ACPI version	5.0
Front panel audio connector	-/	Clear CMOS jumper	1
Front panel connector	,	Clear CMOS button	1
ATX Power connector (24-pin)	<b>V</b>	Desktop Management Interface (DMI) version	2.7
Number of EATX power connectors CPU fan connector	2 ✓	System Management BIOS (SMBIOS) version	2.7
EPS power connector (8-pin)	1	Logistics data	
TPM connector	✓	Country of origin	China
Thunderbolt headers	2	Products per shipping (inner) case	1 pc(s)
12V power connector	<b>√</b>	Battery	1 17
RGB LED pin header	<b>√</b>	-	2 -
Rear panel I/O ports		Battery weight	3 g 0.07 g
USB 2.0 ports quantity *	2	Lithium weight per battery Number of battery cells	0.07 g
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1	Battery type	CR2032
USB 3.2 Gen 2x2 Type-C ports quantity	1	Packaging data	
Ethernet LAN (RJ-45) ports *	1	Package width	335 mm
PS/2 ports quantity	1	Package depth	270 mm
HDMI ports quantity *	1	Package height	80 mm
HDMI version	2.1	Package weight	1.81 kg
DisplayPorts quantity	1	Weight & dimensions	
		Width	305 mm
		Depth	244 mm
		Height	35 mm
		Cables included	SATA
		Batteries included	1
		Antenna included	1
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Technical details	
		Warranty period	3 year(s)





889523042120

0889523042120



4719331860998

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.