



## TP-Link INSIGHT S355 Bullet CCTV security camera Outdoor 2880 x 1620 pixels Wall



**Brand :** TP-Link

**Product code:** INSIGHT S355(4MM)

**Product name :** INSIGHT S355

- 5MP Super-High Definition and 24h Full-Color
- People & Vehicle Analytics
- Human & Vehicle Classification
- Smart Detection
- Smart Video Enhancement Technology
- Active Defense and Two-Way Audio
- IP67 Waterproof
- H.265+ Compression Technology

VIGI 5MP Outdoor Full-Color Bullet Network Camera, 1/2.7", 1/3 to 1/10000 s, F1.6, 2880 x 1620, CBR, VBR, BLC/3D DNR/HLC/SmartIR, 120 dB, 12V DC  $\pm$  5%, Max. 9.7 W, 5.5 mm Coaxial Power Plug, PoE: 802.3af/at, class 0, Max. 10.7 W, IP67, 184 x 74 x 74 mm, 0.525 kg, White

TP-Link INSIGHT S355. Type: CCTV security camera, Placement supported: Outdoor, Connectivity technology: Wired. Mounting type: Wall, Product colour: White, Form factor: Bullet. Lens viewing angle, horizontal: 88°, Lens viewing angle, vertical: 46°, Lens viewing angle, diagonal: 105.4°. Sensor type: CMOS, Optical sensor size: 25.4 / 2.7 mm (1 / 2.7"). Sensor type (panoramic camera): CMOS, Signal-to-Noise Ratio (SNR) (panoramic camera): 52 dB

Performance		Video	
Type *	CCTV security camera	Digital Wide Dynamic Range (DWDR)	✓
Placement supported *	Outdoor		
Connectivity technology *	Wired		
Maximum operating distance	64 m		
Wide Dynamic Range (WDR)	✓		
Day/night mode	✓		
Infrared (IR) cut-off filter	✓		
Remote viewing	✓		
Dynamic range	120 dB		
Plug and Play	✓		
Design			
Form factor *	Bullet		
Mounting type *	Wall		
Product colour *	White		
Housing material	Metal		
Protection features	Waterproof		
International Protection (IP) code	IP67		
Weatherproof	✓		
Camera			
Lens viewing angle, horizontal	88°		
Lens viewing angle, vertical	46°		
Lens viewing angle, diagonal	105.4°		
Tilt angle range	0 - 90°		
Camera shutter speed	1/3 to 1/10000		
Image sensor			
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")		
Progressive scan	✓		
Sensor type *	CMOS		
		Audio	
		Built-in speaker(s)	✓
		Audio system	2-way
		Audio input channels	1 channels
		Audio output channels	1 channels
		Audio formats supported	G.711 A-law
		Sample rate	8 kHz
		Built-in microphone	✓
		Number of microphones	1
		Bit rate range	0 - 64 Kbit/s
		Network	
		Ethernet LAN *	✓
		Supported network protocols	TCP/IP, UDP, ICMP, HTTP, HTTPS, DHCP, DNS, RTSP, NTP, UPnP, UDP, SSL/TLS, FTP/SFTP, RTP, IPv4, IPv6, ARP
		Wi-Fi *	✗
		Bluetooth *	✗
		Live view	✓
		Storage	
		Compatible memory cards	MicroSD (TransFlash)
		Maximum memory card size	512 GB
		Security	
		Built-in siren	✓
		Video motion detection	✓
		Alert notification type	Push notification
		Motion sensor	✓
		Mirror	✓

Panoramic camera		Management features	
Sensor type (panoramic camera)	CMOS	Web browser	✓
Signal-to-Noise Ratio (SNR) (panoramic camera)	52 dB	Cloud-managed *	✓
Digital Wide Dynamic Range (DWDR) (panoramic camera)	✓	Reset button	✓
Lens system		Power	
Recognize distance	16 m	Power source type *	DC, PoE
Focal length range	4 mm	Power consumption (max)	9.7 W
Night vision		Power consumption (Power over Ethernet (PoE))	10.7 W
Night vision *	✓	DC output voltage	12
LED type	IR/White	Operational conditions	
Video		Operating temperature (T-T)	-30 - 60 °C
Maximum resolution *	2880 x 1620 pixels	Storage temperature (T-T)	-40 - 60 °C
Total megapixels *	5 MP	Operating relative humidity (H-H)	0 - 95%
Video compression formats	H.264, H.264+, H.265, H.265+	Storage relative humidity (H-H)	0 - 95%
Video recording	✓	Weight & dimensions	
Bit rate control	Constant Bit Rate (CBR)/Variable Bit Rate (VBR)	Width	74 mm
Bit rate	Main Stream: 256 Kbps to 6 Mbps, Sub-Stream: 64 Kbps to 512 Kbps	Height	74 mm
Back Light Compensation (BLC)	✓	Length	184 mm
Highlight Compensation (HLC)	✓	Weight	525 g
		Packaging content	
		Number of cameras *	1
		Mounting kit	✓
		Screws included	✓
		Drilling template included	✓
		Manual	✓



1210002606370

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-FEB-2025. Prints or copies of Information are only valid on the printed Publication date