StarTech.com

StarTech.com HDMI Over IP Extender Kit with Advanced Compression

Brand : StarTech.com

Product name : HDMI Over IP Extender Kit with Advanced Compression

Product code: ST12MHDLNHK

- Efficiently distribute video throughout your site using your local area network
- Easily create your ideal digital signage with a versatile and scalable video distribution system
- Deliver brilliant HD quality video with 1080p support
- Newer Version Available: ST12MHDLAN2K features longer range (100m/330ft) and video wall support

StarTech.com HDMI Over IP Extender Kit - Advanced Compression - Transmitter & Receiver (ST12MHDLNHK)

StarTech.com HDMI Over IP Extender Kit with Advanced Compression. Type: AV transmitter & receiver, Maximum resolution: 1920 x 100 pixels, Cable types supported: Cat5e, Cat6. Connectivity technology: Wired, USB connector type: Mini-USB B, Audio input: 3.5 mm. AC input voltage: 100 - 240 V, Operating voltage: 5 V, Input current: 0.3 A. Weight: 3.2 kg. Package width: 92 mm, Package depth: 108 mm, Package height: 24 mm

Features

Type *	AV transmitter & receiver
Maximum resolution *	1920 x 100 pixels
Cable types supported	Cat5e, Cat6
Maximum transfer distance	15 m
Maximum refresh rate	60 Hz
Audio output channels	2.0 channels
LED indicators	Status
Supported video modes	1080p
Material	Aluminium
Rack mounting	✔
Daisy chain	✔
Rubber feet	✔
Product colour	Black

Ports & interfaces

Connectivity technology *	Wired
RJ-45 input ports	1
RJ-45 output ports	1
HDMI in	1
Number of HDMI outputs	1
USB ports quantity	2
USB connector type	Mini-USB B
Audio input	3.5 mm
Audio output	3.5 mm
Remote (IR) input	1
Remote (IR) output	1

Power

AC input voltage	100 - 240 V
Operating voltage	5 V

Power

Output current	1 A

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-10 - 60 °C
Operating relative humidity (H-H)	0 - 80%

Weight & dimensions

Weight	3.2 kg

Packaging data

Package width	92 mm
Package depth	108 mm
Package height	24 mm

Packaging content

AC adapter included	✔
Cables included	LAN (RJ-45), Serial, USB
Included power plug types	ANZ, EU, NA, UK
Manual	✔
IR blaster included	✔
IR receiver included	✔
Remote control included	✔
Mounting brackets included	✔

Technical details

Sustainability compliance	✔
Compliance certificates	CE, Federal Communications Commission (FCC), RoHS, Trade Agreements Act (TAA)

Power		Logistics data	
Input current	0.3 A	Master (outer) case width	324 mm
		Master (outer) case length	406 mm
		Master (outer) case height	262 mm
		Products per master (outer) case	6 pc(s)

0065030878760

065030878760