

## TP-Link AV1000 2-Port Gigabit Passthrough Powerline Starter Kit

## Brand : TP-Link

Product code: TL-PA7027P KIT (UK)

Product name : AV1000 2-Port Gigabit Passthrough Powerline Starter Kit

- HomePlug AV2 Standard - high-speed data transfer rates of up to 1000 Mbps, supporting all your online needs

- 2 Gigabit Ports - provides secure wired networks for desktops, smart TVs or games consoles

- Plug and Play - allows setup of your powerline network in minutes, so you can enjoy fast, seamless wired connections right away

- Extra Power Socket - ensures no power outlet goes to waste

- Patented Power-Saving Mode - automatically reduces power consumption by up to 85%

2 × TL-PA7027P, 300 m Max, Gigabit Ethernet, 58 x 42 x 95 mm

TP-Link AV1000 2-Port Gigabit Passthrough Powerline Starter Kit. Maximum data transfer rate: 1000 Mbit/s, Networking standards: IEEE 1901, IEEE 802.3, IEEE 802.3u, Power plug: Type G. Power consumption (typical): 4 W, Power consumption (standby): 0.84 W. Product colour: White, Antenna type: Internal, LED indicators: LAN, Power. Windows operating systems supported: Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP. Width: 58 mm, Depth: 42 mm, Height: 95 mm





Performance		System requirements	
Maximum data transfer rate * Ethernet LAN *	1000 Mbit/s	Windows operating systems supported	Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP
Ethernet LAN interface type	Gigabit Ethernet	Linux operating systems supported	1
Ethernet LAN data rates	10,100,1000 Mbit/s	Mac compatibility	1
Ethernet LAN (RJ-45) ports	1	Mac operating systems supported	1
Power plug *Type GBuilt-in power socket *PowerLine standardHomePlug AV2ModulationCOFDMSecurity algorithms128-bit AESMaximum operating distance300 mEncryption button	×	Operational conditions	
		Operating temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C 10 - 90%
	-	Weight & dimensions	
	COFDM 128-bit AES 300 m	Width Depth Height Certificates	58 mm 42 mm 95 mm
Plug and Play	✓	Compliance certificates	RoHS
Power		Packaging data	
Power consumption (typical)	4 W	Package type	Box
Power consumption (standby)	0.84 W	Packaging content	
Design		Quantity per pack *	2 pc(s)
Antenna type LED indicators Product colour * Certification	Internal LAN, Power White CE, RoHS	Quick installation guide Manual Cables included	✓ ✓ LAN (RJ-45)
		Logistics data	
		Harmonized System (HS) code	85171800





6935364072247

6935364052843

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.