Hisense

# Hisense 55A85NTUK TV 139.7 cm (55") 4K Ultra HD Smart TV Wi-Fi Black, Grey 150 cd/m²

Brand : Hisense

Product name : 55A85NTUK

Product code: 55A85NTUK

55", 3840 x 2160, OLED, 150000:1, DVB-T2/T/C/S2/S, HDMI, USB, RJ-45, Bluetooth, G, 300W
Hisense 55A85NTUK. Display diagonal: 139.7 cm (55"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: OLED, Screen shape: Flat. Smart TV. Display brightness: 150 cd/m², Response time: 6 ms, Contrast ratio (typical): 150000:1, Native aspect ratio: 16:9. Digital signal format system: DVB-C, DVB-S, DVB-S2, DVB-T, DVB-T2. Wi-Fi, Ethernet LAN. Product colour: Black, Grey

Display

Display diagonal *	139.7 cm (55")
HD type *	4K Ultra HD
Display technology *	OLED
LED backlight	✔
Screen shape *	Flat
Native aspect ratio *	16:9
Screen format adjustments	16:9
Display brightness *	150 cd/m²
Response time	6 ms
Native refresh rate	120 Hz
Contrast ratio (typical) *	150000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Comb filter	3D
Display resolution *	3840 x 2160 pixels
Display diagonal (metric)	139 cm

TV tuner

Tuner type *	Analog & digital
Digital signal format system *	DVB-C, DVB-S, DVB-S2, DVB-T, DVB-T2

Smart TV

Smart TV *	✔
Operating system installed *	VIDAA
Timeshift	✔
Apple AirPlay 2 support	✔

Audio

Number of speakers *	6
RMS rated power *	20 W
Audio decoders	DTS Virtual:X, Dolby Atmos
Equalizer	✔
Enhanced Audio Return Channel (eARC)	✔

Network

Wi-Fi *	✔
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Bluetooth *	✔
Ethernet LAN *	✔

Design

Product colour *	Black, Grey

Performance

4K Ultra HD upscaling	✔
Parental control	✔

Ports & interfaces

HDMI version	2.1
Audio Return Channel (ARC)	✔
Ethernet LAN (RJ-45) ports	1
USB 2.0 ports quantity *	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	1
Composite video in	1
Audio (L/R) in	1
Headphone outputs	1
RF ports quantity	2
Common interface Plus (CI+) *	✔
Common interface Plus (CI+) version	2.0
HDMI ports quantity *	4

Power

Power consumption (typical) *	300 W
Power consumption (standby) *	0.5 W
Energy efficiency class (SDR) *	G
Energy efficiency class (HDR) *	G
Energy consumption (SDR) per 1000 hours *	82 kWh
Energy consumption (HDR) per 1000 hours *	70 kWh
AC input voltage	100 - 240 V

Brand-specific features

Hisense technologies (AV/TV)	Wide Colour Gamut

Technical details

Bezel width (L/T, R/B)	2.4/2.4, 2.4/14
S/PDIF output	1

Weight & dimensions

Width (with stand)	1226 mm
Depth (with stand)	290 mm
Height (with stand)	743 mm
Weight (with stand)	23 kg
Width (without stand)	1226 mm
Depth (without stand)	68 mm
Height (without stand)	712 mm
Weight (without stand)	23 kg

Design

VESA mounting *	✔
Panel mounting interface	300 x 200 mm
Housing material	Metal, Plastic

Performance

High Dynamic Range (HDR) technology	Dolby Vision IQ, High Dynamic Range 10 (HDR10), High Dynamic Range 10+ (HDR10 Plus), High Dynamic Range 10+ Adaptive (HDR10 Plus Adaptive), Hybrid Log-Gamma (HLG)
Ambient light sensor	✔
Noise reduction *	✔
High Dynamic Range (HDR) supported *	✔
Game features	Auto Low Latency Mode (ALLM), Variable Refresh Rate (VRR)

Packaging data

Package width	1454 mm
Package depth	214 mm
Package height	894 mm
Package weight	33 kg

Other features

Cable management	✔

6942351405223