/isus

ASUS ProArt PA279CRV computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LCD Black

Brand : ASUS

Product family: ProArt

Product code: 90LM08E0-B01K70

Product name : PA279CRV

ASUS ProArt Display PA279CRV Professional Monitor – 27-inch, IPS, 4K UHD (3840 x 2160), 99% DCI-P3, 99% Adobe RGB, Color Accuracy $\Delta E < 2$, Calman Verified, USB-C PD 96W, VESA DisplayHDR 400, VESA MediaSync, Ergonomic Stand, Green Sustainability

ASUS ProArt PA279CRV computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LCD Black:

All the Essentials for Pros

ProArt Display PA279CRV is a 27-inch 4K HDR monitor designed for professional video editors. This Calman Verified display boasts a wide color gamut with 99% DCI-P3 and 99% Adobe RGB coverage and is factory pre-calibrated to Delta E < 2 for exceptional color accuracy. For added convenience, the built-in USB-C® port offers DisplayPort[™] support, superfast data transfers, and 96-watt power delivery via a single cable.





Display		Ports & interfaces	
Display diagonal *68.6 cm (27")Display resolution *3840 x 2160 pixelsHD type *4K Ultra HDNative aspect ratio *16:9Display technology *LCDPanel type *IPSBacklight typeLEDTouchscreen *×Display brightness (peak)400 cd/m²Display brightness (typical)350 cd/m²	3840 x 2160 pixels 4K Ultra HD 16:9 LCD IPS LED × 400 cd/m ²	USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * Headphone outputs HDCP HDCP version	96 W ✓ 2 2.0 2 1.4 ✓ 1 ✓ 2.2
Response time * Display surface Anti-glare screen	5 ms Matt 🖌	Charging port type Ergonomics	USB Type-C
Screen shape * Contrast ratio (typical) * Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Pixel density Viewable size, horizontal Viewable size, vertical Digital horizontal frequency Digital vertical frequency	Flat 1000:1 3000:1 60 Hz 178° 1.073 billion colours 0.155 x 0.155 mm 163 ppi 59.7 cm 33.6 cm 15 - 135 kHz 48 - 60 Hz	VESA mounting * Panel mounting interface Wall mountable Cable lock slot * Cable lock slot type Height adjustment * Height adjustment Pivot Pivot angle Swivelling Swivel angle range Tilt angle range	 100 x 100 mm 100 x 100 mm Kensington 13 cm -90 - 90° -30 - 30° -5 - 23°
High Dynamic Range (HDR) supported	1	Power Energy efficiency class (SDR) * Energy efficiency class (HDR) *	E G

Display		Power	
High Dynamic Range (HDR) technology	DisplayHDR 400, High Dynamic Range 10 (HDR10)	Energy consumption (SDR) per 1000 hours *) 22 kWh
Colour gamut standard Colour gamut	DCI-P3 99%	Energy consumption (HDR) per 1000 hours *	34 kWh
sRGB coverage (typical)	100%	Power consumption (typical) *	26.14 W
Adobe RGB coverage	99%	Power consumption (off)	0 W
Performance		Power consumption (PowerSave)	0.5 W
		AC input voltage	100 - 240 V
Flicker-free technology	1	AC input frequency	50 - 60 Hz
Low Blue Light technology	1	Energy efficiency scale	A to G
Multimedia		European Product Registry for Energy Labelling (EPREL) code	1437541
Number of speakers RMS rated power	2 4 W	Weight & dimensions	
Built-in speaker(s) *	 	Width (with stand)	612.2 mm
Built-in camera *		Depth (with stand)	215 mm
Built-in Camera *	X	Height (with stand)	538.1 mm
Design		Weight (with stand)	5.78 kg
Market positioning *	Graphics design	Width (without stand)	612.2 mm
Product colour *	Black	Depth (without stand)	44.1 mm
Feet colour	Silver	Height (without stand)	362.9 mm
Ports & interfaces		Weight (without stand)	4.07 kg
Built-in USB hub *	v	Packaging data	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package width	691 mm
USB upstream port type	USB Type-C	Package depth	138 mm
Number of USB Type-C upstream		Package height	427 mm
ports quantity	1	Package weight	8.69 kg
USB Type-A downstream ports quantity	3	Package type	Box

USB Type-C DisplayPort Alternate


USB Power Delivery (USB PD)

Mode

1

1





4711081951506

0195553951531



195553951531

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.