



LG 49VL5PJ-A Panorama design 124.5 cm (49") 500 cd/m² Full HD Black 24/7



Brand : LG

Product code: 49VL5PJ-A.AEK

Product name : 49VL5PJ-A

- Brightness(Typ.) : 500 nit
- Bezel : 2.25 mm (T/L), 1.25 mm (B/R)
- Depth : 89.7 mm
- Interface : HDMI/ DP/ DVI-D/ USB/ RS232C/ RJ45/ Audio/ IR
49", 500 nits, 1920 x 1080 px, FHD, IPS, 100-240V, 50/60Hz, 1077.6 x 607.8 x 89.7 mm, 17.8 kg
LG 49VL5PJ-A. Product design: Panorama design. Display diagonal: 124.5 cm (49"), Display resolution: 1920 x 1080 pixels, Display brightness: 500 cd/m², HD type: Full HD. Operating hours (hours/days): 24/7.
Product colour: Black

Display		Design	
Panel type	IPS	Bezel width (side)	1.25 mm
LED backlighting type	Direct-LED	Bezel width (top)	2.25 mm
Display diagonal *	124.5 cm (49")	Performance	
Display resolution *	1920 x 1080 pixels	Purpose *	Commercial
Display brightness *	500 cd/m²	On Screen Display (OSD)	✓
HD type *	Full HD	Operating hours (hours/days)	24/7
Touchscreen *	✗	HDCP	✓
Native aspect ratio	16:9	HDCP version	1.4/2.2
Response time	8 ms	Power	
Contrast ratio (typical)	1000:1	Power consumption (typical) *	110 W
Contrast ratio (dynamic)	500000:1	Power consumption (off)	0.5 W
Viewing angle, horizontal	178°	Energy efficiency class (SDR)	G
Viewing angle, vertical	178°	Energy consumption (SDR) per 1000 hours	73 kWh
Display number of colours	1.07 billion colours	AC input voltage	100-240 V
Rated lifetime	60000 h	AC input frequency	50 - 60 Hz
Native refresh rate	60 Hz	Heat dissipation	375 BTU/h
Haze rate	3%	Energy efficiency scale	A to G
Ports & interfaces		Weight & dimensions	
HDMI ports quantity *	2	Display width	1077.6 mm
HDMI version	2.2	Display depth	89.7 mm
DVI port *	✓	Display height	607.8 mm
DVI-D ports quantity	1	Display weight	17.8 kg
DisplayPorts quantity *	1	Packaging data	
USB port *	✓	Package width	1198 mm
USB ports quantity	1	Package depth	247 mm
USB version	2.0	Package height	756 mm
Ethernet LAN *	✓	Package weight	21.9 kg
Ethernet LAN (RJ-45) ports	1	Packaging content	
Wi-Fi *	✗	Remote control included	✓
RS-232C	✓	Cables included	DisplayPort, LAN (RJ-45), Power
Design		Operational conditions	
Product design *	Panorama design	Operating temperature (T-T)	0 - 40 °C
Product colour *	Black	Operating relative humidity (H-H)	10 - 80%
Screen shape	Flat		
VESA mounting *	✓		

Design		Technical details	
Panel mounting interface	600 x 400 mm	Compliance certificates	CB, CE, Federal Communications Commission (FCC), KC
Bezel width (bottom)	2.25 mm		

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.