ASUS ProArt B550-CREATOR AMD B550 Socket AM4 ATX

Brand: ASUS **Product code**: 90MB17L0-M0EAY0

Product name: ProArt B550-CREATOR

- AM4 socket: Ready for AMD Ryzen™ 5000 Series / 4000 G-Series / 3000 Series desktop processors
- Powerful I/O: Dual Thunderbolt 4 Type-C ports, dual 2.5G onboard Ethernet, USB 3.2 Gen 2 plus HDMI[™] 2.1 and DisplayPort[™] 1.2 output
- Unthrottled Performance: PCI 4.0-ready, 12+2 power stages with high-quality alloy chokes and durable capacitors
- Advanced Security: USB port management, software blacklisting and Regedit on/off controls via ASUS Control Center Express
- ProArt Gives You More: Two-Way Al Noise Cancelation for clear online communication and ProArt Creator Hub with CreationFirst for one-stop system control
- Trusted Stability: Tested for 24/7 operation, validated for extensive compatibility and equipped with SafeSlot for enhanced durability

ATX, AMD B550 chipset, Socket AM4, 4xDDR4 DIMM slots, 7.1ch audio, 2.5-Gigabit LAN, UEFI AMI BIOS





Processor		Rear panel I/O ports	
Processor manufacturer * Processor socket *	AMD Socket AM4	USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity * Ethernet LAN (RJ-45) ports *	4
Compatible processor serie	Gen	PS/2 ports quantity HDMI ports quantity * HDMI version	1 1 2.1
Supported processor socket Memory Supported memory types * DDR4-SDRAM Number of memory slots * 4 Memory slots type DIMM DUM-channel ECC	Socket AM4	DisplayPorts quantity Headphone outputs Microphone in S/PDIF out port Thunderbolt ports quantity USB connector type	1 5 USB Type-A, USB Type-C
Storage controllers		Network	
Supported storage drive type Supported storage drive into Number of storage drives so	erfaces * M.2, PCI Express 3.0, PCI Express 4.0, SATA III	Ethernet LAN Ethernet interface type LAN controller Wake-on-LAN ready	2.5 Gigabit Ethernet Intel I225-V
RAID support RAID levels	v 0, 1, 10	Wi-Fi * Features	×
Graphics Parallel processing technolosupport *	ogy Not supported	Motherboard chipset * Audio chip Audio output channels *	AMD B550 SupremeFX S1220A 7.1 channels
Internal I/O		Component for *	PC
USB 2.0 connectors * USB 3.2 Gen 1 (3.1 Gen 1) connectors * Number of SATA III connect	2 2 ors * 4	Motherboard form factor * Motherboard chipset family * Windows operating systems supported	ATX AMD Windows 10 x64
Audio connector Front panel audio connecto Front panel connector ATX Power connector (24-pi CPU fan connector	✓	Expansion slots PCI Express x1 (Gen 3.x) slots PCI Express x16 (Gen 3.x) slots PCI Express x16 (Gen 4.x) slots	1 1 2

Internal I/O		BIOS	
Number of chassis fan connectors EPS power connector (8-pin) Number of COM connectors TPM connector Thunderbolt headers 12V power connector	4 1 2	BIOS type * BIOS memory size Clear CMOS jumper	UEFI AMI 256 Mbit ✓
		Logistics data	
		Harmonized System (HS) code	84733020
RGB LED pin header		Weight & dimensions	
Rear panel I/O ports		Width Depth	305 mm 244 mm
USB 2.0 ports quantity *	2	Height	68 mm
		Packaging content	
		Cables included	SATA
		Drivers included	✓
		Other features	
		Weight	1 kg



4711081147077

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.