



## TP-Link TAPO C530WS security camera Turret CCTV security camera Outdoor 2880 x 1620 pixels Wall

**Brand :** TP-Link

**Product code:** TAPO C530WS

**Product name :** TAPO C530WS

Outdoor Pan/Tilt Security Wi-Fi Camera, 1/3", F1.6, 2880 x 1620, 1x Ethernet Port, 1x RESET Button, 1x MicroSD Card Slot (Up to 512GB), 93 dB, IEEE 802.11b/g/n/ax, 2.4 GHz Wi-Fi, IP66, 9V DC Power Adapter, 100-240 V, 50/60 Hz, 9 V, 0.85 A (DC Power), 123.8 x 123 x 90 mm, White

TP-Link TAPO C530WS. Type: CCTV security camera, Placement supported: Outdoor, Connectivity technology: Wired & Wireless. Mounting type: Wall, Product colour: White, Form factor: Turret. Lens viewing angle, horizontal: 95°, Lens viewing angle, vertical: 53°, Lens viewing angle, diagonal: 112°. Sensor type: CMOS, Optical sensor size: 25.4 / 3 mm (1 / 3"). Sensor type (panoramic camera): CMOS



Performance		Audio	
Type *	CCTV security camera	Audio input channels	1 channels
Placement supported *	Outdoor	Audio output channels	1 channels
Connectivity technology *	Wired & Wireless	Built-in microphone	✓
Auto pan mode	✓	Number of microphones	1
Maximum operating distance	29.9 m	Audio detection	✓
Day/night mode	✓	Network	
Remote viewing	✓	Ethernet LAN *	✓
Antenna type	External	Networking standards	IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Antennas quantity	2	Wi-Fi *	✓
Plug and Play	✓	Bluetooth *	✗
Design		Live view	✓
Form factor *	Turret	Storage	
Mounting type *	Wall	Compatible memory cards	MicroSD (TransFlash)
Product colour *	White	Maximum memory card size	512 GB
Housing material	Metal	Security	
Protection features	Waterproof	Built-in siren	✓
International Protection (IP) code	IP66	Siren noise level	99 dB
Weatherproof	✓	Video motion detection	✓
Camera		Alert notification type	Push notification
Camera pan control	✓	Motion sensor	✓
Camera tilt control	✓	Mirror	✓
Lens viewing angle, horizontal	95°		
Lens viewing angle, vertical	53°		
Lens viewing angle, diagonal	112°		

Camera		Management features	
Tilt angle range	60 - 130°	Cloud-managed *	✓
Image sensor		Reset button	✓
Optical sensor size	25.4 / 3 mm (1 / 3")	Remotely operated	✓
Sensor type *	CMOS	Power	
Panoramic camera		Power source type *	AC, DC
Sensor type (panoramic camera)	CMOS	AC input voltage	100 - 240 V
Lens system		AC input frequency	50/60 Hz
Digital zoom	12x	DC output voltage	9
Focal length range	3.2 mm	DC output current	0.85 A
Night vision		Operational conditions	
Night vision *	✓	Operating temperature (T-T)	-30 - 60 °C
LED type	IR/White	Storage temperature (T-T)	-40 - 60 °C
Video		Operating relative humidity (H-H)	10 - 90%
Maximum resolution *	2880 x 1620 pixels	Storage relative humidity (H-H)	0 - 90%
Total megapixels *	5 MP	Weight & dimensions	
Video compression formats	H.264	Width	123.8 mm
Supported graphics resolutions	2880 x 1620	Depth	90 mm
Video recording	✓	Height	123 mm
Frame rate	30 fps	Packaging data	
Audio		Package type	Box
Built-in speaker(s)	✓	Packaging content	
Audio system	2-way	Number of cameras *	1
		Mounting kit	✓
		Mounting brackets included	✓
		Screws included	✓
		Drilling template included	✓
		Manual	✓



1210002606745

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-FEB-2025. Prints or copies of Information are only valid on the printed Publication date