


Sharp ME551-MPi4 Interactive flat panel 139.7 cm (55") LCD 450 cd/m² 4K Ultra HD Black Touchscreen

Brand : Sharp

Product code: 60005930

Product name : ME551-MPi4



- Most natural writing experience – InGlass™ M5 premium touch system supports patented pressure sensitivity using passive pens as well as Windows Ink and palm rejection
 - Secure by design – the non-Android platform with additional security features meets the highest IT security standards
 - Optional Windows based Intel SDM slot-in PC – driving unlimited versatility with powerful integrated computing. Includes Sharp's Meeting Launcher for quick and easy access to your apps offering a secure and locked environment
 - Increase your productivity – benefit from a free one-year license for FlatFrog Board for Rooms. FlatFrog Board whiteboard software makes hybrid work easy and productive for everyone
 - Energy efficiency – built-in functionality including an ambient light sensor, human presence detection and eco modes help to reduce power consumption
- LCD 65" InGlass™ Touch Display, 24/7, 3840 x 2160, 500cd/m², IPS, 16:9, 1493.5 x 896.1 x 90.7mm

Display		Design	
Panel type	IPS	Product design *	Interactive flat panel
LED backlight	✓	Placement supported *	Indoor
LED backlighting type	Direct-LED	Orientation	Horizontal/Vertical
Display diagonal *	139.7 cm (55")	Product colour *	Black
Display technology *	LCD	Screen shape	Flat
Display resolution *	3840 x 2160 pixels	VESA mounting *	✓
Display brightness *	450 cd/m²	Panel mounting interface	600 x 400 mm
HD type *	4K Ultra HD	Bezel width (bottom)	3.23 cm
Touchscreen *	✓	Bezel width (side)	4.8 mm
Touchscreen technology	InGlass	Bezel width (top)	4.8 mm
Multi-touch	✓	Anti-glare screen	✓
Native aspect ratio	16:9	Mounting type	Wall
Response time	8 ms	Performance	
Contrast ratio (typical)	1200:1	Purpose *	Commercial
Viewing angle, horizontal	178°	HDCP	✓
Viewing angle, vertical	178°	Power	
Display number of colours	1.073 billion colours	Power consumption (typical) *	190 W
Display diagonal (metric)	139 cm	Power consumption (standby) *	0.5 W
Colour saturation	68%	AC input voltage	100-240 V
Horizontal scan range	15 - 135 kHz	AC input frequency	50-60 Hz
Vertical scan range	23 - 76 Hz	Weight & dimensions	
Native refresh rate	60 Hz	Display width	1493.5 mm
Haze rate	8%	Display depth	90.7 mm
Ports & interfaces		Display height	896.1 mm
HDMI ports quantity *	4	Display weight	49 kg
HDMI input ports quantity	2	Packaging data	
HDMI output ports quantity	2	Package width	1660 mm
DisplayPorts quantity *	2	Package depth	220 mm
DisplayPorts in	1	Package height	1010 mm
DisplayPorts out	1	Package weight	59 kg
USB port *	✓		
USB ports quantity	6		
USB version	2.0		

Ports & interfaces		Operational conditions	
USB connector type	USB Type-B	Operating temperature (T-T)	0 - 40 °C
Ethernet LAN *	✓	Operating relative humidity (H-H)	20 - 80%
Ethernet LAN (RJ-45) ports	1	Storage temperature (T-T)	-20 - 60 °C
Ethernet LAN data rates	100 Mbit/s	Storage relative humidity (H-H)	10 - 90%
RS-232 interface	✓		



4550556121835

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-DEC-2024. Prints or copies of Information are only valid on the printed Publication date