## ASUS PRIME H770-PLUS Intel H770 LGA 1700 ATX

Brand: ASUS Product code: 90MB1EE0-M0EAY0

**Product name:** PRIME H770-PLUS

- Intel® LGA 1700 Socket: Ready for 13th and 12th Gen Intel® processors
- Ultrafast Connectivity: PCle 5.0, three PCle 4.0 M.2, Realtek 2.5Gb Ethernet, USB 3.2 Gen 2 Type-C® and Thunderbolt™ (USB4®) header support
- Comprehensive Cooling: VRM heatsink, M.2 heatsink, PCH heatsink, hybrid fan headers and Fan Xpert 2+
- Exclusive Memory Technology: ASUS Enhanced Memory Profile II and ASUS OptiMem II
- Aura Sync RGB Lighting: Onboard Addressable Gen 2 headers and Aura RGB headers for RGB LED strips, easily synced with Aura Sync-capable hardware
- Two-Way Al Noise Cancelation: Reduces background noise from the microphone and audio output for crystal-clear communication in games or video conferences

PRIME H770-PLUS gaming motherboard socket Intel LGA 1700 (Intel H770, ATX, DDR5 memory, 3x PCIe 4.0 M.2, Thunderbolt 4, Aura Sync)





Processor			Rear panel I/O ports	
Processor manufacturer *		Intel	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3
Processor socket *		LGA 1700 Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7,	USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2
Compatible processor series *		Intel® Core™ i9, Intel® Pentium® Gold	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1
Supported processor sockets		LGA 1700	Ethernet LAN (RJ-45) ports *	1
Memory			HDMI ports quantity *	1
Supported memory types *	DDR5-SDRAM 4		HDMI version	2.1
Number of memory slots * Memory slots type	4 DIMM		DisplayPorts quantity	1
Memory channels	Dual-channel		DisplayPort version	1.4
Non-ECC Supported memory clock speeds	<b>√</b> 4800,5000,5200	,5400,5600,5800,6000,6200,6400,6600,6800,7000,7200	Headphone outputs	1
Supported memory clock speeds	MHz		Line-in	✓
(max)	7200 MHz		Microphone in	✓
Maximum internal memory * Unbuffered memory	192 GB ✓		Network	
Storage controllers			Ethernet LAN	1
Supported storage drive types		HDD & SSD	Ethernet interface type	2.5 Gigabit Ethernet
Supported storage drive interfaces *		M.2, SATA III	Wi-Fi *	×
Number of HDDs supported		4	Features	
Number of storage drives supported		7		I-t-111770
RAID support		1	Motherboard chipset *	Intel H770
RAID levels		0, 1, 10	Audio output channels *	7.1 channels
Crambias			Component for *	PC ATV
Graphics			Motherboard form factor *	ATX
Parallel processing technology support *		Not supported	Motherboard chipset family *	Intel
			Cooling type	Passive
Internal I/O			Power source type	ATX
USB 2.0 connectors *		2	Windows operating systems supported	Windows 10, Windows 11
USB 3.2 Gen 1 (3.1 Gen 1) connectors *		2	Expansion slots	
Number of SATA III connectors *		4	PCI Express x1 (Gen 3.x) slots	2
S/PDIF out connector		✓	PCI Express x16 (Gen 4.x) slots	2
Front panel audio connector		✓	PCI Express x16 (Gen 5.x) slots	1
ATX Power connector (24-pin)		✓	, ,	

Internal I/O		Expansion slots		
CPU fan connector	✓	Number of M.2 (M) slots	3	
Number of chassis fan connectors	3	BIOS		
Peripheral (Molex) power connectors (4-pin)	1	BIOS type *	UEFI AMI	
EPS power connector (8-pin)	✓	BIOS memory size	192 Mbit	
Number of COM connectors	1	Packaging data		
TPM connector Thunderbolt headers 12V power connector RGB LED pin header	1	Package width Package depth Package height Package weight	328 mm 226 mm 53 mm 1.27 kg	
Rear panel I/O ports		Weight & dimensions		
USB 2.0 ports quantity *	2	Width Depth	305 mm 244 mm	
		Packaging content		
		Cables included User guide	SATA ✓	
		Other features		
		Number of M.2 (E) slots	1	

