

Philips 55BDL4511D/00 Signage Display Digital A-board 139.7 cm (55") 500 cd/m² 4K Ultra HD Black 24/7

Brand : Philips

Product code: 55BDL4511D/00


Product name : 55BDL4511D/00

55" 4K UHD 3840 x 2160 VA, 500cd/m², Response 8ms, 5000:1, 1.07 Billion, USB, HDMI, RJ-45, RS232C Philips 55BDL4511D/00. Product design: Digital A-board. Display diagonal: 139.7 cm (55"), Display resolution: 3840 x 2160 pixels, Display brightness: 500 cd/m², HD type: 4K Ultra HD. Operating hours (hours/days): 24/7. Product colour: Black




Display		Design	
Panel type	VA	Placement supported *	Indoor
Display diagonal *	139.7 cm (55")	Orientation	Horizontal/Vertical
Display resolution *	3840 x 2160 pixels	Product colour *	Black
Display brightness *	500 cd/m ²	VESA mounting *	✓
HD type *	4K Ultra HD	Panel mounting interface	400 x 400 mm
Touchscreen *	✗	Bezel width (bottom)	1.39 cm
Native aspect ratio	16:9	Bezel width (side)	1.39 cm
Response time	8 ms	Bezel width (top)	1.39 cm
Contrast ratio (typical)	5000:1	Performance	
Contrast ratio (dynamic)	500000:1	Purpose *	Commercial
Viewing angle, horizontal	178°	Operating hours (hours/days)	24/7
Viewing angle, vertical	178°	Power	
Display number of colours	1.07 billion colours	Power consumption (typical) *	135 W
Pixel pitch	0.315 x 0.315 mm	Power consumption (standby) *	0.5 W
Display diagonal (metric)	138.7 cm	Power consumption (sleep)	0.5 W
Panel life	50000 h	Energy efficiency class (SDR)	G
Haze rate	25%	Energy consumption (SDR) per 1000 hours	136 kWh
Ports & interfaces		AC input voltage	100 - 240 V
HDMI ports quantity *	3	AC input frequency	50 - 60 Hz
HDMI version	2.0	Energy efficiency scale	A to G
HDMI input ports quantity	2	Computer system	
HDMI output ports quantity	1	Video formats supported	H.263, H.264, H.265, MPEG
DVI port *	✓	Audio formats supported	AAC, HE-AAC
DVI-I ports quantity	1	Image formats supported	BMP, JPG, PNG
DisplayPorts quantity *	2		

Ports & interfaces		Weight & dimensions	
DisplayPorts in	1	Display width	1241.8 mm
DisplayPorts out	1	Display depth	63.6 mm
USB port *	✓	Display height	712.6 mm
USB ports quantity	2	Display weight	16.6 kg
USB version	2.0	Packaging content	
Ethernet LAN *	✓	Remote control included	✓
Ethernet LAN (RJ-45) ports	1	Batteries included	✓
Audio (L/R) in	1	Cables included	AC, DisplayPort, IR sensor, RS-232
Audio (L/R) out	1	Operational conditions	
RS-232C	✓	Operating temperature (T-T)	0 - 40 °C
Remote (IR) input	1	Operating relative humidity (H-H)	20 - 80%
Remote (IR) output	1	Storage temperature (T-T)	0 - 60 °C
OPS module slot	✓	Storage relative humidity (H-H)	5 - 95%
Audio		Logistics data	
Built-in speaker(s) *	✓	Harmonized System (HS) code	85285210
Number of built-in speakers	2		
RMS rated power	20 W		
Design			
Product design *	Digital A-board		



8712581778668



0685417580880



685417580880

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.