GIGABYTE B650M AORUS ELITE AX ICE Motherboard - AMD Ryzen 9000 Series CPUs, 12+2+2 Phases VRM, up to 8000MHz DDR5 (OC), 1xPCle 5.0 + 1xPCle 4.0 M.2, 2.5GbE LAN, WIFI 6E, USB 3.2 Gen 2x2

Brand : GIGABYTE Product code: B650M AORUS ELITE AX ICE

Product name : B650M AORUS ELITE AX ICE Motherboard - AMD Ryzen 9000 Series CPUs, 12+2+2 Phases VRM, up to 8000MHz DDR5 (OC), 1xPCle 5.0 + 1xPCle 4.0 M.2, 2.5GbE LAN, WIFI 6E, USB 3.2 Gen 2x2

B650M AORUS ELITE AX ICE Motherboard - AMD Ryzen 9000 Series CPUs, 12+2+2 Phases VRM, up to 8000MHz DDR5 (OC), 1xPCle 5.0 + 1xPCle 4.0 M.2, 2.5GbE LAN, WIFI 6E, USB 3.2 Gen 2x2

GIGABYTE B650M AORUS ELITE AX ICE Motherboard - AMD Ryzen 9000 Series CPUs, 12+2+2 Phases VRM, up to 8000MHz DDR5 (OC), 1xPCle 5.0 + 1xPCle 4.0 M.2, 2.5GbE LAN, WIFI 6E, USB 3.2 Gen 2x2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge





| Processor | | Rear panel I/O ports | |
|---|--|------------------------------|---|
| Processor manufacturer * | AMD | Line-in | ✓ |
| Processor socket * | Socket AM5 | S/PDIF out port | ✓ |
| Compatible processor series * | AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 | Digital audio optical out | 1 |
| Series | | WiFi-AP antenna jack | 2 |
| Supported processor sockets | Socket AM5 | Network | |
| Memory | | Ethernet LAN | ✓ |
| Supported memory types * DDR5-SDRAM Number of memory slots * 4 | | Ethernet interface type | 2.5 Gigabit Ethernet |
| Memory slots type DIMM Memory channels Dual-channel | | LAN controller | Realtek RTL8125 |
| ECC compatibility Non-ECC 4400.4800.5200.5600.0 | ,6000,6200,6400,6600,6666,6800,7000,7200,7600,7800,8000 | Wi-Fi * | ✓ |
| Supported memory clock speeds Supported memory clock speed Supported memory clock speed 8000 MHz | | Top Wi-Fi standard | Wi-Fi 6E (802.11ax) |
| (max) Maximum internal memory * 256 GB Unbuffered memory * Maximum internal memory per slot 64 GB | | Wi-Fi standards | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax) |
| Storage controllers | | WLAN controller model | Realtek RTL8852CE |
| Supported storage drive types | HDD & SSD | Bluetooth | ✓ |
| Supported storage drive interfaces * | M.2, SATA III | Bluetooth version | 5.3 |
| Number of HDDs supported | 4 | Features | |
| Number of storage drives supported | 6 | Motherboard chipset * | AMD B650 |
| RAID support | ✓ | Audio chip | Realtek ALC897 |
| RAID levels | 0, 1, 10 | Audio output channels * | 7.1 channels |
| Graphics | | Product colour | White |
| Parallel processing technology support * | Not supported | PC health monitoring | Fan, Temperature, Voltage, Water cooling |
| Maximum resolution | 4096 x 2304 pixels | Component for * | PC |
| HDCP | • | Motherboard form factor * | micro ATX |
| DirectX version | 12.0 | Motherboard chipset family * | AMD ATX |
| Discrete graphics support | ✓ | Power source type | AIA |

| Internal I/O | | Fontures | |
|--|----------|--|---|
| Internal I/O | | Features | |
| USB 3.2 Gen 1 (3.1 Gen 1) | 2 | Windows operating systems supported | Windows 10 x64, Windows 11 x6 |
| connectors * | 1 | Expansion slots | |
| USB 3.2 Gen 2x2 connectors Number of SATA III connectors * | 1 | PCI Express x16 (Gen 4.x) slots | 2 |
| Front panel audio connector | → | Number of M.2 (M) slots | 2 |
| • | · / | 1st M.2 largest key size | 25110 |
| Front panel connector | | 1st M.2 highest PCI Express generation | 5.0 |
| ATX Power connector (24-pin) | √ | 2nd M.2 largest key size | 25110 |
| CPU fan connector | 2 | 2nd M.2 highest PCI Express | |
| Number of CPU fan connectors Number of chassis fan connectors | 2 | generation | 4.0 |
| TPM connector | → | BIOS | |
| Serial port headers | 1 | BIOS type * | UEFI AMI |
| · | · | BIOS memory size | 256 Mbit |
| 12V power connector Number of water pump connectors | 2 | ACPI version | 5.0 |
| RGB LED pin header | ∠ | Clear CMOS jumper | ✓ |
| Number of RGB LED pin headers | 5 | Desktop Management Interface (DMI) version | 2.7 |
| Rear panel I/O ports | | System Management BIOS | 2.7 |
| USB 2.0 ports quantity * | 4 | (SMBIOS) version | 2.7 |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * | 5 | Logistics data | China |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity * | 2 | Country of origin Products per shipping (inner) case | China 1 pc(s) |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-C | | Battery | |
| ports quantity * | 1 | Battery weight | 3 g |
| Ethernet LAN (RJ-45) ports * | 1 | Lithium weight per battery | 0.07 g |
| HDMI ports quantity * | 1 | Number of battery cells | 1 |
| HDMI version | 2.1 | Battery technology | Lithium-Manganese Dioxide |
| DisplayPorts quantity | 1.4 | | (LiMnO2) |
| DisplayPort version Headphone outputs | 1.4 | Battery type | CR2032 |
| ricadpholic datpats | • | Packaging data | |
| | | Package width | 270 mm |
| | | Package depth | 268 mm |
| | | Package height | 68 mm |
| | | Package weight | 1.89 kg |
| | | Weight & dimensions | |
| | | Width | 244 mm |
| | | Depth | 244 mm |
| | | Height | 35 mm |
| | | Packaging content | |
| | | Batteries included | ✓ |
| | | Antenna included | ✓ |
| | | Screws included | ✓ |
| | | Bundled software | Norton® Internet Security (OEM version) LAN bandwidth management software |
| | | Technical details | |
| | | Warranty period | 3 year(s) |



4719331859336

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.