

ASUS PRIME B550M-A AMD B550 Socket AM4 micro ATX

Brand : ASUS


Product code: 90MB14I0-M0EAY0

Product name : PRIME B550M-A

- AMD AM4 socket: Ready for 3rd Gen AMD Ryzen™ Processors
- Comprehensive cooling: VRM heatsink, PCH heatsink, and Fan Xpert 2+
- Ultrafast connectivity: Dual M.2, PCIe 4.0, Intel® WiFi 6, 1 Gb Ethernet, USB 3.2 Gen 2 Type-A
- Aura Sync RGB: Onboard addressable Gen 2 header for RGB LED strips, easily synced with Aura Sync-capable hardware

AMD B550 (Ryzen AM4) micro ATX motherboard with dual M.2, PCIe 4.0, 1 Gb Ethernet, HDMI/D-Sub/DVI, SATA 6 Gbps, USB 3.2 Gen 2 Type-A, and Aura Sync RGB headers support


ASUS PRIME B550M-A. Processor manufacturer: AMD, Processor socket: Socket AM4, Compatible processor series: 3rd Generation AMD Ryzen™ 3, 3rd Generation AMD Ryzen 5, 3rd Generation AMD Ryzen™ 7, 3rd.... Supported memory types: DDR4-SDRAM, Maximum internal memory: 128 GB, Memory slots type: DIMM. Supported storage drive interfaces: M.2, SATA. LAN controller: Realtek 8111H. Motherboard form factor: micro ATX, Motherboard chipset family: AMD, Motherboard chipset: AMD B550



Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4
Processor socket *	Socket AM4	USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2
Compatible processor series *	3rd Generation AMD Ryzen™ 3, 3rd Generation AMD Ryzen 5, 3rd Generation AMD Ryzen™ 7, 3rd Generation AMD Ryzen™ 9	Ethernet LAN (RJ-45) ports *	1
		PS/2 ports quantity	1
		HDMI ports quantity *	1
Memory		DVI-D ports quantity *	1
Supported memory types *	DDR4-SDRAM	Network	
Number of memory slots *	4	Ethernet LAN	✓
Memory slots type	DIMM	LAN controller	Realtek 8111H
Supported memory clock speeds	2133,2400,2666,2800,3000,3200,3333,3466,3600,3733,3866,4000,4133,4266,4400,4600 MHz	Bluetooth	✓
Maximum internal memory *	128 GB	Bluetooth version	5.1
Storage controllers		Features	
Supported storage drive interfaces *	M.2, SATA	Motherboard chipset *	AMD B550
Internal I/O		Motherboard form factor *	micro ATX
USB 2.0 connectors *	2	Motherboard chipset family *	AMD
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	BIOS	
Number of SATA connectors	4	BIOS type *	UEFI AMI
		BIOS memory size	256 Mbit
		Logistics data	
		Harmonized System (HS) code	84733020



4718017755528



0192876755525



192876755525

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-SEP-2024. Prints or copies of Information are only valid on the printed Publication date