## **PHILIPS**

## Philips 40B1U6903CH/00 computer monitor 100.8 cm (39.7") 5120 x 2160 pixels 5K Ultra HD LCD Black

Product name: 40B1U6903CH/00

Business Monitor 40B1U6903CH 5K2K UltraWide Thunderbolt™ monitor

Philips 40B1U6903CH/00 computer monitor 100.8 cm (39.7") 5120 x 2160 pixels 5K Ultra HD LCD Black:

Philips Thunderbolt™ 4 monitor delivers a secure, reliable one-cable docking solution, deliverying sharp images, and noise cancelling mic let people hear you fine. Windows Hello Webcam for quick access and strong security.

Philips 40B1U6903CH/00. Display diagonal: 100.8 cm (39.7"), Display resolution: 5120 x 2160 pixels, HD type: 5K Ultra HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 2 (3.1 Gen 2). VESA mounting, Height adjustment. Product colour: Black





Display		Ergonomics	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * Display brightness (typical) Response time *	100.8 cm (39.7") 5120 x 2160 pixels 5K Ultra HD 21:9 LCD IPS W-LED X 300 cd/m² 4 ms	Ergonomics  Cable lock slot *  Cable lock slot type  Height adjustment *  Height adjustment  Swivel angle range  Tilt angle range  Picture-in-Picture  On Screen Display (OSD) languages	Kensington  15 cm  -45 - 45°  -5 - 15°  Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese
Anti-glare screen Screen shape * Screen curvature rating Contrast ratio (typical) *	✓ Curved 2500R 1000:1	Plug and Play LED indicators	Korean, Polish, Portuguese, Russia Swedish, Turkish, Ukrainian Operation, Stand-by
Maximum refresh rate * Viewing angle, horizontal	50 Hz 178°	Power	
Viewing angle, vertical Display number of colours * Pixel pitch	178° 1.07 billion colours 0.1815 x 0.1815 mm	Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours *	G G 40 kWh
Pixel density  Vertical scan range  Viewable size, horizontal	140 ppi 30 - 60 Hz 92.9 cm	Energy consumption (HDR) per 1000 hours * Power consumption (typical) *	40 kWh 58.3 W
Viewable size, vertical Display diagonal (metric)	39.2 cm 100.9 cm	Power consumption (standby) * Power consumption (PowerSave)	0.44 W 44.6 W
High Dynamic Range (HDR) technology DDC/CI	High Dynamic Range 10 (HDR10)  ✓	AC input voltage AC input frequency Power supply type	100 - 240 V 50 - 60 Hz Internal
Haze rate Surface hardness	25% 3H	Energy efficiency scale	A to G

Diamlass		Daway	
Display	4240/	Power	
sRGB coverage (typical) NTSC coverage (typical)	134% 103%	European Product Registry for Energy Labelling (EPREL) code	1550844
DCI-P3 coverage	98%	Operational conditions	
Display sRGB	✓	Operating temperature (T-T)	0 - 40 °C
Performance		Storage temperature (T-T)	-20 - 60 °C
NVIDIA G-SYNC *	×	Operating relative humidity (H-H)	20 - 80%
AMD FreeSync *	×	Operating altitude Non-operating altitude	0 - 3658 m 0 - 12192 m
VESA Adaptive Sync support	✓		0 - 12132 III
Component video sync	Separate sync	Weight & dimensions	0.40
Flicker-free technology	✓	Width (with stand) Depth (with stand)	948 mm 236 mm
Low Blue Light technology	✓	Height (with stand)	605 mm
Multimedia		Weight (with stand)	13.5 kg
Number of speakers	2	Width (without stand)	948 mm
RMS rated power	5 W	Depth (without stand)	109 mm
Built-in speaker(s) *	✓	Height (without stand)	426 mm
Megapixel (approx.)	5 MP	Weight (without stand)	10.3 kg
Built-in microphone	✓	Packaging data	
Built-in camera *	✓	Package width	1150 mm
Design		Package depth	211 mm
Product colour *	Black	Package height	565 mm
Front bezel colour	Black	Package weight	17.2 kg
Feet colour	Black	Packaging content	
Ports & interfaces		Stand included	✓
Built-in USB hub *	✓	Manual	San I Carl at
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Bundled software	SmartControl
Number of USB Type-B upstream ports quantity	1	Sustainability	Marray DVC/DED
USB Type-A downstream ports	4	Doesn't contain Other features	Mercury, PVC/BFR
quantity USB Type-C downstream ports			
quantity	1	Picture-by-Picture (PbP)	Tautawa d
HDMI *	✓	Exterior finish type Picture enhancement	Textured SmartImage
HDMI ports quantity	2	Recyclable packaging material	100%
HDMI version	2.0	, p	CB; CE Mark; FCC Class B; ICES-003;
DisplayPorts quantity	1	Regulatory Approvals	CU-EAC; EAEU RoHS; TUV Ergo;
DisplayPort version	1.4		TUV/GS; TUV Eyesafe certified; cETLus
Thunderbolt 4 ports quantity	1	Delta E	2
A	,		
Audio output	<b>/</b>	EasyRead mode	✓
HDCP	<b>/</b>	EasyRead mode Philips SmartUniformity	
HDCP HDCP version		Philips SmartUniformity Mean time between failures (MTBF)	<b>✓</b> 93 - 105% 70000 h
HDCP HDCP version Network	1.4/2.2	Philips SmartUniformity Mean time between failures (MTBF) Ethernet LAN data rates	93 - 105% 70000 h 10,100,1000 Mbit/s
HDCP HDCP version	<b>/</b>	Philips SmartUniformity Mean time between failures (MTBF) Ethernet LAN data rates Wake-on-LAN	<b>✓</b> 93 - 105% 70000 h
HDCP HDCP version Network	1.4/2.2	Philips SmartUniformity Mean time between failures (MTBF) Ethernet LAN data rates	93 - 105% 70000 h 10,100,1000 Mbit/s
HDCP HDCP version  Network Ethernet LAN	1.4/2.2	Philips SmartUniformity Mean time between failures (MTBF) Ethernet LAN data rates Wake-on-LAN	93 - 105% 70000 h 10,100,1000 Mbit/s



8712581797416

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.