Part No	90NB0UA4-M00V90
Model Name	E410KA-EK672WS
EAN Code	4711387634103
UPC Code	197105634107
WEEE	1.25
BASE UNIT	VSNB0UA4-BUC411
Marketing Name	ASUS Vivobook Go 14
	Windows 11 Home in S Mode - ASUS
Operating System	recommends Windows 11 Pro for business
	Microsoft 365 Personal 1-year included.
o.(;	*
Office	*Activation required with 6-months of Windows activation date.
LCD cover- material	Plastic
LCD cover-color	Rose Pink
Top case-material	Plastic
Top case-color	Rose Pink
Keyboard color	Black
Bottom case- material	Plastic
Bottom case-color	White
Military grade	N/A
Touch Panel	Non-touch screen
Panel Size	14.0-inch
Resolution	FHD (1920 x 1080) 16:9 aspect ratio
LED Backlit Unit	LED Backlit
Response time	
Refresh rate	60Hz refresh rate

Part No	90NB0UA4-M00V90
Brightness	200nits
Peak Brightness	20011113
Color gamut	45% NTSC color gamut
Gamut mapping	
Contrast ratio	
VESA CERTIFIED Display HDR	
Color depth	
Pantone	
Glare	Anti-glare display
Low blue light	
TÜV Rheinland-	
certified SGS Eye Care	
Display	
Screen-to-body ratio	78%
Intel Athena	
Program	
Processor	Intel® Celeron® N4500 Processor 1.1 GHz (4M Cache, up to 2.8 GHz, 2 cores)
Chipset	N/A
Intergrated GPU	Intel® UHD Graphics
Discrete/Share	Share
Graphic Memory	N/A
Neural Processor	
Expansion Slot (includes used)	N/A
On board memory	4GB DDR4 on board

Part No	90NB0UA4-M00V90
Total System Memory	DDR4 4GB
Disclaimer for memory	*Only supports single-channel memory.
How to upgrade memory	
Storage	64G eMMC
Front-facing camera	VGA camera
on board Wireless	
Wireless	Wi-Fi 5(802.11ac) (Dual band) 1*1 + Bluetooth® 5.1 Wireless Card (*Bluetooth® version may change with OS version different.)
3G/4G	N/A
Keyboard type	Chiclet Keyboard
Touchpad	Touchpad support NumberPad
FingerPrint	N/A
I/O ports	1x USB 2.0 Type-A 1x USB 3.2 Gen 1 Type-A 1x USB 3.2 Gen 1 Type-C 1x HDMI 1.4 1x 3.5mm Combo Audio Jack
Audio	Audio by ICEpower® Built-in speaker Built-in microphone
Voice control	with Cortana support ø4.0, 33W AC Adapter, Output: 19V DC,
Power	1.75A, 33W, Input: 100-240V AC 50/60Hz universal

