TRIPP-LITE

1000 Eaton Boulevard Cleveland, OH 44122 United States

Mini DisplayPort to HDMI Active Adapter Cable (M/M), 1080p, 6 ft. (1.8 m)

MODEL NUMBER: P586-006-HDMI





Connect a Computer with Mini Displayport or Thunderbolt to a HDMI enabled TV

Features

- 6ft Mini Displayport / Thunderbolt to HDMI Adapter cable
- Supports 1080P video, as well as audio (if video card enabled)
- HDCP compatible
- In-line Passive adapter
- This product is a passive adapter and requires that the connected computer has a DP++ (DisplayPort ++) dual-mode port

Specifications

OVERVIEW		
UPC Code	037332180704	
Product Type	Active Cable	
Technology	HDMI; DisplayPort	
Cable Type	Active	
VIDEO		
Max Supported Video Resolution	1920 x 1200 (1080p)	
Max Supported Color Depth	12-bit True Color	
HDR Support	No	
Chroma Sub Sampling	4:4:4	

Highlights

- Supports 1080P 1920x1080
 resolution
- Supports Audio
- This product is a passive adapter and requires that the connected computer has a DP++ (DisplayPort ++) dualmode port

System Requirements

• Not for use with MST Hubs. For compatibility with MST Hubs, use a Displayport 1.2 compliant product such as P586-006-HD-V2A

Package Includes

 6-ft. (1.83 m) Mini Displayport / Thunderbolt to HDMI Adapter cable

TRIPP-LITE

1000 Eaton Boulevard Cleveland, OH 44122 United States

PHYSICAL	DHYSICAL		
Color	Black		
Material of Construction	ABS, PVC		
Cable Jacket Color	Black		
Cable Jacket Material	PVC		
Cable Jacket Rating	VW-1		
Cable Outer Diameter (OD)	4.8mm		
Wire Gauge (AWG)	32		
Cable Length (ft.)	6		
Cable Length (m)	1.83		
Cable Length (in.)	72		
Shipping Dimensions (hwd / in.)	0.25 x 5.00 x 8.30		
Shipping Dimensions (hwd / cm)	0.64 x 12.70 x 21.08		
Shipping Weight (lbs.)	0.10		
Shipping Weight (kg)	0.05		
ENVIRONMENTAL			
Operating Temperature Range	32° to 113°F (0° to 45°C)		
Storage Temperature Range	14° to 158°F (-10° to 70°C)		
Operating Humidity Range	10% to 85%, Non-Condensing		
Storage Humidity Range	5% to 90%, Non-Condensing		
CONNECTIONS			
Side A - Connector 1	MINI DISPLAYPORT (MALE)		
Side B - Connector 1	HDMI (MALE)		
Connector Plating	Gold; Nickel		
Contact Plating	Gold		
FEATURES & SPECIFICATIONS			
IP68 Rated	No		
IP20 Rated	No		
Displayport Specification	1.1a		
HDCP Specification	1.3		
STANDARDS & COMPLIANCE			
Product Compliance	CE (Europe); FCC (USA); REACH; RoHS; UKCA; WEEE		



1000 Eaton Boulevard Cleveland, OH 44122 United States

WARRANTY & SUPPORT	
Product Warranty Period (Worldwide)	3-year limited warranty
Product Warranty Period (U.S. & Canada)	3-year limited warranty



© 2023 Eaton. All Rights Reserved. Eaton is a registered trademark. All other trademarks are the property of their respective owners.