

NETGEAR ProSAFE GS724Tv4 Managed L3 Gigabit Ethernet (10/100/1000) Blue

Brand : NETGEAR

Product code: GS724T-400EUS

Product name : ProSAFE GS724Tv4

24 x 10/100/1000, 2 x SFP, QoS, SNMP, L3, Blue
NETGEAR ProSAFE GS724Tv4. Switch type: Managed, Switch layer: L3. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 24. Full duplex. MAC address table: 16000 entries, Switching capacity: 52 Gbit/s. Networking standards: IEEE 802.1ab, IEEE 802.1as, IEEE 802.1D, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE.... Power connector: DC-in jack. Rack mounting



Management features		Multicast features	
Switch type *	Managed	Multicast support	✓
Switch layer	L3	Number of multicast groups filtered	512
Quality of Service (QoS) support	✓	Protocols	
Web-based management	✓	Management protocols	SNMP v1/v2
System event log	✓	Supported network protocols	IP
Ports & interfaces		Design	
Basic switching RJ-45 Ethernet ports quantity *	24	Rack mounting *	✓
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Stackable *	✓
SFP module slots quantity	2	Product colour	Blue
Power connector	DC-in jack	LED indicators	Activity, Link
Network		Performance	
Networking standards *	IEEE 802.1ab, IEEE 802.1as, IEEE 802.1D, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE 802.3ae, IEEE 802.3x, IEEE 802.3z	Noise level	0 dB
10G support *	✓	Firmware upgradeable	✓
Copper ethernet cabling technology	1000BASE-T, 100BASE-T, 100BASE-TX, 10BASE-T	Mean time between failures (MTBF)	567680 h
Port mirroring	✓	Power	
Full duplex	✓	AC input voltage	100 - 240 V
IP routing	✓	AC input frequency	50 - 60 Hz
Flow control support	✓	Power consumption (typical)	17.4 W
Broadcast storm control	✓	Power over Ethernet (PoE)	
Spanning tree protocol	✓	Power over Ethernet (PoE) *	✗
VLAN support	✓	Operational conditions	
Number of VLANs	15	Operating temperature (T-T)	0 - 50 °C
Optical fiber		Storage temperature (T-T)	-20 - 70 °C
Fiber ethernet cabling technology	1000BASE-LX, 1000BASE-SX	Operating relative humidity (H-H)	0 - 90%
Data transmission		Storage relative humidity (H-H)	0 - 95%
Switching capacity *	52 Gbit/s	Operating altitude	0 - 3000 m
MAC address table *	16000 entries	Weight & dimensions	
Number of queues	8	Width	440 mm
Number of static routes	32	Depth	204 mm
Packet buffer memory	2 MB	Height	43 mm
Security		Weight	2.74 kg
DHCP features	DHCP client	Packaging content	
Access Control List (ACL)	✓	Cables included	AC
		Manual	✓

Security		Certificates	
IGMP snooping	✓	Certification	CE, FCC, VCCI, EN, C-Tick, CCC, CSA, UL/cUL, IEC
Security algorithms	HTTPS, SSL/TLS	Logistics data	
MAC address filtering	✓	Harmonized System (HS) code	85176990
SSH/SSL support	✓		



0606449098310



606449098310

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.