

Sony α ZV-E10 MILC Body 24.2 MP CMOS 6000 x 4000 pixels Black

Brand : Sony Product family: α Product code: ILCZV-E10/B

Product name : ZV-E10

24.2 (25) Mpix, APS-C type (23.5 x 15.6 mm), Exmor CMOS, 6000 x 4000, 4K 3840 x 2160, 7.5 cm (3.0-type) type TFT, Bluetooth 4.1, 3.5 mm jack, 115.2 x 64.2 x 44.8 mm

Sony α ZV-E10. Camera type: MILC Body, Megapixel (approx.): 24.2 MP, Sensor type: CMOS, Maximum image resolution: 6000 x 4000 pixels. ISO sensitivity (max): 320000. Digital zoom: 8x. Fastest camera shutter speed: 1/4000 s. HD type: 4K Ultra HD, Maximum video resolution: 3840 x 2160 pixels. Display diagonal: 7.62 cm (3"), Touchscreen. Weight: 343 g. Product colour: Black



Picture quality		Audio	
Camera type *	MILC Body	Built-in microphone *	✓
Megapixel (approx.) *	24.2 MP	Built-in speaker(s)	✓
Sensor type *	CMOS	Audio system	Mono
Maximum image resolution *	6000 x 4000 pixels	Memory	
Still image resolution(s) *	L: 6000 x 4000 (24 M), M: 4240 x 2832 (12 M), S: 3008 x 2000 (6.0 M)	Compatible memory cards *	MS Micro (M2), MS PRO Duo, MS Pro-HG Duo, MicroSD (TransFlash), MicroSDHC, MicroSDXC, SD, SDHC, SDXC
	L: 5328 x 4000 (21 M), M: 3776 x 2832 (11 M), S: 2656 x 2000 (5.3 M)		
	L: 6000 x 3376 (20 M), M: 4240 x 2400 (10 M), S: 3008 x 1688 (5.1 M)		
Image sensor size (W x H)	L: 4000 x 4000 (16 M), M: 2832 x 2832 (8.0 M), S: 2000 x 2000 (4.0 M)	Memory slots	1
		Display	
		Display *	TFT
Image stabilizer *	✗	Touchscreen *	✓
Supported aspect ratios	1:1, 3:2, 4:3, 16:9	Display diagonal *	7.62 cm (3")
Total megapixels	25 MP	Display diagonal (metric)	7.5 cm
Sensor format	Advanced Photo System type-C (APS-C)	Display resolution	921600 dot
Image formats supported *	JPEG, RAW	Flip-out screen	✓
Lens system		Vari-angle LCD display	✓
Digital zoom *	8x	Ports & interfaces	
Focusing		PictBridge *	✗
Focus adjustment *	Auto/Manual	USB version *	2.0
Auto Focus (AF) points	425	USB connector	USB Type-C
Auto Focus (AF) points selection	Auto	HDMI *	✓
Exposure		Headphone outputs	1
ISO sensitivity (min) *	100	Headphone connectivity	3.5 mm
ISO sensitivity (max) *	320000	Network	
ISO sensitivity	100, 200, 400, 800, 1600, 3200, 6400, 32000	Bluetooth *	✓
Light exposure modes *	Auto, Manual	Bluetooth version	4.1
Light exposure control	Program AE	Camera	
Light exposure correction *	± 5EV (1/2EV; 1/3EV step)	White balance *	Auto, Cloudy, Daylight, Flash, Fluorescent, Manual, Shade, Underwater
Light metering *	Centre-weighted, Evaluative (Multi-pattern), Matrix, Spot	Shooting modes *	Aperture priority, Auto, Lens priority, Manual, Program, Scene

Exposure		Camera	
Auto Exposure (AE) lock	✓	Photo effects *	Black&White, Sepia
Shutter		Self-timer delay *	2,5,10 s
Fastest camera shutter speed *	1/4000 s	Contrast adjustment	✓
Slowest camera shutter speed *	30 s	Brightness adjustment	✓
Camera shutter type	Electronic, Mechanical	Saturation adjustment	✓
Flash		Camera playback	Single image, Slide show
Flash modes *	Auto, Flash off, Flash on, Pre-flash, Slow synchronization	Tripod mounting supported *	✓
Flash exposure lock	✓	Design	
Flash sync-speed	1/160 s	Product colour *	Black
Flash exposure correction	±3EV (1/2; 1/3 EV step)	Battery	
Pre-flash	✓	Battery life (CIPA standard)	440 shots
Video		Battery type	NP-FW50
Video recording *	✓	Number of batteries supported	1
Maximum video resolution *	3840 x 2160 pixels	Operational conditions	
HD type *	4K Ultra HD	Operating temperature (T-T)	0 - 40 °C
Video resolutions	3840 x 2160,1920 x 1080 pixels	Weight & dimensions	
Analog signal format system	NTSC, PAL	Width	115.2 mm
Video formats supported	XAVC S	Depth	44.8 mm
		Height	64.2 mm
		Weight	343 g



5013493418318

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-DEC-2024. Prints or copies of Information are only valid on the printed Publication date