

## GIGABYTE X870 AORUS STEALTH ICE Motherboard - Supports AMD Ryzen 9000 CPUs, 16+2+2 Phases Digital VRM, up to 8200Hz DDR5 (OC), 2xPCIe 5.0 + 2xPCIe 4.0, Wi-Fi 7, 5 GbE LAN, USB 4



Brand : GIGABYTE

Product code: X870 A STEALTH ICE

**Product name :** X870 AORUS STEALTH ICE Motherboard - Supports AMD Ryzen 9000 CPUs, 16+2+2 Phases Digital VRM, up to 8200Hz DDR5 (OC), 2xPCIe 5.0 + 2xPCIe 4.0, Wi-Fi 7, 5 GbE LAN, USB 4

**GIGABYTE X870 AORUS STEALTH ICE Motherboard - Supports AMD Ryzen 9000 CPUs, 16+2+2 Phases Digital VRM, up to 8200Hz DDR5 (OC), 2xPCIe 5.0 + 2xPCIe 4.0, Wi-Fi 7, 5 GbE LAN, USB 4:**

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.

Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	S/PDIF out port	✓
Processor socket *	Socket AM5	Digital audio optical out	1
Compatible processor series *	AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series	WiFi-AP antenna jack	2
Supported processor sockets		Network	
Supported processor sockets	Socket AM5	Ethernet LAN	✓
<b>Memory</b>		Ethernet interface type	2.5 Gigabit Ethernet, 5 Gigabit Ethernet, Fast Ethernet, Gigabit Ethernet
Supported memory types *	DDR5-SDRAM	LAN controller	Realtek RTL8126
Number of memory slots *	4	Wi-Fi *	✓
Memory slots type	DIMM	Top Wi-Fi standard	Wi-Fi 7 (802.11be)
Memory channels	Dual-channel	Wi-Fi standards	Wi-Fi 7 (802.11be)
ECC compatibility	Non-ECC	WLAN controller model	Qualcomm QCNCM865
Supported memory clock speeds	8200,8000,7950,7900,7800,7600,7400,7200,7000,6800,6600,6400,6200,6000,5800,5600,5200,4800,4400 MHz	Bluetooth	✓
Supported memory clock speed (max)	8200 MHz	Bluetooth version	5.3
Maximum internal memory *	256 GB	<b>Features</b>	
Unbuffered memory	✓	Motherboard chipset *	AMD X870
Maximum internal memory per slot	64 GB	Audio chip	Realtek ALC1220-VB
<b>Storage controllers</b>		Audio output channels *	7.1 channels
Supported storage drive types	HDD & SSD	Product colour	White
Supported storage drive interfaces *	M.2, PCI Express 4.0, PCI Express 5.0, SATA III	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Number of HDDs supported	2	Component for *	PC
Number of storage drives supported	6	Motherboard form factor *	ATX
RAID support	✓	Motherboard chipset family *	AMD
RAID levels	0, 1, 5, 10	Cooling type	Passive
<b>Graphics</b>		Power source type	ATX
Parallel processing technology support *	Not supported	Windows operating systems supported	Windows 11 x64
On-board graphics card	✗		
Maximum resolution	4096 x 2160 pixels		
HDCP	✓		
DirectX version	12.0		
<b>Internal I/O</b>			
USB 2.0 connectors *	2		

Internal I/O		Expansion slots	
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	PCI Express x16 (Gen 4.x) slots	1
USB 3.2 Gen 2x2 connectors	1	PCI Express x16 (Gen 5.x) slots	1
Number of SATA III connectors *	2	Number of M.2 (M) slots	4
Front panel audio connector	✓	1st M.2 largest key size	25110
Front panel connector	✓	1st M.2 highest PCI Express generation	5.0
ATX Power connector (24-pin)	✓	2nd M.2 largest key size	22110
CPU fan connector	✓	2nd M.2 highest PCI Express generation	5.0
Number of CPU fan connectors	2	3rd M.2 largest key size	22110
Number of chassis fan connectors	6	3rd M.2 highest PCI Express generation	4.0
Peripheral (Molex) power connectors (4-pin)	1	4th M.2 largest key size	22110
EPS power connector (8-pin)	✓	4th M.2 highest PCI Express generation	4.0
Number of EPS power connectors (8-pin)	1		
TPM connector	✓		
12V power connector	✓	BIOS	
Number of water pump connectors	3	BIOS type *	UEFI AMI
Number of temperature sensor headers	2	BIOS memory size	512 Mbit
Number of noise detection headers	1	ACPI version	5.0
RGB LED pin header	✓	Clear CMOS jumper	✓
Number of RGB LED pin headers	4	Desktop Management Interface (DMI) version	2.7
		System Management BIOS (SMBIOS) version	2.7
Rear panel I/O ports		Logistics data	
USB 2.0 ports quantity *	4	Country of origin	China
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Products per shipping (inner) case	1 pc(s)
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2	Battery	
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Battery weight	3 g
USB4 Gen 3x2 ports quantity	2	Lithium weight per battery	0.07 g
Ethernet LAN (RJ-45) ports *	1	Number of battery cells	1
HDMI ports quantity *	1	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
HDMI version	2.1	Battery type	CR2032
DisplayPort version	1.4	Packaging data	
Headphone outputs	1	Package width	315.5 mm
Line-in	✓	Package depth	375 mm
		Package height	118.5 mm
		Package weight	5.07 kg
Weight & dimensions			
		Width	305 mm
		Depth	244 mm
		Height	35 mm
Packaging content			
		Batteries included	✓
		Antenna included	✓
		Screws included	✓
		Bundled software	Norton® Internet Security (OEM version)
Other features			
		Weight	4.4 kg
Technical details			
		Warranty period	3 year(s)



4719331873097

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.