## **D-Link**®

# 10000mAh Power Bank



## **Key Features**

- A portable powerhouse with high 10,000mAh power supply capability
- Built-in intelligent digital display shows the remaining power in digital format
- Compatible with PD 3.0 and QC 3.0 for fast power supply
- Supports various power outputs with a maximum of 18W power supply
- Designed with advanced protection features: overcurrent, overvoltage, overcharge, overtemperature, and short circuit protection











### **User Benefits**



#### **Universal Support**

Supports multiple USB ports (USB Type-C and USB Type-A) to accommodate a variety of mobile devices and gadgets



#### Overcurrent/Overvoltage Protection

Power supply is disabled in the event of errors caused by overcurrent, overvoltage, overcharge, or short circuit



#### **Energy Efficiency**

Standardized fast charge technologies promote efficient charge, saving time while reducing energy waste



#### **Large Capacity**

Peace of mind with sufficient capacity – top up iPhone X 2.5 times, iPad mini 1.5 times, or Nintendo Switch 1.5 times\*



#### Sleek and Slim

Lightweight design that easily slips into your pocket, allowing you to carry it anywhere



### Best On-the-go Partner

Charge all your smart and portable accessories safely and efficiently, anytime and anywhere, so you can stay ahead of your schedule

# **Technical Specifications**

Functionality	
Power Supply Capability*	10000mAH
Output Interfaces (power-out)	When only one charging port is used  USB Type-C: 18W  Output protocol: Power Delivery 3.0 (PD 3.0)  USB Type-A: 15W  Output protocol: Quick Charge 3.0 (QC 3.0)  When more than one charging port is used  USB Type-C & USB Type-A: Total 15W
Input Interfaces (power-in)	USB Type-C: 18W
Digital LED Display	Intelligent digital display shows the remaining power in digital format
Protection	Overcurrent Protection Overvoltage Protection Overcharge Protection Short Circuit Protection Overtemperature Protection
Quick Charge/Fast Charge	Quick Charge QC2.0/QC3.0 , USB Power Delivery USB-PD 2.0/3.0 for fast charge
Physical	
Dimensions	101 x 63 x 24 mm (3.98 x 2.48 x 0.94 in)
Power Input	USB Type-C
Weight	205 g (7.23 oz)
Ripple And Noise	<240mVp-p
Operating Temperature	0 to 40 °C (32 to 104 °F)
Storage Temperature	-20 to 35°C (-4 to 95°F) for storage period less than 3 months 23°C± 2°C for storage period of 6 months or longer
Operating Humidity	20% to 90% non-condensing
Storage Humidity	5% to 45% non-condensing
Certifications	CE FCC UN38.3
Ordering Information	
DPP-101	10000mAh Power Bank
Package Contents	10000mAh Power Bank USB-C to USB-C Cable (100 cm) Quick Installation Guide Warranty Card

 $<sup>\</sup>hbox{*Results based on lab tests. Capacity loss may occur due to circuit heat and voltage conversion.}$ 

