

Epson WorkForce C11CH35401BY multifunction printer Inkjet A3 4800 x 1200 DPI 35 ppm Wi-Fi

Brand : Epson

Product family: WorkForce

Product code: C11CH35401BY

Product name :
C11CH35401BY

- High ink yield: Print 86,000 pages in mono or 50,000 in colour without changing supplies¹
 - Less waste: With high capacity ink packs, reduce the need for supplies and reduce waste
 - Low power consumption: Epson's Heat-Free technology uses no heat, reducing energy consumption
 - Powerful scanning capability: Thin paper support and improved scanning quality
 - Works with Epson Remote Services: Cloud-based, advanced diagnosis of Epson printers and MFPs
 PrecisionCore Print Head, 4800 x 1200 dpi, 800 nozzles, 53 dB, 54 W, 100 - 240 V, 50 - 60 Hz
 Epson WorkForce C11CH35401BY. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 4800 x 1200 DPI, Print speed (colour, normal quality, A4/US Letter): 35 ppm. Copying: Colour copying, Maximum copy resolution: 600 x 1200 DPI. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Faxing: Mono faxing. Maximum ISO A-series paper size: A3. Wi-Fi. Direct printing. Product colour: White

Printing		Paper handling	
Duplex printing mode	Auto	Maximum ISO A-series paper size *	A3
Print technology *	Inkjet	Paper tray media types *	Glossy paper, Letterhead, Plain paper
Printing *	Colour printing	ISO A-series sizes (A0...A9) *	A3, A3+, A4, A5, A6
Duplex printing *	✓	ISO B-series sizes (B0...B9)	B4, B5, B6
Maximum resolution *	4800 x 1200 DPI	ISO C-series sizes (C0...C9)	C4, C5, C6
Print speed (black, normal quality, A4/US Letter) *	35 ppm	Non-ISO print media sizes	Legal, Letter, Tabloid (media size)
Print speed (colour, normal quality, A4/US Letter)	35 ppm	Envelopes sizes	B6, C5, C6
Print speed (black, normal quality, A3)	13 ppm	Photo paper sizes	10x15, 13x18, 20x25
Print speed (colour, normal quality, A3)	13 ppm	Custom media width	55 - 300 mm
Duplex print speed (black, normal quality, A4/US Letter)	11 ppm	Custom media length	127 - 1200 mm
Duplex print speed (colour, normal quality, A4/US Letter)	11 ppm	Paper tray media weight	64 - 300 g/m ²
Time to first page (black, normal)	5.5 s	Ports & interfaces	
Time to first page (colour, normal)	5.5 s	Direct printing *	✓
Secure printing	✓	USB port	✓
Copying		USB connector	USB Type-A
Duplex copying *	✗	USB 2.0 ports quantity	2
Copying *	Colour copying	Network	
Maximum copy resolution *	600 x 1200 DPI	Wi-Fi *	✓
Maximum number of copies	999 copies	Ethernet LAN *	✓
Copier resize	25 - 400%	Cabling technology	10/100Base-T(X)
Scanning		Ethernet LAN data rates	10, 100 Mbit/s
Duplex scanning *	✓	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Duplex scanning mode	Auto	Security algorithms	64-bit WEP, 128-bit WEP, AES, TKIP, WPA-PSK, WPA2-Enterprise, WPA2-PSK
Scanning *	Colour scanning	Supported network protocols (IPv4)	TCP, UDP, HTTP, HTTPS, IPv4, IPv6, IPSEC, SSL/TLS
Optical scanning resolution *	600 x 600 DPI	Supported network protocols (IPv6)	TCP, UDP, HTTP, HTTPS, IPv4, IPv6, IPSEC, SSL/TLS
Maximum scan resolution	600 x 600 DPI	Management protocols	SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping, SNMP 2.0c, SNMP 3.0, SNMP Trap
Scanner type *	ADF scanner	Mobile printing technologies	Apple AirPrint, Epson Connect, Google Cloud Print
Scan technology	CIS	Performance	
Image formats supported	JPEG, TIFF	Sound pressure level (printing)	53 dB
Document formats supported	PDF		
Fax			
Faxing *	Mono faxing		

Fax		Design		
Fax transmission speed	3 sec/page	Product colour *	White	
Modem speed	33.6 Kbit/s	Market positioning *	Home & office	
Fax memory	550 pages	Built-in display *	✓	
Speed dialling	✓	Display	LCD	
Features		Display diagonal	12.7 cm (5")	
Recommended duty cycle	2000 - 10000 pages per month	Control type	Buttons, Touch	
Maximum duty cycle *	75000 pages per month	Colour display	✓	
Printing colours *	Black, Cyan, Magenta, Yellow	Power		
Page description languages	ESC/P-R, PCL 5c, PCL 5e, PDF 1.7, PostScript 3	Power consumption (average operating)	54 W	
Input & output capacity		Energy Star Typical Electricity Consumption (TEC)	0.27 kWh/week	
Total number of input trays *	4	AC input voltage	100 - 240 V	
Total input capacity *	1900 sheets	AC input frequency	50 - 60 Hz	
Total output capacity *	250 sheets	System requirements		
Auto document feeder (ADF)	✓	Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	
Auto document feeder (ADF) input capacity	150 sheets		Mac operating systems supported	Mac OS X 10.11 El Capitan, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Maximum input capacity	1900 sheets		Server operating systems supported	Windows Server 2003 R2, Windows Server 2003 x64, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
		Weight & dimensions		
		Width	621 mm	
		Depth	751 mm	
		Height	1177 mm	
		Weight	141 kg	

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-DEC-2024. Prints or copies of Information are only valid on the printed Publication date