



AOC E3 24E3QAF LED display 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black

Brand : AOC

Product family: E3

Product code: 24E3QAF

Product name : 24E3QAF

Screen size (inch) 23.8, Panel resolution 1920x1080, Max Refresh rate 75 Hz, Panel type IPS, HDMI HDMI 1.4 x 1, DisplayPort DisplayPort 1.2 x 1, D-SUB (VGA) 1x, DVI 0x, Sync technology (VRR) Adaptive Sync AOC E3 24E3QAF. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	60.5 cm (23.8")	Mobile High-Definition Link (MHL)	✗
Display resolution *	1920 x 1080 pixels	Ergonomics	
HD type *	Full HD	VESA mounting *	✓
Native aspect ratio *	16:9	Panel mounting interface	100 x 100 mm
Display technology *	LCD	Cable management	✓
Panel type *	IPS	Cable lock slot *	✓
LED backlight	✓	Cable lock slot type	Kensington
Backlight type	W-LED	Height adjustment *	✓
Touchscreen *	✗	Height adjustment	15 cm
Response time	4 ms	Pivot	✓
Anti-glare screen	✓	Pivot angle	-90 - 90°
Screen shape *	Flat	Swivelling	✓
Contrast ratio (typical) *	1000:1	Swivel angle range	0 - 180°
Contrast ratio (dynamic)	20000000:1	Tilt adjustment	✓
Maximum refresh rate *	75 Hz	Tilt angle range	-5 - 35°
Viewing angle, horizontal	178°	On Screen Display (OSD)	✓
Viewing angle, vertical	178°	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish
Pixel pitch	0.2745 x 0.2745 mm	Number of OSD languages	16
Pixel density	93 ppi	Plug and Play	✓
Horizontal scan range	30 - 85 kHz	LED indicators	✓
Vertical scan range	48 - 75 Hz	Power	
Viewable size, horizontal	52.7 cm	Power consumption (typical) *	18 W
Viewable size, vertical	29.6 cm	Power consumption (standby) *	0.5 W
Digital horizontal frequency	30 - 85 kHz	Power consumption (max)	35 W
Digital vertical frequency	48 - 75 Hz	Power consumption (off)	0.3 W
Display diagonal (metric)	60.47 cm		
High Dynamic Range (HDR) supported	✓		
DDC/CI	✓		

Display		Power	
Surface hardness	3H	AC input voltage	100 - 240 V
Grayscale depth	8 bit	AC input frequency	50/60 Hz
Performance		Input current	1.5 A
Fast charging	✗	Power supply type	Internal
VESA Adaptive Sync support	✓	Operational conditions	
Flicker-free technology	✓	Operating temperature (T-T)	0 - 40 °C
Low Blue Light technology	✓	Storage temperature (T-T)	-25 - 55 °C
FPS counter	✓	Operating relative humidity (H-H)	10 - 85%
Dial point	✓	Storage relative humidity (H-H)	5 - 93%
Shadow control	✓	Operating altitude	0 - 5000 m
Game mode	✓	Non-operating altitude	0 - 12192 m
Compatibility	VESA-P2	Packaging content	
Multimedia		Stand included	✓
Built-in speaker(s) *	✓	Cables included	AC, DisplayPort, HDMI
Built-in camera *	✗	Quick start guide	✓
Number of speakers	2	Weight & dimensions	
Built-in microphone	✗	Width (with stand)	540 mm
Design		Depth (with stand)	200.1 mm
Market positioning *	Office	Height (with stand)	503.6 mm
Product colour *	Black	Weight (with stand)	4.45 kg
Frameless design	✓	Width (without stand)	540 mm
Front bezel colour	Black	Depth (without stand)	50.7 mm
Detachable stand	✓	Height (without stand)	362.3 mm
Feet colour	Black	Weight (without stand)	2.63 kg
Certification	ISO 9241-307	Packaging data	
Ports & interfaces		Package width	613 mm
Built-in USB hub *	✗	Package depth	162 mm
VGA (D-Sub) ports quantity	1	Package height	519 mm
HDMI *	✓	Package weight	7.14 kg
HDMI ports quantity	1	Sustainability	
HDMI version	1.4	Sustainability compliance	✓
DisplayPorts quantity	1	Sustainability certificates	EPEAT Silver, TCO
DisplayPort version	1.2	Recycling data	
Audio input	✓	Post-consumer recycled plastic	85%
Headphone out *	✓	Technical details	
Headphone outputs	1	Warranty period	3 year(s)
Headphone connectivity	3.5 mm	Compliance certificates	CB, CE, EAC, Federal Communications Commission (FCC), RoHS, cTUVus, WEEE
HDCP	✓	Other features	
HDCP version	1.4	Exterior finish type	Textured
AC (power) in	✓	Recyclable packaging material	100%
		Light effects	✗



4038986141253

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-AUG-2024. Prints or copies of Information are only valid on the printed Publication date