# **Product datasheet**

Specifications





# APC NetShelter SX Server Rack Gen 2, 45U, 2124H x 750W x 1070D mm, with Sides, Black

AR3155B2

### Overview

Lead Time Usually in Stock

### Main

Rack enclosure
45U
Baying hardware Key(s) Keyed-alike doors and side panels
Leveling feet Mounting hardware
Pre-installed casters Side panels

### **Physical**

Height	212.4 cm
Width	75 cm
Depth	107 cm
Net Weight	147.32 kg 196.28 kg
Colour	Black
Mounting Preference	No preference
Mounting Mode	Not rack-mountable
Maximum Mounting Depth	91.49 cm
Minimum Mounting Depth	28.6 cm
Rack Width	19"
Marking	14 gauge EIA mounting rail
Permanent Permissible Load	1020.58 kg dynamic 1814.37 kg static

### Conformance

Standards UL 2416 EIA-310E

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	226.2 cm

Life Is On APC

Package 1 Width	85.3 cm
Package 1 Length	115.8 cm
Package 1 Weight	172 3 kg

# **Logistical informations**

Country Of Origin

## **Contractual warranty**

Warranty 5 year repair or replace



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

Learn more about Green Premium >





Transparency RoHS/REACh

### Well-being performance



Reach Free Of Svhc



Rohs Exemption Information

Yes

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations