NOC

AOC V4 Q32V4 computer monitor 80 cm (31.5") 2560 x 1440 pixels 2K Ultra HD LED Black

Brand : AOC Product family: V4 Product code: Q32V4

Product name: Q32V4

Q32V431.5" IPS monitor ensuring a great picture quality with QHD resolution

AOC V4 Q32V4 computer monitor 80 cm (31.5") 2560 x 1440 pixels 2K Ultra HD LED Black:

31.5" IPS monitor ensuring a great picture quality with QHD resolution

In an extremely clean design, the Q32V4 boasts a flat 31.5" IPS display with QHD resolution. This model offers the full package with Adaptive Synch, 75Hz refresh rate, Low Blue Light and Flicker-Free. AOC V4 Q32V4. Display diagonal: 80 cm (31.5"), Display resolution: 2560 x 1440 pixels, HD type: 2K Ultra HD, Display technology: LED, Display surface: Matt, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting. Product colour: Black





-			
Display		Ports & interfaces	
Display diagonal *	80 cm (31.5")	Headphone connectivity	3.5 mm
Display resolution *	2560 x 1440 pixels	DC-in jack	✓
HD type *	2K Ultra HD	Ergonomics	
Native aspect ratio *	16:9	VESA mounting *	1
Display technology *	LED	-	100 x 100 mm
Panel type *	IPS	Panel mounting interface	
Backlight type	W-LED	Cable lock slot *	✓
Touchscreen *	×	Cable lock slot type	Kensington
Display brightness (typical)	250 cd/m ²	Height adjustment *	×
Response time *	4 ms	Pivot	×
Display surface	Matt	Tilt angle range	-5 - 23°
Anti-glare screen	✓	On Screen Display (OSD)	✓
Screen shape *	Flat		Simplified Chinese, Traditional
Supported graphics resolutions	1920 x 1080 (HD 1080), 2560 x	On Screen Display (OSD) languages	Chinese, Croatian, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian,
Currented video medes	1440		
Supported video modes	1080p, 1440p		
Aspect ratio Contrast ratio (typical) *	4:3, 16:9 1000:1	N. orbore (OCD by control	Swedish, Turkish, Ukrainian
Contrast ratio (typical)	20000000:1	Number of OSD languages	16
Maximum refresh rate *	75 Hz	Plug and Play	✓
Viewing angle, horizontal	178°	Power	
Viewing angle, vertical	178°	Energy efficiency class (SDR) *	G
Display number of colours *	16.7 million colours	Energy efficiency class (HDR) *	G
Pixel density	93 ppi	Energy consumption (SDR) per 1000 hours *) 38 kWh
Display diagonal (metric) Surface hardness	80.01 cm 3H	Energy consumption (HDR) per 1000 hours *	38 kWh
Colour depth	8 bit	Power consumption (typical) *	47 W
sRGB coverage (typical)	102%	Power consumption (standby) *	0.5 W
Adobe RGB coverage	75%	Power consumption (off)	0.3 W
Performance		AC input voltage	100 - 240 V
NVIDIA G-SYNC *	×	AC input frequency	50 - 60 Hz
		Energy efficiency scale	A to G
AMD FreeSync * Fast charging	×	European Product Registry for Energy Labelling (EPREL) code	428747
VESA Adaptive Sync support	^	External power adapter	×
Flicker-free technology	· /	External power duapter	
Therefore technology	•		

Performance		Weight & dimensions	
Low Blue Light technology	✓	Width (with stand)	730.2 mm
Multimedia		Depth (with stand)	209.9 mm
Number of speakers RMS rated power Built-in speaker(s) * Built-in microphone	2 2 W ✓	Height (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand)	531.1 mm 6.8 kg 730.2 mm 47.5 mm 426.6 mm
Built-in camera *	×	Packaging data	
Design Market positioning * Product colour * Frameless design Front bezel colour	teet positioning * Home luct colour * Black neless design ✓	Package width Package depth Package height Package weight Package type	817 mm 187 mm 552 mm 8.68 kg Box
Detachable stand	✓	Packaging content	
Feet colour	Black	Stand included	✓
Ports & interfaces		Cables included	AC
Built-in USB hub * DVI port	× ×	Quick start guide HDMI cable length	√ 1.5 m
HDMI *	✓	Other features	
HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio input	1 1.4 1 1.2	Exterior finish type Bezel thickness type Compliance certificates Light effects Certification	Textured Narrow WEEE X GOST
Headphone out *	✓	Logistics data	
Headphone outputs	1	Harmonized System (HS) code	85285210



4038986119900

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.