

StarTech.com Dual Monitor USB C Docking Station with 60W Power Delivery for Windows Laptops - USB C to HDMI / DVI Dock - USB 3.1 Gen 1 Type C Dock w/ Charging - Thunderbolt 3 Compatible

Brand : StarTech.com

Product code: MST30C2HHPDU

Product name : Dual Monitor USB C Docking Station with 60W Power Delivery for Windows Laptops - USB C to HDMI / DVI Dock - USB 3.1 Gen 1 Type C Dock w/ Charging - Thunderbolt 3 Compatible

StarTech.com Dual Monitor USB C Docking Station with 60W Power Delivery for Windows Laptops - USB C to HDMI / DVI Dock - USB 3.1 Gen 1 Type C Dock w/ Charging - Thunderbolt 3 Compatible (MST30C2HHPDU)

StarTech.com Dual Monitor USB C Docking Station with 60W Power Delivery for Windows Laptops - USB C to HDMI / DVI Dock - USB 3.1 Gen 1 Type C Dock w/ Charging - Thunderbolt 3 Compatible. Connectivity technology: Wired, Host interface: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, USB Power Delivery up to: 60 W. Ethernet LAN data rates: 10,100,1000 Mbit/s, Networking standards: IEEE 802.3, IEEE 802.3ab, IEEE 802.3u. Product colour: Black, Silver, Data transfer rate: 5 Gbit/s, Maximum digital resolution: 4096 x 2160 pixels. Power source type: AC, AC input voltage: 100 - 240 V, Input current: 1.5 A. Windows operating systems supported: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10...



Dual Monitor USB-C Dock



Ports & interfaces		Power	
Connectivity technology *	Wired	Compatible power plug types	EU, UK
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C	Software	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 11, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1		
USB Power Delivery (USB PD)	✓		
USB Power Delivery revision	2.0		
USB Power Delivery up to	60 W		
HDMI ports quantity *	2		
Combo headphone/mic port	✓		
Headphone outputs *	1		
Headphone connectivity	3.5 mm		
Network			
Ethernet LAN *	✓		
Ethernet LAN (RJ-45) ports	1		
Ethernet LAN data rates	10,100,1000 Mbit/s		
Networking standards	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u		
Auto MDI/MDI-X	✓		
Full duplex	✓		
Performance		Operational conditions	
Card reader integrated *	✗	Operating temperature (T-T)	5 - 35 °C
Data transfer rate	5 Gbit/s	Storage temperature (T-T)	-40 - 70 °C
Maximum digital resolution	4096 x 2160 pixels	Operating relative humidity (H-H)	5 - 95%
Product colour *	Black, Silver	Sustainability	
Plug and Play	✓	Sustainability compliance	✓
UASP support	✓		

Performance		Weight & dimensions	
Housing material	Plastic	Width	80 mm
Power		Depth	220 mm
Power source type	AC	Height	24 mm
AC input voltage	100 - 240 V	Weight	259 g
Input current	1.5 A	Packaging data	
Output voltage	20 V	Package width	157 mm
Output current	4.5 A	Package depth	267 mm
Power consumption (typical)	100 W	Package height	90 mm
Power plug type	Type N	Package weight	1.5 kg
Packaging content			
		Cables included	USB Type-C
		AC adapter included	✓
		Quick start guide	✓
Technical details			
		Compliance certificates	CE, RoHS
Logistics data			
		Products per master (outer) case	6 pc(s)
		Master (outer) case width	287 mm
		Master (outer) case length	337 mm
		Master (outer) case height	304 mm
		Harmonized System (HS) code	84733020
Other features			
		Chipset	VIA/VLI - VL813, MegaChips - STDP4320, Realtek - RTL8153, C-Media - CM6533, Texas Instruments - TPS65983



0065030872690



065030872690

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-DEC-2024. Prints or copies of Information are only valid on the printed Publication date