

Brother HLL-8260CDW laser printer Colour 2400 x 600 DPI A4 Wi-Fi

Brand : Brother Product code: HLL-8260CDW

Product name : HLL-8260CDW

- Up to 31ppm colour & mono print speed
- Automatic 2-sided printing
- 300 Sheet standard paper input
- USB, Wireless and Gigabit Wired network
- iPrint&Scan, Google Cloud Print & Apple Airprint
- 3,000 Black and 1,800 Cyan, Magenta & Yellow inbox toners

A4, 31 ppm, 2400 x 600 dpi, 256 MB, 800 MHz, LCD, Ethernet, WLAN, USB 2.0, 580 W

Brother HLL-8260CDW laser printer Colour 2400 x 600 DPI A4 Wi-Fi:

This high-performance printer helps to increase your productivity with print speeds up to 31ppm. Flexible paper handling includes the ability to expand to a 1,050-sheet total capacity with optional trays. High yield toner ensures running costs are kept low.

When you use genuine Brother toner with the HLL8260CDW you'll have peace of mind with our industry leading service and support.






Printing		Network	
Duplex printing mode Print speed (colour, normal quality, A4/US Letter)	Auto 31 ppm		NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP
Colour * Print technology *	√ Laser	Supported network protocols (IPv6)	Server, TELNET Server, HTTP/HTTPS Server, TFTP Client & Server, SMTP Client, SNMPV1/v2c/v3, ICMPv6,
Duplex printing *	✓		Web Services (Print), CIFS Client, SNTP Client
Maximum resolution * Print speed (black, normal quality, A4/US Letter) *	2400 x 600 DPI 31 ppm	Mobile printing technologies	Apple AirPrint, Brother iPrint & Scan, Google Cloud Print, Kindle Fire Printing, Mopria Print Service
Duplex print speed (black, normal quality, A4/US Letter)	7 ppm	Performance	
Duplex print speed (colour, normal quality, A4/US Letter)	7 ppm	Internal memory * Built-in processor	256 MB ✓
Time to first page (black, normal)	15 s	Sound pressure level (printing)	49 dB
Time to first page (colour, normal)	15 s	Sound pressure level (quiet mode)	44 dB
Economical printing	✓	Design	
Features		Product colour *	Black, Grey
Maximum duty cycle * Recommended duty cycle	40000 pages per month 0 - 3000 pages per month	Built-in display * Display	✓ LCD
Number of print cartridges *	2	Power	
Page description languages *	BR-Script 3, Microsoft XPS, PCL 6, PDF 1.7, XPS	Power consumption (printing) *	580 W
Input & output capacity		Power consumption (ready) Power consumption (standby)	10 W 70 W
Total number of input trays * Total input capacity * Total output capacity * Multi-Purpose tray	1 250 sheets 150 sheets	Power consumption (PowerSave) Power consumption (off) Energy Star Typical Electricity Consumption (TEC)	340 W 0.02 W 1.8 kWh/week
Multi-Purpose tray input capacity	50 sheets		

Paper handling		System requirements	
Maximum ISO A-series paper size *	A4	Windows operating systems	
	Bond paper, Glossy paper, Plain paper, Recycled paper, Thin paper	supported	1
Paper tray media types *		Mac operating systems supported	✓
ISO A-series sizes (A0A9) *	A4, A5, A6	Linux operating systems supported	✓
Non-ISO print media sizes	Executive, Folio, Legal, Letter	Other operating systems supported	Android, iOS
Custom media width	76.2 - 127 mm	Operational conditions	
Custom media length	215.9 - 355.6 mm	Operating temperature (T-T)	10 - 32 °C
Paper tray media weight	60 - 105 g/m²	Storage temperature (T-T)	0 - 40 °C
Ports & interfaces		Operating relative humidity (H-H)	20 - 80%
USB port *	1	Storage relative humidity (H-H)	10 - 90%
USB 2.0 ports quantity	1	Sustainability	
Network		Sustainability certificates	Blue Angel, ENERGY STAR
Wi-Fi *	✓	Weight & dimensions	
Ethernet LAN *	✓	Width	410 mm
Cabling technology	10/100/1000Base-T(X)	Depth	486 mm
Ethernet LAN data rates	10,100,1000 Mbit/s	Height	313 mm
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Weight	21.8 kg
Security algorithms	64-bit WEP, 128-bit WEP, 802.1x RADIUS, EAP-FAST, EAP-MD5, EAP- TLS, EAP-TTLS, HTTPS, IPPS, PEAP, SMTP-AUTH, SNMP, SSL/TLS, WPA- AES, WPA-PSK, WPA-TKIP, WPA2- AES, WPA2-EAP, WPA2-PSK	Packaging data	
		Package width	617 mm
		Package depth	533 mm
		Package height	521 mm
Supported network protocols (IPv4)	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS Server, TFTP Client & Server, SMTP Client, SNMPv1/v2c/v3, ICMP, Web Services (Print), CIFS Client, SNTP Client	Package weight	25.4 kg
		Packaging content	
		Cables included	AC





4977766774116

4977766774154

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.