Sony VPL-FHZ80 data projector Projector module 6000 ANSI lumens 3LCD WUXGA (1920x1200) White

Brand : Sony Product code: VPL-FHZ80

Product name: VPL-FHZ80

- Brighter for longer
- Beautifully slim and stylish
- Sophisticated design and superior installation flexibility
- 3 LCD, 40 600", 6000lm, 30dg, 36db

Sony VPL-FHZ80. Projector brightness: 6000 ANSI lumens, Projection technology: 3LCD, Projector native resolution: WUXGA (1920x1200). Light source type: Laser, Service life of light source: 20000 h. Focus: Auto/Manual, Zoom type: Auto/Manual, Zoom ratio: 1.6:1. Analog signal format system: NTSC 3.58, NTSC 4.43, PAL, PAL 60, PAL M, PAL N, SECAM, Supported graphics resolutions: 1920 x 1200 (WUXGA), Supported video modes: 480p, 576p, 720p, 1080i, 1080p. Serial interface type: RS-232C





Projector		Ports & interfaces	
Smart projector *	✓	DVI port *	✓
. ,	1016 - 15240 mm (40 - 600")	Network	
Projector brightness * Projection technology *	6000 ANSI lumens 3LCD WUXGA (1920x1200)	Ethernet LAN *	✓
,		Ethernet LAN (RJ-45) ports	1
	· · · · · · · · · · · · · · · · · · ·	Storage	
Native aspect ratio *	16:9	Card reader integrated *	×
Keystone correction, horizontal	30°	Features	
Keystone correction, vertical	30°	Noise level (economic mode)	34 dB
Light source		Noise level *	36 dB
Light source type *	Laser	Multimedia	
Service life of light source *	20000 h	Built-in speaker(s) *	X
Lens system			^
Focus *	Auto/Manual	Design	
Zoom capability	✓	Market positioning *	Portable
Zoom type	Auto/Manual	Product type *	Projector module
Zoom ratio	1.6:1	Product colour *	White
Throw ratio	1.39:1 - 2.23:1	Display	
Video		Built-in display *	×
Analog signal format system *	NTSC 3.58, NTSC 4.43, PAL, PAL 60, PAL M, PAL N, SECAM	^{),} Power	
Full HD *	✓	Power source *	AC
3D*	×	Power consumption (typical) *	397 W
Supported graphics resolutions	1920 x 1200 (WUXGA)	Power consumption (standby) *	0.3 W
Supported video modes	480p, 576p, 720p, 1080i, 1080p	AC input voltage	100 - 240 V
Ports & interfaces	4000, 3700, 7200, 10001, 10000	AC input frequency	50 - 60 Hz
	_	Operational conditions	
S-Video inputs quantity	1	Operating temperature (T-T)	0 - 45 °C
Serial interface type *	RS-232C	3 1 , ,	-10 - 60 °C
PC Audio in	✓		35 - 85%
PC in (D-Sub)	1	Storage relative humidity (H-H)	10 - 90%
VGA (D-Sub) ports quantity *	1		
HDMI ports quantity *	1		

Ports & interfaces		Weight & dimensions	
Composite video in *	1	Width	460 mm
Component video (YPbPr/YCbCr) in *	* 1	Depth	169 mm
		Height	494 mm
		Weight *	13 kg
		Logistics data	
		Harmonized System (HS) code	85286200







0027242923287



027242923287



5013493491755

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.