

## Ricoh fi-7460 ADF + Manual feed scanner 600 x 600 DPI A3 Grey, White

Brand: Ricoh Product code: PA03710-B051

**Product name:** fi-7460

ADF,  $600 \times 600$  dpi,  $2 \times$  CCD, 24 bit, 60 ppm, 120 ipm (200 & 300 DPI), USB 3.0, 7.6 kg Ricoh fi-7460. Maximum scan size:  $304.8 \times 5588$  mm, Optical scanning resolution:  $600 \times 600$  DPI, Output colour depth: 24 bit. Scanner type: ADF + Manual feed scanner, Product colour: Grey, White. Sensor type: Dual CCD, Light source: White LED (4x), Scan drivers: ISIS, TWAIN. Auto document feeder (ADF) input capacity: 100 sheets. Maximum ISO A-series paper size: A3, Scanning media types supported: Plain paper, ISO A-series sizes (40...49): A4, A8





Scanning		Weight & dimensions	
	304.8 x 5588 mm 600 x 600 DPI	Width Depth Height Weight	380 mm 209 mm 168 mm 7.6 kg
,	24 bit	Packaging data	
ADF scan speed (b/w, A4) ADF scan speed (colour, A4) Duplex ADF scan speed (b/w, A4) Duplex ADF scan speed (colour, A4)	•	Quantity per pack Package width Package depth Package height Package weight	1 pc(s) 505 mm 302 mm 330 mm 9.9 kg
Black/white scanning colour modes	Grayscale, Monochrome	Packaging content	
	ADF + Manual feed scanner Grey, White	Cables included Quick start guide AC adapter included Drivers included	AC, USB  ✓
Performance		Drivers included	PaperStream IP, PaperStream
Light source	Dual CCD White LED (4x) ISIS, TWAIN	Bundled software	Capture, Software Operation Panel, Error Recovery Guide, Scanner Central Admin tools, ScanSnap Manager, Scan to Microsoft SharePoint, ABBYY FineReader, 2D barcode for PaperStream
Auto document feeder (ADE) input		Custoinakilitu	barcoac for rapersaream
capacity	100 sheets	Sustainability Sustainability certificates	ENERGY STAR
Paper handling		Sustainability Certificates	LINENGI STAN
Multi feed detection Maximum ISO A-series paper size * ISO A-series sizes (A0A9) Media thickness (min) Auto Document Feeder (ADF) media weight Maximum scan area (ADF)	Plain paper  ✓  A3  A4, A8  1.4 mm  27 - 413 g/m²  304.8 x 431.8 mm  50.8 x 69 mm		

Ports & interfaces		System requirements	
USB port * USB version Socket connector type Standard interfaces Power	3.2 Gen 1 (3.1 Gen 1) C5 USB 3.2 Gen 1 (3.1 Gen 1)		Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Fro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Professional x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8 Enterprise, Windows 8 Enterprise, Windows 8 Enterprise, Windows 8 Enterprise, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise, Windows 8.1 Pro, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Ultimate x64 Windows Server 2008, Windows
Power supply type * Power consumption (typical) Power consumption (off) Power consumption (PowerSave) Input voltage			
		Server operating systems supported	Server 2008 R2 x64, Windows
		Operational conditions	
		Operating temperature (T-T) Operating relative humidity (H-H)	5 - 35 °C 20 - 80%
		Other features	
		Compliance certificates	RoHS
		Logistics data	
		Country of origin Pallet gross length Pallet gross width Harmonized System (HS) code Paper packaging weight Metal packaging weight Wood packaging weight Plastic packaging weight Products per pallet (air) Products per pallet (sea) Pallet height (sea)	Indonesia 121.9 cm 101.6 cm 8471607000 2.4 kg 0 g 0 g 15 g 24 pc(s) 40 pc(s) 180 cm
		Pallet height (air) Cardboard packaging weight Foil packaging weight Polystyrene (EPS/EPP) packaging weight Glass packaging weight	114 cm 1.2 kg 15 g 200 g





4939761308482

4058154054949

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.