NOC

AOC Porsche PD34 computer monitor 86.4 cm (34") 3440 x 1440 pixels Wide Quad HD QD-OLED Black

Brand : AOC Product family: Porsche Product code: PD34

Product name: PD34

Screen size (inch) 34, Panel resolution 3440x1440, Max Refresh rate 240 Hz, Panel type QD - OLED, USB-C connectivity USB-C 3.2 \times 1 (DP alt mode, upstream, power delivery up to 65 W), HDMI HDMI 2.1 \times 2, DisplayPort DisplayPort 1.4 \times 1, Sync technology (VRR) Adaptive Sync

AOC Porsche PD34. Display diagonal: 86.4 cm (34"), Display resolution: 3440 x 1440 pixels, HD type: Wide Quad HD, Display technology: QD-OLED, Response time: 0.03 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black





Display		Ports & interfaces	
Display diagonal * Display resolution * HD type *	86.4 cm (34") 3440 x 1440 pixels Wide Quad HD 21:9	HDMI version DisplayPorts quantity DisplayPort version	2.1 1 1.4
Native aspect ratio * Display technology *	OD-OLED	Audio output	✓
Panel type *	OLED	Ergonomics	
Touchscreen * Display brightness (typical) Response time * Response time measurement type Anti-glare screen Screen shape * Screen curvature rating Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Digital horizontal frequency	X 1000 cd/m² 0.03 ms GTG (Gray to Gray) ✓ Curved 1800R 1500000:1 240 Hz 178° 178° 1.073 billion colours 30 - 360 kHz	VESA mounting * Panel mounting interface Cable management Cable lock slot * Cable lock slot type Height adjustment * Adjustable height (max) Swivelling Swivel angle range Tilt adjustment Tilt angle range Picture-in-Picture On Screen Display (OSD)	✓ 100 x 100 mm ✓ ✓ Kensington ✓ 13 cm ✓ -20 - 20° ✓ -5 - 20°
Digital vertical frequency Display diagonal (metric) High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology	48 - 240 Hz 86.8 cm ✓ DisplayHDR 400 True Black	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Croatian, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Surface hardness	2H	Number of OSD languages	19
sRGB coverage (typical)	139%	LED indicators	✓
Adobe RGB coverage	97.8%	Power	
DCI-P3 coverage	99.3%	Energy efficiency class (SDR) *	G
		Lifergy efficiency class (3DK)	U

		_	
Performance		Power	
VESA Adaptive Sync support	✓	Energy efficiency class (HDR) *	G
Flicker-free technology	✓	Energy consumption (SDR) per 1000 hours *	40 kWh
Low Blue Light technology Game mode	✓ ✓	Energy consumption (HDR) per 1000 hours *	40 kWh
Multimedia		Power consumption (typical) *	108 W
Number of speakers RMS rated power Built-in speaker(s) *	2 16 W ✓	Power consumption (standby) * Power consumption (off) Power supply type Energy efficiency scale	0.5 W 0.3 W External A to G
Design		Weight & dimensions	
Market positioning * Product colour * Frameless design Front bezel colour Detachable stand	Gaming Black Depth (with stand) Height (with stand) Black/Silver Weight (with stand) Width (without stand)	Depth (with stand) Height (with stand) Weight (with stand)	811.7 mm 326 mm 541.9 mm 9.08 kg 811.7 mm
Ports & interfaces		Depth (without stand)	107.5 mm
Built-in USB hub *	·	Height (without stand) Weight (without stand)	361.2 mm 6.2 kg
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Packaging data	
JSB upstream port type USB Type-B Number of USB Type-B upstream ports quantity JSB Type-A downstream ports quantity 3	1	Package width Package depth Package height Package weight	1001 mm 556 mm 395 mm 14.7 kg
USB Type-C downstream ports	1	Packaging content	-
quantity USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity	✓ 65 W ✓ 2	Cables included Power adapter included	DisplayPort, HDMI, USB Type-A to USB Type-B, USB Type-C to USB Type-C
		·	•
		Other features	
		Low input lag	✓
		FPS counter	✓
		Dial point	✓
		Shadow control	✓
		Warranty period	3 year(s)



4056487052397

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.