



LG 86XE3FS-B Signage Display Digital signage flat panel 2.18 m (86") 3000 cd/m² 4K Ultra HD Black WebOS 24/7

Brand : LG

Product code: 86XE3FS-B

Product name : 86XE3FS-B

- Brightness(Typ.) : 3,000 cd/m²
- Bezel : 101 mm (T/B), 135 mm (L/R)
- Interface : HDMI/ DP/ DVI-D/ USB/ Audio/ RS232C/ RJ45/ External IR
- Anti-Reflection Coating
- IP56 Design, Protective Glass
86" UHD 3840 x 2160, 3000cd/m², IP56, webOS 3.0, HDMI/ DP/ DVI-D/ USB/ Audio/ RS232C/ RJ45/
External IR, 1338 x 2100 x 187 mm, 276 kg
LG 86XE3FS-B. Product design: Digital signage flat panel. Display diagonal: 2.18 m (86"), Display resolution: 3840 x 2160 pixels, Display brightness: 3000 cd/m², HD type: 4K Ultra HD. Operating hours (hours/days): 24/7. Operating system installed: WebOS. Product colour: Black



Display		Power	
Display diagonal *	2.18 m (86")	Power consumption (typical) *	1450 W
Display resolution *	3840 x 2160 pixels	Power consumption (standby) *	0.5 W
Display brightness *	3000 cd/m²	Power consumption (max)	1850 W
HD type *	4K Ultra HD	AC input voltage	100 - 240 V
Touchscreen *	✗	AC input frequency	50/60 Hz
Response time	8 ms	Computer system	
Viewing angle, horizontal	178°	Operating system installed	WebOS
Viewing angle, vertical	178°	Operating system version	webOS 3.0
Panel life	50000 h	Weight & dimensions	
Ports & interfaces		Display width	1338 mm
HDMI ports quantity *	1	Display depth	187 mm
DVI port *	✓	Display height	2100 mm
DisplayPorts quantity *	1	Display weight	276 kg
USB port *	✓	Packaging data	
Ethernet LAN *	✓	Package width	1503 mm
RS-232C	✓	Package depth	468 mm
Remote (IR) input	1	Package height	2296 mm
Design		Package weight	310 kg
Product design *	Digital signage flat panel	Packaging content	
Placement supported *	Indoor/outdoor	Remote control included	✓
Orientation	Vertical	Cables included	HDMI, LAN (RJ-45), Phone, USB
Product colour *	Black	Operational conditions	
Performance		Operating temperature (T-T)	-30 - 50 °C
Purpose *	Commercial	Operating relative humidity (H-H)	5 - 100%
Operating hours (hours/days)	24/7	Other features	
International Protection (IP) code	IP56	Audio input	1

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 21-DEC-2024. Prints or copies of Information are only valid on the printed Publication date