

## GIGABYTE X870E AORUS PRO X3D ICE Motherboard - Supports AMD Ryzen 9000 CPUs, 18+2+2 Phases Digital VRM, up to 9000Hz DDR5 (OC), 2xPCIe 5.0 + 2xPCIe 4.0, Wi-Fi 7, 5GbE LAN, USB 4

**Brand :** GIGABYTE

**Product code:** X870E A PRO X ICE



**Product name :** X870E AORUS PRO X3D ICE Motherboard - Supports AMD Ryzen 9000 CPUs, 18+2+2 Phases Digital VRM, up to 9000Hz DDR5 (OC), 2xPCIe 5.0 + 2xPCIe 4.0, Wi-Fi 7, 5GbE LAN, USB 4

**GIGABYTE X870E AORUS PRO X3D ICE Motherboard - Supports AMD Ryzen 9000 CPUs, 18+2+2 Phases Digital VRM, up to 9000Hz DDR5 (OC), 2xPCIe 5.0 + 2xPCIe 4.0, Wi-Fi 7, 5GbE LAN, USB 4:**

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.



Processor		Network	
Processor manufacturer *	AMD	Ethernet LAN	✓
Processor socket *	Socket AM5	Ethernet interface type	2.5 Gigabit Ethernet, 5 Gigabit Ethernet, Fast Ethernet, Gigabit Ethernet
Compatible processor series *	AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series	LAN controller	Realtek RTL8126
Supported processor sockets	Socket AM5	Wi-Fi *	✓
<b>Memory</b>		Top Wi-Fi standard	Wi-Fi 7 (802.11be)
Supported memory types *	DDR5-SDRAM		802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be)
Number of memory slots *	4		Qualcomm QCNCM865
Memory slots type	DIMM	Wi-Fi standards	✓
Memory channels	Dual-channel	WLAN controller model	Realtek RTL8126
ECC compatibility	Non-ECC	Bluetooth	✓
Supported memory clock speeds	9000,8800,8600,8400,8200,8000,7800,7600,7200,7000,6800,6600,6400,6200,6000,5600,5200,4800 MHz	Bluetooth version	5.4
Supported memory clock speed (max)	9000 MHz		
Maximum internal memory *	256 GB		
Unbuffered memory	✓		
Maximum internal memory per slot	64 GB		
Storage controllers		Features	
Supported storage drive types	HDD & SSD	Motherboard chipset *	AMD X870E
Supported storage drive interfaces *	M.2, PCI Express 4.0, PCI Express 5.0, SATA III	Audio chip	Realtek ALC1220-VB
Number of HDDs supported	4	Audio output channels *	7.1 channels
Number of storage drives supported	8	Product colour	White
RAID support	✓	PC health monitoring	CPU, Fan, Temperature, Voltage, Water cooling
RAID levels	0, 1, 5, 10	Component for *	PC
<b>Graphics</b>		Motherboard form factor *	ATX
Parallel processing technology support *	Not supported	Motherboard chipset family *	AMD
Maximum resolution	4096 x 2304 pixels	Cooling type	Passive
HDCP	✓	Power source type	ATX
DirectX version	12.0	Windows operating systems supported	Windows 11 x64
Internal I/O		Expansion slots	
USB 2.0 connectors *	2	PCI Express x16 (Gen 3.x) slots	1
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	PCI Express x16 (Gen 4.x) slots	1
USB 3.2 Gen 2x2 connectors	1	PCI Express x16 (Gen 5.x) slots	1
		Number of M.2 (M) slots	4

Internal I/O		Expansion slots	
Number of SATA III connectors *	4	1st M.2 largest key size	25110
Front panel audio connector	✓	1st M.2 highest PCI Express generation	5.0
Front panel connector	✓	2nd M.2 largest key size	22110
ATX Power connector (24-pin)	✓	2nd M.2 highest PCI Express generation	5.0
CPU fan connector	✓	3rd M.2 largest key size	22110
Number of CPU fan connectors	2	3rd M.2 highest PCI Express generation	4.0
Number of chassis fan connectors	6	4th M.2 largest key size	22110
EPS power connector (8-pin)	✓	4th M.2 highest PCI Express generation	4.0
Number of EPS power connectors (8-pin)	2		
TPM connector	✓		
Number of water pump connectors	3		
Number of temperature sensor headers	2		
Number of noise detection headers	1		
RGB LED pin header	✓		
Number of RGB LED pin headers	4		
Rear panel I/O ports		BIOS	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	BIOS type *	UEFI AMI
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	5	BIOS memory size	512 Mbit
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	2	ACPI version	5.0
USB4 Gen 2x2 ports quantity	2	Clear CMOS jumper	✓
Ethernet LAN (RJ-45) ports *	1	Clear CMOS button	✓
HDMI ports quantity *	1	Desktop Management Interface (DMI) version	2.7
HDMI version	2.1	System Management BIOS (SMBIOS) version	2.7
DisplayPort version	1.4		
Headphone outputs	1		
Line-in	✓		
S/PDIF out port	✓		
Digital audio optical out	1		
WiFi-AP antenna jack	2		
Logistics data		Battery	
Country of origin	Taiwan	Battery weight	3 g
Products per shipping (inner) case	1 pc(s)	Lithium weight per battery	0.07 g
		Number of battery cells	1
		Battery technology	Lithium-Manganese Dioxide (LiMnO <sub>2</sub> )
		Battery type	CR2032
Packaging data		Packaging content	
Package width	340 mm	Batteries included	✓
Package depth	310 mm	Antenna included	✓
Package height	92 mm	Screws included	✓
Package weight	4.3 kg		
Weight & dimensions		Other features	
Width	305 mm	Weight	3.74 kg
Depth	244 mm		
Height	35 mm		
Technical details		Technical details	
		Warranty period	3 year(s)



4719331876487

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.