



TP-Link Archer MR400 wireless router Fast Ethernet Dual-band (2.4 GHz / 5 GHz) 4G Black

Brand : TP-Link

Product code: ARCHER MR400

Product name : Archer MR400

- Cutting-edge 4G network – share internet access with up to 64 Wi-Fi devices and enjoy download speeds of up to 150 Mbps
 - AC1200 Wi-Fi – creates simultaneous dual band Wi-Fi networks, with maximum speeds of up to 300 Mbps on the 2.4 GHz band and 867 Mbps on the 5 GHz band
 - Plug a SIM card and play – no configurations needed, compatibility for SIM cards in 100+ countries are assured by years of field tests
 - Two detachable advanced LTE antennas – enjoy stable and efficient connections to every device thanks to the two external antennas
 - Wi-Fi router mode – plug an Ethernet cable into the LAN/WAN port for flexible access as a backup option if you can't get a 4G connection
- 3x 10/100Mbps LAN, 1x 10/100Mbps LAN/WAN, SIM, 802.11ac/n/a/b/g/n, 2.4/5 GHz, 202x141x33.6 mm



WAN connection		Protocols	
Ethernet WAN *	✓	DHCP client	✓
SIM card slot *	✓	DHCP server	✓
3G/4G USB modem compatibility *	✓	Supported network protocols	IPv4, IPv6
Wireless LAN features		Design	
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	Product colour	Black
Top Wi-Fi standard *	Wi-Fi 5 (802.11ac)	Wall mountable	✓
WLAN data transfer rate (max) *	867 Mbit/s	LED indicators	LAN, Power, Status, WLAN
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	On/off switch	✓
WLAN data transfer rate (first band)	450 Mbit/s	Product type *	Tabletop router
WLAN data transfer rate (second band)	867 Mbit/s	Certificates	
		Certification	CE, RoHS
Network		Packaging content	
Ethernet LAN *	✓	Cables included	LAN (RJ-45)
Ethernet LAN interface type *	Fast Ethernet	AC adapter included	✓
Ethernet LAN data rates	10,100 Mbit/s	Quick installation guide	✓
Cabling technology	10/100Base-T(X)	Antenna	
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Antenna design *	Internal & external
Port forwarding	✓	Antennas quantity	2
Dynamic DNS (DDNS)	✓	Detachable antenna(s)	✓
VPN tunnels quantity	10	Transmit power	<20dBm(2.4GHz), <23dBm(5GHz)
VPN Passthrough	✓	Power	
VPN support	PPTP, L2TP, IPSec	Power source type *	DC
Mobile network		Output voltage	12 V
Mobile network generation	4G	Output current	1.5 A
2G standards	Edge, GPRS, GSM		

Mobile network		Operational conditions	
3G standards	DC-HSPA+, HSPA, HSPA+, UMTS	Operating temperature (T-T)	0 - 40 °C
4G standard	LTE	Storage temperature (T-T)	-40 - 70 °C
GSM bands supported	850,900,1800,1900 MHz	Operating relative humidity (H-H)	10 - 90%
4G bands supported	800,900,1800,2100,2600 MHz	Storage relative humidity (H-H)	5 - 90%
3G bands supported	900,2100 MHz	System requirements	
Ports & interfaces		Windows operating systems supported	Windows 10, Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows Vista, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Ethernet LAN (RJ-45) ports *	3		
USB port *	✗	Linux operating systems supported	✓
Management features		Mac operating systems supported	✓
Web-based management	✓	Mac compatibility	✓
Quality of Service (QoS) support	✗	Weight & dimensions	
Reset button	✓	Width	174 mm
WPS push button	✓	Depth	124.5 mm
Security		Height	33.5 mm
Security algorithms	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK	Packaging data	
Firewall	✓	Package width	307 mm
Guest access	✓	Package depth	223 mm
Access Control List (ACL)	✓	Package height	70 mm
Stateful Packet Inspection (SPI)	✓	Package weight	670 g
DoS attack prevention	✓	Package type	Box

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.