

Epson EB-L30000U data projector Ceiling-mounted projector 30000 ANSI lumens 3LCD WUXGA (1920x1200) Black

Brand : Epson

Product code: V11H944840

Product name : EB-L30000U

Epson EB-L30000U. Projector brightness: 30000 ANSI lumens, Projection technology: 3LCD, Projector native resolution: WUXGA (1920x1200). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Zoom type: Auto, Horizontal lens shift range: -30 - 30%, Vertical lens shift range: -65 - 65%. Video processing: 10 bit, Video colour modes: Cinema, Dynamic, Natural, Presentation, DICOM simulation mode, Multi-projection, BT.709. Noise level: 49 dB, Noise level (economic mode): 41 dB, Country of origin: China



Projector		Features	
Screen size compatibility *	2540 - 25400 mm (100 - 1000")	Noise level (economic mode)	41 dB
Projector brightness *	30000 ANSI lumens	HDCP	✔
Projection technology *	3LCD	Noise level *	49 dB
Projector native resolution *	WUXGA (1920x1200)	Country of origin	China
Contrast ratio (typical) *	3500:1	Password protection	✔
Native aspect ratio *	16:10	Multimedia	
Number of colours	1.07 billion colours	Built-in speaker(s) *	✖
Projector brightness (economic mode)	20000 ANSI lumens	Design	
Projector brightness (portrait mode)	30000 ANSI lumens	Market positioning *	Presentation
Keystone correction, horizontal	-30 - 30°	Product type *	Ceiling-mounted projector
Keystone correction, vertical	-45 - 45°	Product colour *	Black
Matrix size	3.63 cm (1.43")	Placement	Ceiling, Flying frame
Heat dissipation	7905 BTU/h	Power	
Light source		Power source *	AC
Light source type *	Laser	Power consumption (typical) *	2325 W
Service life of light source *	20000 h	Power consumption (standby) *	0.5 W
Service life of light source (economic mode)	30000 h	Power consumption (economy mode)	1511 W
Lens system		AC input voltage	200-240 V
Zoom type	Auto	AC input frequency	50 - 60 Hz
Horizontal lens shift range	-30 - 30%	Software	
Vertical lens shift range	-65 - 65%	Software support	via: AMX, Crestron (Network), Extron XTP
Lens position memory	10	Operational conditions	
Interchangeable lens	✔	Storage temperature (T-T)	-10 - 60 °C
Video		Operating relative humidity (H-H)	20 - 80%
Full HD *	✔	Storage relative humidity (H-H)	10 - 90%
3D *	✖	Weight & dimensions	
Video processing	10 bit	Width	790 mm
Video colour modes	Cinema, Dynamic, Natural, Presentation, DICOM simulation mode, Multi-projection, BT.709	Depth	710 mm
		Height	299 mm
		Weight *	63.8 kg
		Package width	1110 mm
		Package depth	1180 mm
Ports & interfaces		Package height	670 mm
HDBaseT port	✔	Package weight	116.4 kg
USB 2.0 ports quantity *	2		
USB 2.0 Type-B ports quantity	1		
VGA (D-Sub) ports quantity *	2		
DVI port *	✔		

Network		Packaging content	
Ethernet LAN *	✓	Remote control included *	✓
Storage		Batteries included	✓
Card reader integrated *	✗	Cables included	AC, HDMI
Features		WLAN adapter included	✓
Interactive *	✗	Bundled software	EasyMP Monitor, EasyMP Multi PC Projection
		Logistics data	
		Quantity per pack	1 pc(s)
		Harmonized System (HS) code	85286200



8715946681818

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 01-AUG-2024. Prints or copies of Information are only valid on the printed Publication date