

Epson EB-L690SE Short throw projector 6000 ANSI lumens 3LCD WUXGA (1920x1200) White



Brand : Epson

Product code: V11HB36080

Product name : EB-L690SE

3LCD Technology, RGB liquid crystal shutter, 36 dB, AC 100 - 240 V, 50/ 60 Hz, 440 x 368 x 151 mm, 9.3 kg, White

Epson EB-L690SE. Projector brightness: 6000 ANSI lumens, Projection technology: 3LCD, Projector native resolution: WUXGA (1920x1200). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focus: Manual, Focal length range: 7.54 - 10.55 mm, Aperture range (F-F): 1.8 - 2. Video colour modes: Cinema, DICOM simulation mode, Dynamic, Multi-projection, Natural, Presentation. Serial interface type: RS-232C

Projector		Network	
Screen size compatibility *	2540 - 12700 mm (100 - 500")	Ethernet LAN *	✓
Projection distance	1.09 - 7.84 m	Storage	
Projection distance (wide)	1.1 - 5.6 m	Card reader integrated *	✗
Projection distance (tele)	1.5 - 7.8 m	Features	
Projector brightness *	6000 ANSI lumens	Interactive *	✗
Projection technology *	3LCD	Noise level (economic mode)	26 dB
Projector native resolution *	WUXGA (1920x1200)	HDCP	✓
Contrast ratio (typical) *	5000000:1	Preset modes	Cinema, Dynamic, Presentation
Native aspect ratio *	16:10	Noise level *	36 dB
Number of colours	1.07 billion colours	Multimedia	
Keystone correction, horizontal	-30 - 30°	Built-in speaker(s) *	✓
Keystone correction, vertical	-30 - 30°	RMS rated power	10 W
Light source		Design	
Light source type *	Laser	Market positioning *	Education
Service life of light source *	20000 h	Product type *	Short throw projector
Service life of light source (economic mode)	30000 h	Product colour *	White
Lens system		Placement	Ceiling, Desktop
Focus *	Manual	Cable lock slot	✓
Focal length range	7.54 - 10.55 mm	Cable lock slot type	Kensington
Aperture range (F-F)	1.8 - 2	Power	
Zoom capability	✓	Power source *	AC
Zoom type	Manual	Power consumption (typical) *	362 W
Throw ratio	0.50 - 1.70:1	Power consumption (standby) *	0.4 W
Horizontal lens shift range	-20 - 20%	Power consumption (max)	415 W
Vertical lens shift range	-50 - 50%	Power consumption (economy mode)	250 W
Video		AC input frequency	50/60 Hz
Analog signal format system *	Not supported	AC adapter output voltage	100 - 240 V
Full HD *	✓	Operational conditions	
3D *	✗	Storage temperature (T-T)	-10 - 60 °C
Video colour modes	Cinema, DICOM simulation mode, Dynamic, Multi-projection, Natural, Presentation	Operating relative humidity (H-H)	20 - 80%
Ports & interfaces		Storage relative humidity (H-H)	10 - 90%
HDMI version	2.3	Weight & dimensions	
HDBaseT port	✓	Width	440 mm
USB 2.0 ports quantity	3	Depth	368 mm
USB 2.0 Type-A ports quantity	2	Height	151 mm

Ports & interfaces		Weight & dimensions	
USB 2.0 Type-B ports quantity	1	Weight *	9.3 kg
Serial interface type *	RS-232C	Packaging content	
HDMI ports quantity *	2	Remote control included *	✓
DVI port *	✗	Batteries included	✓
		Technical details	
		Warranty period	3 year(s)



8715946737904

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-MAY-2025. Prints or copies of Information are only valid on the printed Publication date