

Epson EB-L790SU Short throw projector 7000 ANSI lumens 3LCD WUXGA (1920x1200) White

Brand : Epson

Product code: V11HB31040

Product name : EB-L790SU

3LCD Technology, RGB liquid crystal shutter, 36 dB, AC 100 - 240 V, 50/ 60 Hz, 440 x 362 x 151 mm, 9.2 kg, White

Epson EB-L790SU. Projector brightness: 7000 ANSI lumens, Projection technology: 3LCD, Projector native resolution: WUXGA (1920x1200). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focus: Manual, Focal length range: 11.6 - 19.9 mm, Aperture range (F-F): 1.7 - 2.1. Video colour modes: Cinema, DICOM simulation mode, Dynamic, Multi-projection, Natural, Presentation. Serial interface type: RS-232C

Projector		Storage	
Screen size compatibility *	1524 - 10160 mm (60 - 400")	Card reader integrated *	✗
Projector brightness *	7000 ANSI lumens	Features	
Projection technology *	3LCD	Interactive *	✗
Projector native resolution *	WUXGA (1920x1200)	Noise level (economic mode)	26 dB
Contrast ratio (typical) *	5000000:1	HDCP	✓
Native aspect ratio *	16:10	Preset modes	Cinema, Dynamic, Presentation
Number of colours	1.07 billion colours	Noise level *	36 dB
Keystone correction, horizontal	-30 - 30°	Multimedia	
Keystone correction, vertical	-30 - 30°	Built-in speaker(s) *	✓
Light source		RMS rated power	10 W
Light source type *	Laser	Design	
Service life of light source *	20000 h	Market positioning *	Education
Service life of light source (economic mode)	30000 h	Product type *	Short throw projector
Lens system		Product colour *	White
Focus *	Manual	Placement	Ceiling, Desktop
Focal length range	11.6 - 19.9 mm	Cable lock slot	✓
Aperture range (F-F)	1.7 - 2.1	Cable lock slot type	Kensington
Zoom capability	✓	Power	
Zoom type	Manual	Power source *	AC
Throw ratio	0.79 - 1.36:1	Power consumption (typical) *	388 W
Video		Power consumption (standby) *	0.4 W
Analog signal format system *	Not supported	Power consumption (max)	450 W
Full HD *	✓	Power consumption (economy mode)	266 W
3D *	✗	AC input frequency	50/60 Hz
Video colour modes	Cinema, DICOM simulation mode, Dynamic, Multi-projection, Natural, Presentation	AC adapter output voltage	100 - 240 V
Ports & interfaces		Operational conditions	
HDMI version	2.3	Storage temperature (T-T)	-10 - 60 °C
HDBaseT port	✓	Operating relative humidity (H-H)	20 - 80%
USB 2.0 ports quantity	3	Storage relative humidity (H-H)	10 - 90%
USB 2.0 Type-A ports quantity	2	Weight & dimensions	
USB 2.0 Type-B ports quantity	1	Width	440 mm
Serial interface type *	RS-232C	Depth	362 mm
HDMI ports quantity *	2	Height	151 mm
DVI port *	✗	Weight *	9.2 kg
Network		Packaging content	
Ethernet LAN *	✓	Remote control included *	✓
		Batteries included	✓

Technical details

Warranty period 3 year(s)

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-MAY-2025. Prints or copies of Information are only valid on the printed Publication date