

GIGABYTE B760 DS3H AX DDR4 Motherboard - Supports Intel Core 14th CPUs, 8+2+1 Phases Digital VRM, up to 5333MHz DDR4 (OC), 2xPCIe 4.0 M.2, Wi-Fi 6E, GbE LAN, USB 3.2 Gen 2

Brand : GIGABYTE

Product code: B760 DS3H AX DDR4


Product name : B760 DS3H AX DDR4 Motherboard - Supports Intel Core 14th CPUs, 8+2+1 Phases Digital VRM, up to 5333MHz DDR4 (OC), 2xPCIe 4.0 M.2, Wi-Fi 6E, GbE LAN, USB 3.2 Gen 2



ATX, LGA 1700 socket, Intel B760 Express chipset, 4x DDR4 DIMM, Wi-Fi 6E, Bluetooth 5.2, AMI UEFI BIOS

GIGABYTE B760 DS3H AX DDR4 Motherboard - Supports Intel Core 14th CPUs, 8+2+1 Phases Digital VRM, up to 5333MHz DDR4 (OC), 2xPCIe 4.0 M.2, Wi-Fi 6E, GbE LAN, USB 3.2 Gen 2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.



Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	HDMI version	2.0
Processor socket *	LGA 1700	DisplayPorts quantity	1
Compatible processor series *	Intel® Celeron®, Intel® Core™ i3,	DisplayPort version	1.2
	Intel® Core™ i5, Intel® Core™ i7,	Headphone outputs	3
	Intel® Core™ i9, Intel® Pentium® Gold	Microphone in	✓
Supported processor sockets	LGA 1700	WiFi-AP antenna jack	2
Maximum internal memory supported by processor	128 GB	USB connector type	USB Type-A, USB Type-C
Memory		Network	
Supported memory types *	DDR4-SDRAM	Ethernet LAN	✓
Number of memory slots *	4	Ethernet interface type	Gigabit Ethernet
Memory slots type	DIMM	Wi-Fi *	✓
Memory channels	Dual-channel	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
ECC compatibility	ECC & Non-ECC	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Supported memory clock speeds MHz	2133, 2400, 2666, 2933, 3000, 3200, 3300, 3333, 3400, 3466, 3600, 3666, 3733, 3800, 3866, 4000, 4133, 4266, 4300, 4400, 4500, 4600, 4700, 4800, 4933, 5000, 5133, 5333	WLAN controller model	RZ608
Supported memory clock speed (max)	5333 MHz	Bluetooth	✓
Maximum internal memory *	128 GB	Bluetooth version	5.2
Supported memory module capacities	1GB, 2GB, 4GB, 8GB, 12GB, 16GB, 32GB	Features	
Unbuffered memory	✓	Motherboard chipset *	Intel B760 Express
Storage controllers		Audio output channels *	7.1 channels
Supported storage drive types	HDD & SSD	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Supported storage drive interfaces *	M.2, PCI Express 4.0, SATA III	Component for *	PC
Number of HDDs supported	4	Motherboard form factor *	ATX
Number of storage drives supported	6	Motherboard chipset family *	Intel
RAID support	✓	Windows operating systems supported	Windows 10 x64, Windows 11 x64
RAID levels	0, 1, 5, 10		
Graphics			
Parallel processing technology support *	Not supported		
Maximum resolution	4096 x 2304 pixels		
HDCP	✓		
DirectX version	12.0		

Internal I/O		Expansion slots	
USB 2.0 connectors *	2	PCI Express x16 slots	5
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	Number of M.2 (M) slots	2
Number of SATA III connectors *	4	BIOS	
S/PDIF out connector	✓	BIOS type *	UEFI AMI
Front panel audio connector	✓	BIOS memory size	128 Mbit
Front panel connector	✓	ACPI version	5.0
ATX Power connector (24-pin)	✓	Clear CMOS jumper	✓
CPU fan connector	✓	Desktop Management Interface (DMI) version	2.7
EPS power connector (8-pin)	✓	System Management BIOS (SMBIOS) version	2.7
TPM connector	✓	Logistics data	
Serial port headers	1	Country of origin	China
12V power connector	✓	Products per shipping (inner) case	1 pc(s)
RGB LED pin header	✓	Battery	
Rear panel I/O ports		Battery weight	3 g
USB 2.0 ports quantity *	4	Lithium weight per battery	0.07 g
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1	Number of battery cells	1
USB 3.2 Gen 2x2 Type-C ports quantity	1	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
Ethernet LAN (RJ-45) ports *	1	Battery type	CR2032
PS/2 ports quantity	1	Packaging data	
HDMI ports quantity *	1	Package width	335 mm
		Package depth	270 mm
		Package height	80 mm
		Package weight	1.49 kg
		Weight & dimensions	
		Width	305 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Cables included	SATA
		Batteries included	✓
		Bundled software	Norton Internet Security
		Technical details	
		Warranty period	3 year(s)



4719331850999



0889523034842



889523034842

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.