Brother HL-L5000D laser printer 1200 x 1200 DPI A4

Brand : Brother

Printing

Product code: HL-L5000D

Product name : HL-L5000D

1200 x 1200 DPI, A4/A5/A6, 60-120 g/m², 800 MHz (CPU), 256MB (RAM), LCD, 1 x IEEE 1284, 1 x USB 2.0, 10.7 kg

Brother HL-L5000D. Print technology: Laser. Number of print cartridges: 1, Maximum duty cycle: 50000 pages per month. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Duplex printing. Display: LCD, Product colour: Graphite





Duplex printing mode Auto USB 2.0 ports quantity 1 Colour * × Network Print technology * Laser Network ready x Duplex printing * Wi-Fi * X 1200 x 1200 DPI Maximum resolution * Ethernet LAN * × Duplex print speed (black, normal 20 ppm Mobile printing technologies Not supported quality, A4/US Letter) Warm-up time 4.8 s Performance Time to first page (black, normal) 7.2 s Built-in processor 1 2, 4, 9, 16, 25 N-up printing ARM Cortex Processor family Economical printing 1 Processor frequency 800 MHz Features Sound pressure level (printing) 52 dB 50 dB Sound pressure level (quiet mode) Maximum duty cycle * 50000 pages per month Recommended duty cycle Sound power level (standby) 34 dB 0 - 3500 pages per month Printing colours * Black Design Number of print cartridges * 1 Product colour * Graphite Epson FX, IBM ProPrinter, Microsoft Page description languages * Built-in display * XPS, PCL 6, PDF 1.7, PostScript 3 LCD Display Input & output capacity Display number of lines 1 lines Total number of input trays * 1 Power 250 sheets Total input capacity * Power consumption (printing) * 640 W Total output capacity * 150 sheets Power consumption (standby) 32 W Paper input type Cassette, Paper tray Power consumption (PowerSave) 390 W Multi-Purpose tray 1 0 04 W Power consumption (off) Multi-Purpose tray input capacity 50 sheets 50 - 60 Hz AC input frequency Paper handling **Operational conditions** Maximum ISO A-series paper size * Α4 Operating temperature (T-T) 10 - 32 °C Plain paper, Recycled paper, Thick Paper tray media types * 0 - 40 °C Storage temperature (T-T) paper, Thin paper

Ports & interfaces

Paper handling


	relative humidity (H-H) 20 - 80%
Multi-purpose tray media types Letterhead, Plain paper, Recycled Storage re	elative humidity (H-H) 35 - 85%
	dimensions
ISO A-series sizes (A0A9) * A4, A5, A6 Width	373 mm
Non-ISO print media sizes Executive, Folio, Letter, Legal Depth	388 mm
Custom media width 76.2 - 215.9 mm Height	255 mm
Custom media length 127 - 355.6 mm Weight	10.7 kg
Paper tray media weight 60 - 120 g/m ² Multi-Purpose Tray media weight 60 - 200 g/m ²	g content
Duplex media weight60 - 120 g/m²Drivers inc	cluded 🗸
Ports & interfaces Quick star	t guide 🗸
Standard interfaces Parallel, USB 2.0 Logistics	data
USB port * 🖌 Harmonize	ed System (HS) code 84433210

Operational conditions









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.