



## Acer H5386BDi 4500 ANSI lumens DLP 720p (1280x720) White

**Brand :** Acer

**Product code:** MR.JSE11.002

**Product name :** H5386BDi



- Resolution: HD 720 (1280 x 720)
  - Contrast Ratio: 20,000:1
  - Aspect Ratio: 16:9 (Native), 4:3 (Compatible)
  - Throw Ratio: 1.54 ~ 1.72 (60"@2m)
  - Brightness: 4500 ANSI lm (Standard), 3600 ANSI lm (ECO)
- 1280 x 720, 20,000:1, 16:9, 4500 ANSI lm, 265 W

Acer H5386BDi. Projector brightness: 4500 ANSI lumens, Projection technology: DLP, Projector native resolution: 720p (1280x720). Light source type: Lamp, Lamp power: 220 W, Lamps quantity: 1 lamp(s). Focus: Manual, Focal length range: 21.85 - 24 mm, Aperture range (F-F): 2.41 - 2.53. Analog signal format system: NTSC, PAL, SECAM. Projection modes: Ceiling, Front, Rear, Compatible operating systems: Windows PC Mac PC Google Chrome PC

| Projector                            |                             | Ports & interfaces            |                                    |
|--------------------------------------|-----------------------------|-------------------------------|------------------------------------|
| Supported aspect ratios              | 4:3, 16:9                   | HDMI ports quantity *         | 1                                  |
| Screen size compatibility *          | 685.8 - 7620 mm (27 - 300") | Composite video in *          | 1                                  |
| Projection distance                  | 1 - 10 m                    | DVI port *                    | ×                                  |
| Projector brightness *               | 4500 ANSI lumens            | Network                       |                                    |
| Projection technology *              | DLP                         | Smart TV *                    | ×                                  |
| Projector native resolution *        | 720p (1280x720)             | Features                      |                                    |
| Contrast ratio (typical) *           | 20000:1                     | Projection modes              | Ceiling, Front, Rear               |
| Native aspect ratio *                | 16:9                        | Compatible operating systems  | Windows PC Mac PC Google Chrome PC |
| Projector brightness (economic mode) | 3600 ANSI lumens            | Multimedia                    |                                    |
| Horizontal scan range                | 15 - 100 kHz                | Built-in speaker(s) *         | ✓                                  |
| Vertical scan range                  | 24 - 120 Hz                 | RMS rated power               | 3 W                                |
| Keystone correction, vertical        | -40 - 40°                   | Number of built-in speakers   | 1                                  |
| Light source                         |                             | Design                        |                                    |
| Light source type *                  | Lamp                        | Product colour *              | White                              |
| Lamp power                           | 220 W                       | Display                       |                                    |
| Lamps quantity                       | 1 lamp(s)                   | Built-in display *            | ×                                  |
| Lens system                          |                             | Power                         |                                    |
| Focus *                              | Manual                      | Power source *                | AC                                 |
| Focal length range                   | 21.85 - 24 mm               | Power consumption (typical) * | 265 W                              |
| Aperture range (F-F)                 | 2.41 - 2.53                 | Power consumption (standby) * | 0.5 W                              |
| Zoom capability                      | ✓                           | AC input voltage              | 120 - 230 V                        |
| Zoom type                            | Manual                      | Weight & dimensions           |                                    |
| Zoom ratio                           | 2.0:1                       | Width                         | 313 mm                             |
| Throw ratio                          | 1.54 - 1.72                 | Depth                         | 240 mm                             |
| Video                                |                             |                               |                                    |
| Analog signal format system *        | NTSC, PAL, SECAM            |                               |                                    |

| Ports & interfaces           |   | Weight & dimensions       |                        |
|------------------------------|---|---------------------------|------------------------|
| USB 2.0 ports quantity       | 1 | Height                    | 113.7 mm               |
| Audio (L/R) in *             | 1 | Weight *                  | 2.7 kg                 |
| Audio (L/R) out              | 1 | Packaging content         |                        |
| VGA (D-Sub) ports quantity * | 1 | Remote control included * | ✓                      |
|                              |   | Batteries included        | ✓                      |
|                              |   | Cables included           | AC, VGA                |
|                              |   | Manual                    | ✓                      |
|                              |   | Packaging content         | Lens Cap Security Card |
|                              |   | Logistics data            |                        |
|                              |   | Quantity per pack         | 1 pc(s)                |

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 31-JUL-2025. Prints or copies of Information are only valid on the printed Publication date