


## GIGABYTE B860M DS3H WIFI6E Motherboard - Intel Core Ultra Series CPUs, 5+1+2+1 Phases VRM, up to 6400MHz DDR5, 1xPCIe 5.0 + 1xPCIe 4.0 M.2, 2.5GbE LAN, WIFI 6E, USB 3.2 Gen 2



**Brand :** GIGABYTE

**Product code:** B860M DS3H WIFI6E

**Product name :** B860M DS3H WIFI6E Motherboard - Intel Core Ultra Series CPUs, 5+1+2+1 Phases VRM, up to 6400MHz DDR5, 1xPCIe 5.0 + 1xPCIe 4.0 M.2, 2.5GbE LAN, WIFI 6E, USB 3.2 Gen 2

- Hybrid 5+1+2+1 Phases 50A PPAK VRM
  - Dual Channel DDR5 4\*DIMMs
  - PCIe 5.0 x16 with PCIe UD Slot & EZ-Latch
  - M.2 Thermal Guard with EZ-Latch Click
  - MOSFET Heatsinks & PCH Heatsink
  - Wi-Fi 6E with WIFI EZ-Plug
  - 2.5GbE LAN, USB 3.2 Gen2 Type-A, Q-Flash Plus
- B860M DS3H WIFI6E Motherboard - Intel Core Ultra Series CPUs, 5+1+2+1 Phases VRM, up to 6400MHz DDR5, 1xPCIe 5.0 + 1xPCIe 4.0 M.2, 2.5GbE LAN, WIFI 6E, USB 3.2 Gen 2

[GIGABYTE B860M DS3H WIFI6E Motherboard - Intel Core Ultra Series CPUs, 5+1+2+1 Phases VRM, up to 6400MHz DDR5, 1xPCIe 5.0 + 1xPCIe 4.0 M.2, 2.5GbE LAN, WIFI 6E, USB 3.2 Gen 2:](#)

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge

Processor		Network	
Processor manufacturer *	Intel	Ethernet LAN	✓
Processor socket *	LGA 1851 (Socket V1)	Ethernet interface type	2.5 Gigabit Ethernet
Compatible processor series *	Intel® Core™ Ultra (Series 1), Intel Core Ultra (Series 2)	LAN controller	Realtek RTL8125
Supported processor sockets	LGA 1851	Wi-Fi *	✓
		Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
		Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
		WLAN controller model	Intel Wi-Fi 6E AX211
		Bluetooth	✓
		Bluetooth version	5.3
Memory		Features	
Supported memory types *	DDR5-SDRAM	Motherboard chipset *	Intel B860
Number of memory slots *	4	Audio chip	Realtek ALC897
Memory slots type	DIMM	Audio output channels *	7.1 channels
Memory channels	Dual-channel	Product colour	Brown
ECC compatibility	ECC & Non-ECC	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Supported memory clock speeds	5600,6400 MHz	Component for *	PC
Supported memory clock speed (max)	6400 MHz	Motherboard form factor *	micro ATX
Maximum internal memory *	256 GB	Motherboard chipset family *	Intel
Unbuffered memory	✓	Power source type	ATX
Maximum internal memory per slot	64 GB	Windows operating systems supported	Windows 10 x64, Windows 11 x64
Storage controllers		Expansion slots	
Supported storage drive types	HDD & SSD	PCI Express x16 (Gen 4.x) slots	5
Supported storage drive interfaces *	M.2, SATA III	PCI Express x16 (Gen 5.x) slots	1
Number of HDDs supported	4	Number of M.2 (M) slots	2
Number of storage drives supported	6	1st M.2 largest key size	2280
RAID support	✓	1st M.2 highest PCI Express generation	5.0
RAID levels	0, 1, 5, 10		
Graphics			
Parallel processing technology support *	Not supported		
Maximum resolution	4096 x 2160 pixels		
HDCP	✓		
DirectX version	12.0		

<b>Internal I/O</b>		<b>Expansion slots</b>	
USB 2.0 connectors *	2	2nd M.2 largest key size	2280
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	2nd M.2 highest PCI Express generation	4.0
Number of SATA III connectors *	4	<b>BIOS</b>	
Front panel audio connector	✓	BIOS type *	UEFI AMI
Front panel connector	✓	BIOS memory size	256 Mbit
ATX Power connector (24-pin)	✓	ACPI version	5.0
CPU fan connector	✓	Clear CMOS jumper	✓
Number of CPU fan connectors	2	Desktop Management Interface (DMI) version	2.7
Number of chassis fan connectors	2	System Management BIOS (SMBIOS) version	2.7
EPS power connector (8-pin)	✓	<b>Logistics data</b>	
Number of EPS power connectors (8-pin)	1	Country of origin	China
TPM connector	✓	Products per shipping (inner) case	1 pc(s)
Number of water pump connectors	2	<b>Battery</b>	
RGB LED pin header	✓	Battery weight	3 g
Number of RGB LED pin headers	4	Lithium weight per battery	0.07 g
<b>Rear panel I/O ports</b>		Number of battery cells	1
USB 2.0 ports quantity *	3	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2	Battery type	CR2032
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1	<b>Packaging data</b>	
Ethernet LAN (RJ-45) ports *	1	Package width	270 mm
PS/2 ports quantity	1	Package depth	268 mm
HDMI ports quantity *	1	Package height	68 mm
HDMI version	2.1	Package weight	1.25 kg
DisplayPorts quantity	2	<b>Weight &amp; dimensions</b>	
DisplayPort version	2.1	Width	244 mm
Headphone outputs	1	Depth	244 mm
Line-in	✓	Height	35 mm
Microphone in	✓	<b>Packaging content</b>	
WiFi-AP antenna jack	2	Batteries included	✓
		Antenna included	✓
		Screws included	✓
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		<b>Other features</b>	
		Weight	1.1 kg
		<b>Technical details</b>	
		Warranty period	3 year(s)



4719331866815

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 13-DEC-2024. Prints or copies of Information are only valid on the printed Publication date