Dell Display Manager on Mac User's Guide





NOTE: A NOTE indicates important information that helps you make better use of your computer.

Copyright © 2021 Dell Inc. or its subsidiaries. All rights reserved. Dell, EMC, and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners.

2021 - 09

Rev. A00

Contents

Overview	5
Downloading and setting up the Dell Display	
Manager	6
Downloading Dell Display Manager	6
Connect your monitor to your Mac	6
Before launching Dell Display Manager	7
Using the Quick Settings dialog	8
Launching Dell Display Manager	. 10
Setting basic display functions.	11
Assigning preset modes to applications	. 13
Organizing windows with Easy Arrange	. 14
Using Application Window Snap	. 16
Managing multiple video inputs	17
Selecting PIP/PBP mode	. 18
Setting up the KVM	. 19
Applying energy conservation features	. 23
Other shortcut keys	. 24
Restoring application positions	. 25
Troubleshooting	. 27
Dell monitors not supported by Dell Display Manager	. 27

(Dell

Unable to detect supported Dell monitor	27
Updating Dell Display Manager software	29

DEL

Overview

Dell Display Manager (DDM) is an Apple macOS application used to manage a monitor or a group of monitors.

Dell Display Manager allows manual adjustment of the displayed image, assignment of automatic settings, energy management, window organization, image rotation, and other features on selected Dell monitors.

After installing Dell Display Manager, it runs each time your system starts. A quick access icon is available in the status menu, with information about connected monitors available when you hover your cursor over the icon.



- NOTE: Some hardware-dependent features are only available on monitors that support those features. Refer to your monitor's user guide for information about which features are available.
- NOTE: Screenshots in this document are for illustrative purposes only. Some features may not be supported by your monitor.

Déi

Downloading and setting up the Dell Display Manager

Downloading Dell Display Manager

Browse for your monitor or type it in at **https://www.dell.com/support**. Download Dell Display Manager for Mac from the list of downloads, and install it on your Mac.

Connect your monitor to your Mac

1. Connect your Mac to monitor as described in your monitor's user's guide.



- NOTE: Connectivity diagrams are for illustrative purposes only. Refer to your monitor's user's guide for complete information about connecting your monitor.
- NOTE: Ensure that the USB Type-C cable or USB upstream (USB Type-B) cable is connected between your Mac and your monitor.

DELI

Before launching Dell Display Manager

Before launching Dell Display Manager, go to **Others** in your monitor's On-Screen Display menu and ensure that the **DDC/CI** feature is enabled.

(Stu	Utralbag 34 Maritar		
i.	Brightness/Contrast		
Þ	Input Source		
4	Color		
Ţ	Display		
	PIP/P8P		
٥	USB	Off	
≰*	Audio		
	Menu		
☆	Personalize		
			< Exit

When launching Dell Display Manager for the first time, the application will request access to **Screen Recording and Accessibility** privileges on your Mac.

Click **Open System Preferences** and follow the on-screen instructions to enable **Screen Recording** and **Accessibility**.



NOTE: Screen Recording and Accessibility privileges must be granted in order for Dell Display Manager to launch on your Mac.

DEL

Using the Quick Settings dialog

Clicking Dell Display Manager's icon on the status bar opens the **Quick Settings** dialog box. When multiple Dell monitors are connected to the computer, you can select any monitor from the drop-down menu.

The **Quick Settings** dialog box provides quick access to commonly-used features, such as configuring the monitor's:

- Resolution
- Brightness and Contrast
- · Presets (auto or manual mode)

A list of recently-used layouts are available for quick selection. Click on the **More Options** to access other layouts from the **Easy Arrange** tab in the Dell Display Manager interface.

Display Manager					
Display	Dell				
Resolution	2560 x 1080	Change			
O Auto Mode		Configure			
 Manual Mode 	Stan	dard ᅌ			
Brightness		66%			
Contrast	0	50%			
Recently used		More options			
×					
	Open Dell Display Manager				

NOTE: Dell Display Manager matches customized System Preferences applied on your Mac.

DELI

Feature	Function	Description
Quick DDM Access	Shortcut key to launch Quick Settings dialog box	• Ctrl+Shift+D
	Select monitor when multiple	 When more than one monitors are connected to the computer, select the monitor from the model drop-down list to configure the monitor.
	monitors are connected	 When the monitor is selected from the UI, the selected monitor screen will be dimmed momentary, showing a monitor icon with the model name on the screen to indicate the physical screen selected.
		 Press Ctrl + Shift + D to bring up the Quick Settings dialog box of the monitor where the mouse pointer is currently located.

(Dell

Launching Dell Display Manager

Launch the Dell Display Manager by one of the following methods:

• Right-click on the DDM icon on the status bar and select **Open Dell Display Manager...**



· Click Open Dell Display Manager from the Quick Settings Dialog box.

Deal Displa	y Manager	
Display	Dell	
Resolution	2560 x 1080	Change
O Auto Mode		Configure
🗿 Manual Mode		Standard 🗘
Brightness	0	66%
Contrast	0	50%
Recently used		More options
×		
	Open Dell Display Man	ager

Setting basic display functions

In Dell Display Manager menu, access the **Basic** tab to change the basic functions.

Feature	Function	Description
Basic	Resolution	Change screen resolution.
	Auto Mode	 Click on the Configure button to access the Auto Mode tab to assign a preset mode to an application.
		 Enable this feature to activate the preset mode automatically when the associated application is selected as the active window.
	Manual Mode	• Select the preset mode manually from the user interface.
	Brightness / Contrast	• Adjust the monitor's brightness and contrast.
	Enable display matrix control	 Enable this feature to allow you to apply the brightness, contrast and color presets controls to all connected supported monitors.

NOTE: "Enable display matrix control" is active when multiple monitors are connected

•••			Dell Display Ma	nager	Dell
	Basic	Auto Mode	Easy Arrange	Input Manager	Options 🧃
Resolution		2560 x 1080			Change
 Manual 	set mode a		active applications		Configure Standard
Brightness		-		i	75%
Contrast			0		70%

Single monitor connection user interface

•••			Dell Display Mai	nager Dell	11042291031	0
	Basic	Auto Mode	Easy Arrange	Input Manager	Options	
Resolution		1920 x 1080				Change
Manual I	et mode a		active applications	(C	configure
Brightness			0)	66%	
Contrast			0		50%	
🗸 Enable d	isplay mati	rix control				

Multi-monitor connection - Enable display matrix control

(DELL)

Assigning preset modes to applications

The **Auto Mode** tab allows you to associate any **Preset Mode** with an application. When **Auto Mode** is enabled on the **Basic** tab, Dell Display Manager automatically switches to the corresponding **Preset Mode** whenever the associated application is activated. The **Preset Mode** assigned to a particular application may be the same on each connected monitor, or it can vary from one monitor to another.

To add a new application to the assignment list, go to finder to search for the application, drag it from the Finder and drop to the current list. Choose the preset from the **Preset Mode** drop-down list to associate the preset to the application.

NOTE: Preset Mode assignments for batch files, scripts, shortcuts, and non-executable files such as zip archives or packed files, are not supported.

•••			Dell Display N	anager			$\widehat{\boldsymbol{\diamond}}$
	Basic	Auto Mode	Easy Arrange	Input Manager	Options)-	i
Assign a pres	et mode to	a specific app	lication. To ad	d an application, dra	ig it to the li	st	
Application			Pr	eset Mode			
Safari				Standard		\$	x
Terminal				9300k		\$	
Xcode				6500k		\$	
Adobe Photo	oshop 202	21		Novie		\$	
Dota 2				Game		\$	

DEL

13

Organizing windows with Easy Arrange

The **Easy Arrange** tab simplifies the applications window organization on the monitor. To use it:

- **1.** Select any of the predefined layout to virtually divide the screen into multiple zones.
- **2.** Drag the application to your selected zone to position the application in the zone. The application will snap to the selected zone.

Click the > icon to explore more layouts. To create a custom layout, arrange the application zone positioning by resizing the zone for the opened windows and then click **Save** to save the layout as custom layout.

•••			Dell Display Mai	nager	1881-01	\$
	Basic	Auto Mode	Easy Arrange	Input Manager	Options	i
		ustom window and resize auto		onitor. Open winde	ows dragged into	
×						
						>
To create a cu	istom layo	ut, arrange you	ur windows and th	en click Save		
🔽 Overlap tra	ansparent	borders		Application W	/indow Snap	
Hold down	the SHIFT	key to enable	zone positioning	Span across i	multiple monitors	

Feature	Function	Description
Easy Arrange	Overlap transparent borders	 Enable the feature to allow application snap side by side without gap.
	Hold down the SHIFT key to enable zone positioning	 Enable the feature to require you to press the Shift key to activate the Easy Arrange positioning.
	Application Window Snap	 Quick access to snap application window to recently-used layout.
	Span multiple monitors	 If you are using multiple monitors in an array or matrix, the Easy Arrange layout can be applied across all the monitors as one desktop. You need to align your monitors properly to make it effective.
Enhanced Easy	Custom layouts	 Save and name five customized Easy Arrange patterns.
Arrange		 Configure x*y patterns.
	Recently- used layouts	 Press Ctrl+Shift+7 to cycle among recently-used layouts.
	On-the-fly partition resizing	 Move the mouse cursor to the layout pattern, right-click the mouse and select Customize Layout.
		 Press and hold mouse left button to move border. The new layout will be saved after five seconds when the mouse left button is released.
	Easy Arrange layouts for portrait mode	 Portrait mode Easy Arrange icons are presented when monitor is rotated.

- NOTE: If an application window cannot fit in the zone defined by Easy Arrange, the application may not display properly.
- NOTE: Disable the Mac "Display have separate spaces" before using the Easy Arrange function.



Using Application Window Snap

The **Application Window Snap** is designed to enable application placement on any screen quickly. When this function is enabled in Dell Display Manager, dragging the application triggers a floating menu that contains recently-used **Easy Arrange** layouts. Drop the application to any one of the listed layouts to perform window placement.

You can enable this feature by one of the following methods:

• Tick the option from the **Guick Settings** menu on the status bar.



Right-click on the DDM icon on the status bar and select **Application Window Snap** to enable the function.





Managing multiple video inputs

The **Input Manager** tab provides convenient ways for you to manage multiple video inputs connected to your Dell monitor. This makes it easy to switch between inputs while you work with multiple computers.

All video input ports available to your monitor are listed. You can assign each input with a name. Save your changes after editing.

			Dell Display Ma	inager	-	******	\$
(Basic	Auto Mode	Easy Arrange	Input M	lanager	Options	
Input port		Input name	1	USB upstrea	am port		
USB-C (Active)		(Click to edi		USB-B1	USB-B2	USB-C	
DP		(Click to edi	t) (USB-B1	USB-B2	USB-C	
HDMI1		(Click to edi	t) (USB-B1	USB-B2	USB-C	
HDMI2		(Click to edi		USB-B1	USB-B2	USB-C	
PIP/PBP		kev	KVM w	izard		Save	
None		•	B-C	٢		Change active inp	out
nput switch s	hortcut k	ey					
None		>> US	iB-C		<<>> DF	,	0

MOTE: Refer to your monitor's user guide for available inputs.

Assign shortcut keys for quick access to your favorite input and switch between two inputs. Alternatively, switch the input source from the menu drop-down list.

			Dell Display Ma	inager			\$
(Basic	Auto Mode	Easy Arrange	Input Ma	anager	Options	
Input port		Input name		USB upstrear	m port		
USB-C (Active)		(Click to edi		USB-B1	USB-B2	O USB-C	
DP		(Click to edi	t)	USB-B1	USB-B2	USB-C	
HDMI1		(Click to edi	t)	USB-B1	USB-B2	USB-C	
HDMI2		(Click to edi		USB-B1	USB-B2	O USB-C	
PIP/PBP		kev	KVM w	izard			Save
None		·	B-C	\$	(Change act	ive input
nput switch sl	nortcut k	еу					
None		>> US	B-C	<	<> 🗸 US	B-C	
					DP HD	MI1 MI2	

DEL

Selecting PIP/PBP mode

1. Click on the **PIP/PBP mode...** (Picture-in-Picture/Picture-by-Picture) icon to enable the split screen function on supported models.

	Basic	Auto Mode	Easy Arrange	Input N	Manager	Options	
Input port		Input name		USB upstre	am port		
USB-C (Active)		(Click to edi	t)	USB-B1	USB-B2	USB-C	
DP		(Click to edi	t)	USB-B1	USB-B2	USB-C	
HDMI1		(Click to edi	t)	USB-B1	USB-B2	USB-C	
HDMI2		(Click to edi	t)	USB-B1	USB-B2	USB-C	
avorite input	shortcut	key					Save
None		>> Us	B-C	\$		Change act	ive input
nput switch s	hortcut k	ey					
		>> 119	SB-C		<<>> DP	,	-

2. Select a target window size to split the screen to suit your need.

			Dell Display Ma	anager	Dell U	IS818DW	\$
	Basic	Auto Mode	Easy Arrange	Input I	Manager	Options	- (
Input port		Input name		USB upstre	eam port		
USB-C (Active)		(Click to ed	lit)	USB-B1	USB-I	B2 OUSB-C	
DP		(Click to ed	lit)	O USB-B1	USB-I	32 USB-C	
HDMI1		(Click to ed	lit)	O USB-B1	USB-I	32 USB-C	
HDMI2		(Click to ed	lit)	USB-B1	USB-I	32 💽 USB-C	
Favorite input	shortcut	key					Save
None		>> U	SB-C	\$		Change act	ive input
Input switch s	hortcut k	ey					
None		>> U	SB-C	\$	<<>> ر	JSB-C	\$

Setting up the KVM

For monitors that supports Kernel-based Virtual Machine (KVM) feature, click on the **KVM wizard** icon and follow the on-screen wizard flow to set up the devices connecting to the monitor.

Bas	sic Auto Mode	Easy Arrange	Input Manager	Options	
Input port	Input name	U	SB upstream port		
USB-C (Active)	(Click to edi	t)	USB-B1 USB-B	2 O USB-C	
DP	(Click to edi	t) 🤇	USB-B1 USB-B	2 USB-C	
HDMI1	(Click to edi	t) 🤇	USB-B1 USB-B	2 USB-C	
HDMI2	(Click to edi	t) (USB-B1 USB-B	2 💽 USB-C	
PIP/PBP mod		KVM wiz	ard		Save
None		B-C	\$	Change activ	ve input
nput switch shorte	ut key				
None	>> US	B-C	🔿 <<>> D	P	

The on-screen wizard flow is illustrated in the following screenshots.

1. Select the number of sources your monitor is connected to.



DEL

2. Pair the input sources with USB connections and assign preferred names.

•••	Dell Display Ma	nager				
Basic Auto Mode	e Easy Arrange	Input Manager	Options ()			
	Select the video	input port connected	I to PC#1			
PC1	O DP					
		OUSB-C				
PC2	Assign a friendly	r name to PC#1				
	Select the USB	Select the USB upstream port connected to PC#1				
Video USB	USB-B1	USB-B2				
1000 000	038-0					
	< Bac	k Next >	Cancel			

•••			Dell Display Ma	nager		\$
	Basic	Auto Mode	Easy Arrange	Input Manager	Options	i
			Select the video	input port connec	ted to PC#2	
PC1				O HDM	12	
			USB-C			
			Assign a friendly	name to PC#2		
	and the second second	No. of Concession, Name	Select the USB u	pstream port con	nected to PC#2	
	Video USB		USB-B1	O USB-	-B2	
			🔾 USB-C			
			< Bac	k Next >	C	Cancel

20 Managing multiple video inputs

•••			Dell Display Ma	nager		\$	
	Basic	Auto Mode	Easy Arrange	Input Manager	Options	i	
			Select the video	input port connec	ted to PC#3		
PC1	PC1		HDMI2	O USB	-C		
		PC2	Assign a friendly	name to PC#3			
	All contractions of		Select the USB upstream port connected to PC#3				
			O USB-C				
	Video	USB					
			< Bac	k Next >		Cancel	

3. Select a preferred partition.

•••			Dell Display Ma	nager	
	Basic	Auto Mode	Easy Arrange	Input Manager	Options 🥡
PC1		_	(fullscreen), or be	display one PC or se partitioned between type of partition y	n sources (picture-in/by-
		PC2	74%		74%
-	Video	USB			
			< Bac	k Next >	Cancel

21

4. Click Finish to save and exit KVM wizard.



NOTE: Dell Display Manager communicates with your monitor even when the monitor is displaying video from another computer. You can install Dell Display Manager on the computer you frequently use and control input switching from it. You may also install Dell Display Manager on other computers connected to the monitor.



DELI

Applying energy conservation features

On supported Dell models, PowerNap energy conservation options are available in **Options** tab. You can choose to set the brightness of the monitor to the minimum level, or to put the monitor to sleep when the screen saver is activated.

•••			Dell Display Ma	nager	811-12	\$
	Basic	Auto Mode	Easy Arrange	Input Manager	Options	1
O Redu	-	ness when scre	ensaver activates screensaver acti		Con	figure
Program sh	ortcut key	/		Application Windo	w Snap short	cut key
Ctrl + Shift	+ D			Ctrl + Shift + 0		
Easy Arran	ge MRU sh	nortcut key				
Cmd + Shit	t + 7					
Auto-sw	itch LISB (instream ports	in DRD side_by_s	ide mode		
Auto-sw	itch USB t	ipstream ports	in PBP side-by-s	ide mode		



Other shortcut keys

Assign shortcut keys for quick access to commonly-used features.

••		Dell Display Mai	nager		\$
Basic	Auto Mode	Easy Arrange	Input Manager	Options	- i
 PowerNap options Reduce brightne 	ess when screer	isaver activates		Confi	gure
O Put the display	to sleep when so	creensaver activate	IS .		
Program shortcut key		Appli	cation Window Sna	p shortcut key	
Ctrl + Shift + D		Ctrl			
Easy Arrange MRU sho	ortcut key				
Cmd + Shift + 7					
PIP position shortcut k	ey				
None					
Auto-switch USB up	stream ports in	PBP side-by-side r	node		

Feature	Function	Description
Shortcut Keys	Program shortcut key	 Quick access to open the Quick Settings dialog box.
	Easy Arrange MRU shortcut key	 Cycle through the 6 recently-used window layouts.
	PIP position shortcut key	 Quick access to apply the PIP sub position of the window position to Top-Left, Top-Right, Bottom- Right or Bottom-left.
	Application Window Snap shortcut key	 Quick access to snap application window to recently-used layout.



Restoring application positions

Dell Display Manager can help you restore application windows into their positions when you reconnect your PC to the monitor(s). Access this feature by rightclicking on Dell Display Manager icon in the notification tray.

Open Dell Display Manager Application Window Snap
Save current window layout Restore saved window layout Auto-restore window layout
Online documentation Check for new version
Exit

If you choose **Auto-restore window layout**, your application windows' positions are tracked and remembered by Dell Display Manager. Dell Display Manager automatically places the application windows into their original positions when you reconnect your PC to your monitor(s).

Open Dell Display Manager Application Window Snap
Save current window layout Restore saved window layout ✓ Auto-restore window layout
Online documentation Check for new version
Exit

To go back to a favorite layout, first select **Save current window layout** and then **Restore saved window layout**.



Dell

You may use monitors with different models or resolutions in your daily routine, and you may apply different window layouts on them. Dell Display Manager registers the monitor you have reconnected and restore application positions accordingly.

In case you need to replace a monitor in a monitor matrix configuration, you can save the window layout before replacement and restore the layout after a new monitor is connected.



NOTE: You should keep your applications running in order to benefit from this feature. Dell Display Manager does not launch applications.

Troubleshooting

If Dell Display Manager does not work with your monitor, it will display the following icon and message in the status menu.



Click on the icon, Dell Display Manager shows a more detailed error message.



Please note that Dell Display Manager only works with selected Dell-branded monitors. If you are using monitors from other manufacturers, Dell Display Manager does not support them.

Dell monitors not supported by Dell Display Manager

Dell Display Manager may not work with the following monitors:

- Dell monitor models not included in Mac Dell Display Manager supported list.
 For more information, see http://www.dell.com/ddm
- Monitors and accessories not listed in Mac Dell Display Manager support list. Virtual and wireless monitors do not support DDC/Cl
- Mac models earlier than year 2018
- macOS earlier than 10.14

Unable to detect supported Dell monitor

If Dell Display Manager is unable to detect and/or communicate with a supported Dell monitor, please take following actions to troubleshoot:

- 1. Make sure the video cable or USB upstream cable is properly connected to your monitor and your computer. Ensure all the connectors are firmly inserted into the ports.
- **2.** If connecting HDMI cable not working, switch to use HDMI and USB upstream cable. Launch DDM again.
- 3. Check the monitor OSD to ensure **DDC/CI** is enabled.

- **4.** Remove any docking stations or cable extenders or converters between the monitor and the graphics port. Some low-cost extenders, hubs or converters may not support DDC/CI properly and can fail Dell Display Manager. Update the driver of such device if the latest version is available.
- **5.** Restart your system.



Updating Dell Display Manager software

If your PC is connected to the Internet, you will be prompted to upgrade to a newer version of Dell Display Manager when it is available. It is recommended to download and install the latest Dell Display Manager application.

You may also check for new version by right clicking on Dell Display Manager icon.



Dell