Hisense 50E7KQTUK TV 127 cm (50") 4K Ultra HD Smart TV Wi-Fi Black 275 cd/m²

Brand : Hisense


Product code: 50E7KQTUK

Product name : 50E7KQTUK

Hisense 50E7KQTUK QLED 50-inch 4K UHD Dolby Vision HDR Smart TV with YouTube, Netflix,Disney + Freeview Play and Alexa Built-in, Bluetooth and WiFi, TUV Certificated (2022 NEW) [Energy Class G]

Hisense 50E7KQTUK TV 127 cm (50") 4K Ultra HD Smart TV Wi-Fi Black 275 cd/m²:

Entry Quantum dot which offer excellent value for money, whether you're playing the latest games or into box sets, this is the perfect entertainment centre. Enjoy Over one billion shades of colours can be reproduced on your display with quantum dot technology with Hisense TV brings breakthrough immersive audio experience to your home whether it is shows, games or live sports. 4K HDR Certified resolution delivers breath-taking picture quality. Bring the true cinematic experience home with support for all the latest HDR formats of HDR10+, Dolby Vision™. Hisense's new VIDAA U5 Smart TV OS lets you enjoy all your favourite entertainment from Netflix, Disney+, Prime Video, and Freeview Play, and control your TV using your voice with VIDAA Voice.







Audio		Weight & dimensions	
	2		74 mm
Number of speakers * RMS rated power *	2 16 W	Depth (without stand) Height (without stand)	74 mm 646 mm
Audio output channels	2.0 channels	Weight (without stand)	9.8 kg
Built-in subwoofer	×	Stand width	87.3 cm
Sound modes	Movie, Music, Standard	Stand depth	27.4 cm
Audio system	Dolby Atmos	Packaging data	
Network	-	Screws included	1
Wi-Fi *	1	Quick start guide	
Bluetooth *		Manual	
Ethernet LAN *	1	Package width	1249 mm
Miracast	1	Package depth	136 mm
		Package height	777 mm
Design		Package volume	0 cm ³
Product colour *	Black	Packaging content	
VESA mounting *	✓ 200 x 200 mm	Mounting kit	x
Panel mounting interface	200 x 300 mm	Cables included	AC, DC
Stand type	Legs stand	Remote control included	1
Performance		Remote control type	Smart
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG)	Smart Remote included	1
Game mode	1	Logistics data	
Subtitles function	1	Export Control Classification Number (ECCN)	85287220
Dolby Vision	4	. ,	
Angletent Balat annag	~	Other features	
Ambient light sensor	×		
High Dynamic Range (HDR) supported *	× ×	Hybrid Log-Gamma (HLG)	✓ ×
High Dynamic Range (HDR)		Hybrid Log-Gamma (HLG) 3D	×
High Dynamic Range (HDR) supported *	1	Hybrid Log-Gamma (HLG) 3D Motion control	× ✓
High Dynamic Range (HDR) supported * AMD FreeSync	× ×	Hybrid Log-Gamma (HLG) 3D	×
High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC	× × ×	Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption	× ✓ 70 kWh
High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling	× × ×	Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input	× ✓ 70 kWh 1
High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby	× × ×	Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input HDMI	× 70 kWh 1 •
High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control	× × ×	Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power	× 70 kWh 1 ✓ China
High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording	 × ×<	Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Picture mode	 × ✓ 70 kWh 1 ✓ China 1117 x 274 x 703 mm ✓ 1
High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback	 × ×<	Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Picture mode Stand	 × ✓ 70 kWh 1 ✓ China 1117 x 274 x 703 mm ✓ 1 1
High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces	 × ×<	Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Picture mode Stand Smart TV applications	 × ✓ 70 kWh 1 ✓ China 1117 x 274 x 703 mm ✓ 1 1 1
High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces HDMI version	 × × × × × × 2.0 	Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Picture mode Stand Smart TV applications Analogue tuner	 × ✓ 70 kWh 1 ✓ China 1117 x 274 x 703 mm ✓ 1 1 ×
High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces HDMI version Audio Return Channel (ARC)	 ✓ × × ✓ × ✓ ✓ 2.0 ✓ 	Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Picture mode Stand Smart TV applications Analogue tuner DVB-T2 tuner	 × ✓ 70 kWh 1 ✓ China 1117 x 274 x 703 mm ✓ 1 1 × ✓
High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces HDMI version Audio Return Channel (ARC) PC in (D-Sub) *	 ✓ × ✓ ✓	Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Picture mode Stand Smart TV applications Analogue tuner DVB-T2 tuner	 × ✓ 70 kWh 1 ✓ China 1117 x 274 x 703 mm ✓ 1 1 ×
High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces HDMI version Audio Return Channel (ARC) PC in (D-Sub) * Ethernet LAN (RJ-45) ports USB 2.0 ports quantity * Component video (YPbPr/YCbCr) in	 ✓ × × ✓ ✓ ✓ 2.0 ✓ × 1 2 1 	Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Picture mode Stand Smart TV applications Analogue tuner DVB-T2 tuner	 × ✓ 70 kWh 1 ✓ China 1117 x 274 x 703 mm ✓ 1 1 × ✓ 1117 x 274 x 703 mm
High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces HDMI version Audio Return Channel (ARC) PC in (D-Sub) * Ethernet LAN (RJ-45) ports USB 2.0 ports quantity * Component video (YPbPr/YCbCr) in Headphone outputs	 ✓ × × ✓ ✓ 2.0 ✓ × 1 2 1 1 	Hybrid Log-Gamma (HLG)3DMotion controlAnnual energy consumptionAerial inputHDMICountry of originDimensions (W x D x H) with standMains powerPicture modeStandSmart TV applicationsAnalogue tunerDVB-T2 tunerDimensions (with stand) (WxHxD)News apps	 × ✓ 70 kWh 1 ✓ China 1117 x 274 x 703 mm ✓ 1 1 × ✓ 1117 x 274 x 703 mm
High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces HDMI version Audio Return Channel (ARC) PC in (D-Sub) * Ethernet LAN (RJ-45) ports USB 2.0 ports quantity * Component video (YPbPr/YCbCr) in Headphone outputs	 ✓ × × ✓ ✓ ✓ 2.0 ✓ × 1 2 1 	Hybrid Log-Gamma (HLG)3DMotion controlAnnual energy consumptionAerial inputHDMICountry of originDimensions (W x D x H) with standMains powerPicture modeStandSmart TV applicationsAnalogue tunerDVB-T2 tunerDimensions (with stand) (WxHxD)News apps	 × ✓ 70 kWh 1 ✓ China 1117 x 274 x 703 mm ✓ 1 1 × ✓ 1117 x 274 x 703 mm
High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces HDMI version Audio Return Channel (ARC) PC in (D-Sub) * Ethernet LAN (RJ-45) ports USB 2.0 ports quantity * Component video (YPbPr/YCbCr) in Headphone outputs Common interface (CI) *	 ✓ × × ✓ ✓ 2.0 ✓ <li< td=""><td>Hybrid Log-Gamma (HLG)3DMotion controlAnnual energy consumptionAerial inputHDMICountry of originDimensions (W x D x H) with standMains powerPicture modeStandSmart TV applicationsAnalogue tunerDVB-T2 tunerDimensions (with stand) (WxHxD)News apps</td><td> × ✓ 70 kWh 1 ✓ China 1117 x 274 x 703 mm ✓ 1 1 × ✓ 1117 x 274 x 703 mm </td></li<>	Hybrid Log-Gamma (HLG)3DMotion controlAnnual energy consumptionAerial inputHDMICountry of originDimensions (W x D x H) with standMains powerPicture modeStandSmart TV applicationsAnalogue tunerDVB-T2 tunerDimensions (with stand) (WxHxD)News apps	 × ✓ 70 kWh 1 ✓ China 1117 x 274 x 703 mm ✓ 1 1 × ✓ 1117 x 274 x 703 mm
High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces HDMI version Audio Return Channel (ARC) PC in (D-Sub) * Ethernet LAN (RJ-45) ports USB 2.0 ports quantity * Component video (YPbPr/YCbCr) in Headphone outputs	 × × × × × 2.0 × 1 2 1 1 × 	Hybrid Log-Gamma (HLG)3DMotion controlAnnual energy consumptionAerial inputHDMICountry of originDimensions (W x D x H) with standMains powerPicture modeStandSmart TV applicationsAnalogue tunerDVB-T2 tunerDimensions (with stand) (WxHxD)News apps	 × ✓ 70 kWh 1 ✓ China 1117 x 274 x 703 mm ✓ 1 1 × ✓ 1117 x 274 x 703 mm
High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces HDMI version Audio Return Channel (ARC) PC in (D-Sub) * Ethernet LAN (RJ-45) ports USB 2.0 ports quantity * Component video (YPbPr/YCbCr) in Headphone outputs Common interface (CI) *	 ✓ × × ✓ ✓ 2.0 ✓ <li< td=""><td>Hybrid Log-Gamma (HLG)3DMotion controlAnnual energy consumptionAerial inputHDMICountry of originDimensions (W x D x H) with standMains powerPicture modeStandSmart TV applicationsAnalogue tunerDVB-T2 tunerDimensions (with stand) (WxHxD)News apps</td><td> × ✓ 70 kWh 1 ✓ China 1117 x 274 x 703 mm ✓ 1 1 × ✓ 1117 x 274 x 703 mm </td></li<>	Hybrid Log-Gamma (HLG)3DMotion controlAnnual energy consumptionAerial inputHDMICountry of originDimensions (W x D x H) with standMains powerPicture modeStandSmart TV applicationsAnalogue tunerDVB-T2 tunerDimensions (with stand) (WxHxD)News apps	 × ✓ 70 kWh 1 ✓ China 1117 x 274 x 703 mm ✓ 1 1 × ✓ 1117 x 274 x 703 mm



6942147491898

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.