

TP-Link VIGI NVR2016H-16MP network video recorder Black

Brand : TP-Link Product family: VIGI Product code: VIGI NVR2016H-16MP

Product name : VIGI NVR2016H-16MP



TP-Link VIGI NVR2016H-16MP. Video input channels: 16 channels, Maximum resolution: 3840 x 2160 pixels, Number of simultaneously playbacked channels: 16 channels. Maximum storage capacity: 10 TB, HDD interface: SATA. Ethernet LAN data rates: 10,100,1000 Mbit/s, Networking standards: IEEE 802.3af, IEEE 802.3af, Supported network protocols: UPnP (Plug and Play), NTP (Network Timing). Product colour: Black, Certification: CE, EAC, UKCA, RCM, Triman, BSMI, VCCI, FCC, IC, HDMI. Power consumption (max): 40 W, Output current: 2.43 A, Output voltage: 53.5 V



Performance		Ports & interfaces	
Video input channels *	16 channels	USB 2.0 ports quantity	2
Number of simultaneously	16 channels	eSATA ports quantity	1
playbacked channels	720 1000-	Internal SATA ports quantity	2
Video recording modes Maximum resolution *	720p, 1080p 3840 x 2160 pixels	eSATA	✓
Maximum resolution	HDMI Output Resolution: 1 Channel,	Line-in	✓
Supported resolutions	Resolution: 1280x720/60Hz, 1280x1024/60Hz, 1440x900/60Hz, 1680x1050/60Hz, 1920x1080/60Hz, 3840x2160/30Hz VGA Output Resolution: 1Channel, Resolution: 1280x720/60Hz, 1280x1024/60Hz, 1440x900/60Hz, 1680x1050/60Hz, 1920x1080/60Hz	Audio output	1
		DC-in jack	✓
		Networking standards	IEEE 802.3af, IEEE 802.3at
		Supported network protocols	UPnP (Plug and Play), NTP (Network Timing)
		Features	
Video motion detection	✓	Reset button	✓
Audio formats supported	G.711 A-law, G.711 μ-law, G.726	Product colour	Black
Video formats supported	H.264, H.264+, H.265, H.265+	Certification	CE, EAC, UKCA, RCM, Triman, BSMI,
Playback modes	Digital zoom, Fast play, Forward,		VCCI, FCC, IC, HDMI
•	Full screen, Pause, Play, Stop	Power	
Playback controls	20.6	Power consumption (max)	40 W
Maximum frame rate	30 fps	Output current	2.43 A
Input bandwidth	80 Mbit/s	Output voltage	53.5 V
Output bandwidth Recording modes	60 Mbit/s Manual, Schedule	Total Power over Ethernet (PoE)	140 W
3	Maridal, Scriedule	budget	
Wireless LAN features		Operational conditions	
Wi-Fi *	×	Operating temperature (T-T)	-10 - 55 °C
Hard drive		Operating relative humidity (H-H)	10 - 90%
HDD capacity *	0 GB	Storage temperature (T-T)	-40 - 70 °C
Number of HDDs supported	2	Weight & dimensions	
Maximum storage capacity *	10 TB	Width	330 mm
· · · · · · · · · · · · · · · · · · ·			

Hard drive		Weight & dimensions	
HDD interface *	SATA	Depth	285 mm
Ports & interfaces		Height	45 mm
Ethernet LAN (RJ-45) ports *	1	Weight	2.1 kg
Power over Ethernet (PoE)	✓	Package weight	4.1 kg
Ethernet LAN data rates	10,100,1000 Mbit/s	Packaging content	
Power over Ethernet (PoE) ports	16	Cables included	AC
quantity	10	AC adapter included	✓
HDMI ports quantity	1	Quick installation guide	✓
VGA (D-Sub) output ports	1	_	

