

Logitech R500 Laser Presentation Remote

Brand : Logitech

Product code: 910-005843

Product name : R500 Laser Presentation Remote

R500 Laser Presentation Remote

Logitech R500 Laser Presentation Remote:

Introducing the R500, a plug-and-play presentation remote that allows you to navigate slides and laser point from up to 20 meters (65 feet) away. Deliver your presentation with ease and confidence thanks to the unmistakable three-button design and R500's comfortable, secure fit in hand. The R500 is optimized for most devices and popular presentation software – and you can customize buttons, check battery life, and set an on-screen timer in the Logitech Presentation App.

May vary based on environmental and computing conditions.



Performance		System requirements	
Wireless receiver interface *	USB	Linux operating systems supported ✓	
Receiver type	Nano receiver	Weight & dimensions	
Wireless technology *	Bluetooth/RF	Receiver width	1.75 cm
Bluetooth Low Energy (BLE)	✓	Receiver depth	2.5 cm
Frequency band	2.4 GHz	Receiver height	6.6 mm
Wireless range	20 m	Receiver weight	2 g
Features		Width	36.6 mm
Product colour *	Graphite	Depth	123.6 mm
Presenter functions *	Laser pointer, Remote control	Height	24.7 mm
Buttons quantity *	3	Weight	48.4 g
Laser pointer colour	Red	Packaging data	
Laser class	1	Quantity per pack	1 pc(s)
Laser wave power	0.039 mW	Package width	36.5 mm
Wavelength range	640 - 660 nm	Package depth	90.5 mm
Battery level indicator	✓	Package height	248 mm
Power		Package weight	115 g
Number of batteries supported	1	Packaging content	
Battery technology	Alkaline	Batteries included	✓
Battery capacity	1000 mAh	Receiver included	✓
Battery type	AAA	Packaging content	Presentation remote USB receiver 1 AAA battery User documentation 2-year manufacturer's guarantee
Battery life	12 month(s)	Logistics data	
System requirements		Master (outer) case width	98.5 mm
Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8, Windows 8.1	Master (outer) case length	302 mm
		Master (outer) case height	262 mm
		Master (outer) case gross weight	1.02 kg

System requirements

Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
---------------------------------	--



5099206090828

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-DEC-2024. Prints or copies of Information are only valid on the printed Publication date