## **NOC**

## AOC Q27P3CV computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LED Black

Brand : AOC Product code: Q27P3CV

Product name: Q27P3CV

Screen size (inch) 27, Panel resolution 2560x1440, Refresh rate 75 Hz, Panel type IPS, USB-C connectivity USB-C  $3.2 \times 1$  (DP alt mode, upstream, power delivery up to 65 W), HDMI HDMI  $1.4 \times 2$ , Display Port DisplayPort  $1.2 \times 1$ , Sync technology (VRR) Adaptive Sync AOC Q27P3CV. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LED, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black





Display		Network	
Display diagonal *	68.6 cm (27")	Ethernet LAN	<b>✓</b>
Display resolution *	2560 x 1440 pixels	Ergonomics	
HD type *	Quad HD		
Native aspect ratio *	16:9	VESA mounting *	<b>V</b>
Display technology *	LED	Panel mounting interface	100 x 100 mm
Panel type *	IPS	Wall mountable	✓
Backlight type	W-LED	Cable lock slot *	✓
Touchscreen *	×	Cable lock slot type	Kensington
Display brightness (peak)	350 cd/m <sup>2</sup>	Height adjustment *	✓
Display brightness (typical)	350 cd/m <sup>2</sup>	Height adjustment	15 cm
Response time *	4 ms	Pivot	✓
Anti-glare screen	✓	Pivot angle	-90 - 90°
Screen shape *	Flat	Swivelling	✓
Supported video modes	1080p, 1440p, 2160p	Swivel angle range	-180 - 180°
Contrast ratio (typical) *	1000:1	Tilt adjustment	<b>✓</b>
Contrast ratio (dynamic)	50000000:1	Tilt angle range	-5 - 35°
Maximum refresh rate *	75 Hz	On Screen Display (OSD)	✓ ·
Viewing angle, horizontal	178°		•
Viewing angle, vertical	178°	Power	
Display number of colours *	16.7 million colours	Energy efficiency class (SDR) *	F
Pixel pitch	0.2331 x 0.2331 mm	Energy efficiency class (HDR) *	F
Pixel density	109 ppi	Energy consumption (SDR) per 1000	<sup>0</sup> 24 kWh
Display diagonal (metric)	68.6 cm	hours *	
High Dynamic Range (HDR) supported	<b>✓</b>	Energy consumption (HDR) per 1000 hours *	24 kWh
Surface hardness	3H	Power consumption (typical) *	23 W
sRGB coverage (typical)	117%	Power consumption (standby) *	0.5 W
NTSC coverage (typical)	102%	Power consumption (off)	0.3 W
		AC input voltage	100 - 240 V

Performance		Power	
			50 CO II-
Fast charging	<b>/</b>	AC input frequency	50 - 60 Hz
Flicker-free technology	✓	Power supply type Energy efficiency scale	Internal A to G
Low Blue Light technology	<b>✓</b>	European Product Registry for	
Multimedia		Energy Labelling (EPREL) code	1375766
Number of speakers	2	Weight & dimensions	
RMS rated power	2 W	Width (with stand)	613.8 mm
Built-in speaker(s) *	<b>✓</b>	Depth (with stand)	200.2 mm
Built-in camera *	×	Weight (with stand)	6.81 kg
Design		Depth (without stand)	52.8 mm
Market positioning *	Business	Packaging data	
Product colour *	Black	Package width	820 mm
Frameless design	✓	Package depth	162 mm
Front bezel colour	Black	Package height	481 mm
Detachable stand	✓	Package weight	9.98 kg
Ports & interfaces		Packaging content	
Built-in USB hub *	<b>✓</b>	Cables included	AC, DisplayPort, HDMI, USB Type-C
USB hub version	3.2 Gen 1 (3.1 Gen 1)	DisplayPort cable length	1.8 m
USB upstream port type	USB Type-C	HDMI cable length	1.8 m
Number of upstream ports	1	Power cable length	1.8 m
Number of USB Type-C upstream ports quantity	1	Sustainability	
USB Type-A downstream ports		Sustainability compliance	<b>/</b>
quantity	4	Sustainability certificates	TCO
USB Type-C DisplayPort Alternate Mode	<b>✓</b>	Doesn't contain	PVC/BFR
USB Power Delivery (USB PD)	/	Other features	
USB Power Delivery up to	65 W	Low input lag	✓
HDMI *	✓ V	Compatibility	VESA-P2
HDMI ports quantity	2	Exterior finish type	Textured
HDMI version	1.4	Recyclable packaging material	100%
DisplayPorts quantity	1	Heavy metals free	Hg (mercury)
DisplayPort version		Mean time between failures (MTBF)	70000 h
	1.2		
Headphone out *	1.2 ✓	Certification	EPA, TCO, EPEA
Headphone out * Headphone outputs		Recycling data	EPA, TCO, EPEA
Headphone out * Headphone outputs Headphone connectivity	✓		85%

HDCP version

1.4



4038986180740

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.