



DiskStation

# DS1522+



## Flexible Data Management Platform for Homes and SOHO

The Synology DS1522+ is a versatile 5-bay NAS solution that is easy to scale and expand as your needs change, with optional support for up to 15 drives, fast networking, and NVMe SSD caching. Powered by Synology DiskStation Manager (DSM), it offers a flexible all-in-one solution for data sharing, synchronization, backup, and surveillance.

### Highlights

- **Dependable Performance**  
Up to 736/796 MB/s sequential read/write throughput makes file operations quick and efficient<sup>1</sup>
- **Versatile Network Storage**  
Leverage built-in file and photo management, data protection, virtualization, and surveillance solutions
- **Fast and Stable Connectivity**  
Four 1GbE ports for simple integration into existing environments with optional 10GbE connectivity<sup>2</sup> to tackle more specialized, bandwidth-heavy applications
- **Easy Capacity Expansion**  
Add up to 10 extra drive bays with 2 DX517 expansion units for a maximum of 15 storage drives<sup>3</sup>
- **Extendable Product Support**  
Backed by Synology's 3-year limited hardware warranty, extendable to 5 years in select markets<sup>4,5</sup>

## Versatile Storage for Any Purpose

The DS1522+ comes out of the box with intuitive and comprehensive file management, media organization, and backup options, making it ideal for IT enthusiasts, creative professionals, and business owners looking for a powerful and compact storage system.

- Up to **736 MB/s sequential read** and **796 MB/s sequential write** performance<sup>1</sup> enables fast file sharing, syncing, streaming, and backup for multiple users
- Supports 5 x SATA HDD/SSD 2.5" and 3.5" drives,<sup>6</sup> **expandable to 15 drives** with two Synology DX517 expansion units<sup>3</sup>
- **Up to 32 GB DDR4 ECC memory** for protection against potential crashes and inadvertent changes in data through automatic correction of data errors
- Accommodate multiple streams or transfer tasks with four **Gigabit RJ-45 ports**, which can be bonded using **Link Aggregation** to provide automatic **network failover** and **load balancing**
- Maximize return on investment by upgrading your storage platform as more demanding needs arise with **two built-in M.2 NVMe SSD cache slots**<sup>7</sup> and an optional **10GbE RJ-45 Network Upgrade Module**<sup>2</sup>



### Next-Generation File System

*Btrfs is a modern file system designed to safeguard data integrity through metadata mirroring, file self-healing, and fast snapshot replication.*

## Built for Data Protection and Integrity


Safeguard your critical data with the **powerful storage management features** of Synology DSM, built on the advanced **Btrfs** file system.

- **Advanced snapshot technology** provides schedulable and near-instantaneous data protection for shared folders and LUNs
- **File and folder-level data restoration** enables recovery of specific files or folders
- **Flexible storage quota system** helps admins manage available space by specifying storage limits for shared folders
- **File self-healing** detects and recovers corrupted files using mirrored metadata and RAID configurations
- **Inline compression** minimizes storage consumption and extends the life of drives by compressing data before it is written to the storage pool



## Synology Backup Solutions

*DSM backup solutions are designed to be low-maintenance, with different RPO/RTO targets, storage efficiency, and backup destinations available depending on your requirements.*



## Synology Productivity Suite

*A powerful and secure private cloud solution that lets teams collaborate, sync files, and communicate with others anytime, anywhere.*

## Complete Data and Device Backup Solutions

Synology DSM comes standard with a complete package of backup solutions available at no extra cost.


- **Active Backup Suite** consolidates backup tasks and offers rapid restoration of Windows and Linux endpoints, VMs, Synology NAS, and SaaS applications
- **Snapshot Replication** creates point-in-time copies of shared folders and LUNs to protect them from accidental modifications or ransomware incidents
- **Hyper Backup** backs up your NAS data to multiple destinations securely and efficiently with integrity checks and powerful deduplication, compression, and versioning options
- **C2 Storage for Hyper Backup** offers a dedicated secure public cloud destination for Synology NAS backup data<sup>8</sup>

---

## Powerful Collaboration and Sharing Tools

Synology's productivity suite provides a private cloud solution for on-site and remote workers to concurrently edit documents, share files, manage emails, send instant messages, and more.

- **Synology Drive** is a cloud file management solution that supports file sharing, remote data access, cross-device and cross-site synchronization, on-demand file restoration, and backup.
- The **Synology Office extension** lets users collaborate on documents, spreadsheets, and presentation slides in real time, supported by convenient options such as file versioning for easy restoration and password protection
- **Synology Photos** serves as a media organization hub for enthusiasts and professionals looking to efficiently manage and share their photos and videos through intuitive browsing options and secure sharing methods
- **Synology Hybrid Share** combines reliable on-premises storage and efficient syncing of shared folders in the cloud to enable seamless cross-site synchronization and local file access at LAN speed<sup>8</sup>



## Always On Guard

Protect your premises with Synology's reliable and intuitive video management system (VMS) solution. Surveillance Station combines intelligent monitoring and robust management features for flexible deployment scenarios.



## Flexible Virtualization

Whether providing VM storage through iSCSI and NFS or running VMs directly on the DS1522+ using Virtual Machine Manager, Synology DSM provides comprehensive tools to protect your VMs.

## Private Video Surveillance

**Synology Surveillance Station** transforms the DS1522+ into a powerful Network Video Recorder solution with support for up to 40 IP cameras.<sup>9</sup>

- **8,300+ supported camera models**
- ONVIF support for a broader selection of cameras
- Private, subscription-free storage of recordings
- Access through web browsers, desktop clients, or mobile apps
- Event-based rules to trigger specific actions
- Email, SMS, and push notification options


## Virtualization and Certified Storage

Your DS1522+ can serve as **virtual machine storage**, VM backup server, and a lightweight container and VM host. It is fully certified as storage for VMware® vSphere™, Microsoft® Hyper-V®, Citrix® XenServer™, and OpenStack environments.


- **Synology Storage Console** for VMware or Windows platforms lets you manage VM storage components directly from your hypervisor. VMware VAAI integration and Windows ODX help offload storage operations and speed up data transfer
- **Host light containers and VMs** for testing, sandboxing, and emergency recovery purposes with **Docker** and **Synology Virtual Machine Manager**, a native hypervisor that supports Windows, Linux, and Virtual DSM<sup>10</sup>

# Hardware Overview

Front



Rear



1	Status Indicator	2	Drive Status Indicators	3	Drive Tray Locks	4	USB 3.2 Gen 1 Port
5	Power Button and Indicator	6	Drive Trays	7	Expansion Ports	8	Power Port
9	Network Upgrade Slot	10	USB 3.2 Gen 1 Port	11	1GbE RJ-45 Ports	12	Reset Button
13	Fans	14	Kensington Security Slot				

## Technical Specifications

### Hardware

CPU	AMD Ryzen™ R1600 dual-core (4-thread) 2.6 GHz, max. boost clock up to 3.1 GHz
Hardware encryption engine	AES-NI
Memory	8 GB DDR4 ECC SODIMM (expandable up to 32 GB)
Compatible drive types	<ul style="list-style-type: none"> <li>• 5 x 3.5" or 2.5" SATA HDD/SSD (drives not included)</li> <li>• 2 x M.2 2280 NVMe SSD (drives not included)</li> <li>• Synology only guarantees full functionality, reliability, and performance for Synology drives listed on the compatibility list<sup>6</sup></li> </ul>
Hot swappable drives	Yes
External ports	<ul style="list-style-type: none"> <li>• 2 x USB 3.2 Gen 1 ports</li> <li>• 2 x Expansion ports (eSATA)</li> </ul>
Form factor	Desktop
Size (HxWxD)	166 x 230 x 223 mm
Weight	2.7 kg
LAN ports	4 x 1GbE RJ-45
Wake on LAN/WAN	Yes
Network expansion	Supports E10G22-T1-Mini 10GbE RJ-45 Network Upgrade Module <sup>2</sup>
Scheduled power on/off	Yes
System fans	2 x (92 x 92 x 25 mm)
AC input power voltage	100 V to 240 V AC
Power frequency	50/60 Hz, single phase
Operating environment	<ul style="list-style-type: none"> <li>• Temperature: 0°C to 40°C (32°F to 104°F)</li> <li>• Relative humidity: 5% to 95% RH</li> </ul>
Storage environment	<ul style="list-style-type: none"> <li>• Temperature: -20°C to 60°C (-5°F to 140°F)</li> <li>• Relative humidity: 5% to 95% RH</li> </ul>
Maximum operating altitude	5,000 m (16,400 ft)

## General DSM Specifications

Networking protocols	SMB, AFP, NFS, FTP, WebDAV, CalDAV, iSCSI, Telnet, SSH, SNMP, and VPN (PPTP, OpenVPN™, L2TP)
File systems	<ul style="list-style-type: none"> <li>Internal: Btrfs, ext4</li> <li>External: Btrfs, ext4, ext3, FAT32, NTFS, HFS+, exFAT</li> </ul>
Supported RAID types	Synology Hybrid RAID (SHR), Basic, JBOD, RAID 0, RAID 1, RAID 5, RAID 6, and RAID 10
Storage management	<ul style="list-style-type: none"> <li>Max. single volume size: 108 TB</li> <li>Max. number of system snapshots: 65,536<sup>11</sup></li> <li>Max. number of internal volumes: 64</li> </ul>
SSD cache	<ul style="list-style-type: none"> <li>Read/write cache support</li> <li>M.2 NVMe and 2.5" SATA SSD support</li> </ul>
File sharing capabilities	<ul style="list-style-type: none"> <li>Maximum local user accounts: 2,048</li> <li>Maximum local groups: 256</li> <li>Maximum shared folders: 512</li> <li>Maximum concurrent SMB/NFS/AFP/FTP connections: 2,000</li> </ul>
Privileges	Windows® Access Control List (ACL) and application privileges
Directory services	Connects with Windows® AD/LDAP servers enabling domain users to login via SMB/NFS/AFP/FTP/File Station using their existing credentials
Virtualization	VMware vSphere®, Microsoft Hyper-V®, Citrix®, OpenStack, and Kubernetes
Security	Firewall, shared folder encryption, SMB encryption, FTP over SSL/TLS, SFTP, rsync over SSH, login auto block, Let's Encrypt support, and HTTPS (customizable cipher suite)
Supported browsers	Google Chrome®, Firefox®, Microsoft Edge®, Safari® 13 and later, and Safari (iOS 13.0 and later) on iPad, Chrome (Android™ 11.0 and later) on tablets
Interface languages	English, Deutsch, Français, Italiano, Español, Dansk, Norsk, Svensk, Nederlands, Русский, Polski, Magyar, Português do Brasil, Português Europeu, Türkçe, Český, ไทย, 日本語, 한국어, 繁體中文, 简体中文

## Packages and Applications

File Server & Synchronization	
Drive	Synchronizes files across Windows®, macOS®, Linux®, Android™, and iOS. The built-in cross-platform portal allows access to data anytime and anywhere <ul style="list-style-type: none"> <li>Max. number of hosted files: 5,000,000</li> <li>Max. number of concurrent connections for PC clients: 350</li> </ul>
File Station	Provides virtual drives, remote folders, Windows® ACL editor, compression/extraction of archived files, bandwidth control for specific users/groups, creation of sharing links, and transfer logs
Hybrid Share®	Efficiently synchronizes files across sites by keeping shared data on Synology C2 Storage and streaming files to Synology NAS worldwide on request. Frequently requested files are cached at each site for low-latency access
FTP Server	Supports bandwidth control for TCP connections, custom FTP passive port ranges, anonymous FTP, FTP over TLS/SSL and SFTP protocols, network booting with TFTP and PXE support, and transfer logs
Presto File Server <sup>12</sup>	Enables high-speed data transfer over WAN between Synology NAS and desktop platforms through the exclusive SITA technology
Cloud Sync	Offers one or two-way synchronization with public cloud storage providers including Alibaba Cloud OSS, Backblaze B2, Baidu Cloud, Box, Dropbox, Google Cloud Storage, Google Drive, hubiC, MegaDisk, Microsoft OneDrive, OpenStack Swift-compatible storage, Tencent COS, WebDAV servers and Yandex Disk
Universal Search	Search through files, metadata, and more on your NAS. Integration with Windows Search and macOS Spotlight makes it easy to find files
Migration Assistant	Migrates data, system setting, and applications seamlessly from one Synology NAS to another to ensure maximum service availability
SAN Storage & Virtualization	
SAN Manager	<ul style="list-style-type: none"> <li>Max. number of iSCSI targets: 128</li> <li>Max. number of LUNs: 256</li> <li>LUN clone/snapshot support</li> </ul>
Virtual Machine Manager <sup>10</sup>	Supports running Windows®, Linux®, and Virtual DSM-based virtual machines on Synology NAS
Data Protection & Backup Solutions	
Hyper Backup	Supports local backup, network backup, and data backup to other devices, Synology NAS, and public clouds including C2 Storage <sup>8</sup>
Backup tools	<ul style="list-style-type: none"> <li>DSM configuration backup, macOS® Time Machine® support, Synology Drive Client desktop application</li> <li>Shared folder sync supports a maximum of 32 tasks</li> </ul>

Snapshot Replication	<ul style="list-style-type: none"> <li>• Maximum number of snapshots for shared folders: 1,024</li> <li>• Maximum number of replications: 32</li> </ul>
Synology High Availability	Reduces service downtime by combining two identical NAS into a high-availability cluster
Active Backup for Business	An all-in-one backup solution designed for heterogeneous business IT environments. It enables IT admins to remotely manage and protect PCs, servers, Synology systems, and VMs from one centralized console
Active Backup for Google Workspace	Supports backup and restoration of Google Workspace My Drive, Team Drive, Gmail, Contacts, and Calendar
Active Backup for Microsoft 365	Supports backup and restoration of Microsoft 365 OneDrive for Business, Outlook, Contacts, and Calendar
<b>Productivity &amp; Collaboration</b>	
Collaboration tools	<p>Collaborate with instant messaging service Synology Chat, online documents editor Synology Office, and scheduling assistant Synology Calendar</p> <ul style="list-style-type: none"> <li>• Max. number of concurrent users for Chat: 100</li> <li>• Max. number of users for Office: 1,200</li> <li>• Calendar supports CalDAV and access via mobile devices</li> </ul>
Note Station	A note taking platform that supports rich text, note organization and versioning, encryption, sharing, media embedding, and attachments
Synology MailPlus Server <sup>13</sup>	A secure, reliable, and private mail solution featuring high-availability, load balancing, security, and filtering options
Synology MailPlus	An intuitive webmail interface for Synology MailPlus Server with configurable mail labels, filters, and user interface
<b>Multimedia</b>	
Synology Photos	An efficient photo management solution for professional and amateur photographers. Automated tools allow users to group, filter, organize, and share content while keeping their photos safe and secure
Other packages	Video Station, Audio Station, and iTunes® Server
<b>Surveillance</b>	
Surveillance Station <sup>9</sup>	Maximum IP cameras: 40, for a total of 1200 FPS at 720p (H.264)
<b>Management &amp; Administration</b>	
Synology Directory Server	Provides a flexible and cost-effective domain controller solution
Central Management System	Provides a single interface to manage and monitor multiple Synology NAS
VPN Server	<ul style="list-style-type: none"> <li>• Maximum connections: 40</li> <li>• Supported VPN protocols: PPTP, OpenVPN™, L2DTP/IPSec</li> </ul>
Active Insight <sup>14</sup>	Monitor health statistics, login activity, and backup statuses for your Synology servers worldwide, and receive notifications and advice from our centralized cloud-hosted management platform
Storage Analyzer	Displays volume and quota usage, total size of files, volume usage and trends based on past usage, size of shared folders, large files, most recently modified files, and least recently accessed files
Antivirus Essential	Provides full system scans, scheduled scans, white list customization, and auto-update of virus definitions
Web Station	Enables hosting for up to 30 websites with support for PHP/MariaDB® and 3rd-party applications
Other packages	DNS Server, RADIUS Server, and Log Center
<b>Others</b>	
iOS/Android™ applications	Synology Drive, Synology MailPlus, Synology Secure SignIn, Synology Chat, Synology LiveCam, Synology Active Insight, DS cam, DS file, DS finder, and DS note
Other packages	Additional 3rd-party packages are available in the Package Center

## Environment and Packaging

Environmental safety	RoHS compliant
Package contents	<ul style="list-style-type: none"><li>• 1 x DS1522+ main unit</li><li>• 1 x Quick Installation Guide</li><li>• 1 x Accessory pack</li><li>• 1 x AC power adapter</li><li>• 1 x AC power cord</li><li>• 2 x RJ-45 LAN cables</li></ul>
Optional accessories <sup>15</sup>	<ul style="list-style-type: none"><li>• DDR4 ECC SOIMM: D4ES02-8G / D4ES01-16G</li><li>• Synology Network Upgrade Module: E10G22-T1-Mini</li><li>• M.2 2280 NVMe SSD: SNV3400 series</li><li>• 2.5" SATA SSD: SAT5200 series</li><li>• 3.5" SATA HDD: HAT5300 series</li><li>• Expansion Unit: DX517</li><li>• MailPlus License Pack<sup>13</sup></li><li>• Surveillance Device License Pack<sup>9</sup></li><li>• Virtual DSM License Pack<sup>10</sup></li><li>• Extended Warranty: EW201, Extended Warranty Plus<sup>5</sup></li></ul>
Warranty	3 years <sup>4,5</sup>

Note: Specifications are subject to change without notice. Please refer to the model's [specifications page](#) for the most up to date information.

1. Performance figures obtained through internal testing by Synology. Actual performance may vary depending on the testing environment, usage, and configuration. See [performance charts](#) for more information.
2. One 10GbE RJ-45 port can be added to the DS1522+ with Synology [E10G22-T1-Mini](#) Network Upgrade Module.
3. DS1522+ supports up to 15 drives with two [Synology DX517](#) expansion units, sold separately.
4. The warranty period starts from the date of purchase as stated on your purchase receipt. [Learn more](#) about our limited product warranty policy.
5. Up to 5 years of warranty are available as an additional bundle with Extended Warranty Plus or Extended Warranty, both 2-year extended warranty service add-ons available in select regions. Check availability for [Extended Warranty EW201](#) or [Extended Warranty Plus](#).
6. Check our [compatibility list](#) for supported drives.
7. SSD cache can be enabled by using 2.5" SATA SSD drives in standard drive bays or without occupying drive bays by installing Synology SNV3400 M.2 NVMe SSD drives into the built-in M.2 slots. Drives are sold separately.
8. C2 Storage for Hyper Backup and Hybrid Share requires purchase of an annual or monthly [subscription](#). A free trial is available for each newly registered device.
9. Surveillance Station includes two free licenses. Connecting more cameras and devices requires additional licenses. [Learn more](#).
10. Certain advanced features require [Virtual Machine Manager Pro](#). One Virtual DSM license is included. Additional Virtual DSM instances require the purchase of [Virtual DSM Licenses](#).
11. System snapshots include snapshots taken by SAN Manager, Snapshot Replication, and Virtual Machine Manager.
12. Presto File Server license can be purchased separately through the application.
13. Five MailPlus email accounts are included. Additional email accounts can be added with the purchase of Synology MailPlus License Packs. [Learn more](#)
14. Synology Active Insight is currently in Beta with all features available for evaluation. Certain functionalities may require a subscription upon official release.
15. Please refer to our [compatibility list](#) for the latest optional accessories list.

### SYNOLOGY INC.

© 2022, Synology Inc. All rights reserved. Synology, the Synology logo are trademarks or registered trademarks of Synology Inc. Other product and company names mentioned herein may be trademarks of their respective companies. Synology may make changes to specification and product descriptions at anytime, without notice.

DS1522+-2022-ENU-REV001