

Acer X1328

Brand : Acer **Product code:** MR.JX611.003

Product name: X1328



- WXGA Resolution
- Acer LumiSense™
- Acer BlueLightShield™
- Acer ColorSafe II
- Automatic Vertical Keystone Correction

Analog signal format system *

- Eco-Mode

 $1920 \times 1200, 5000$ lm, 16:10, 20000:1 contrast, 1.54 to 1.72 (1524 mm@2000 mm) trow, 1.07B colors, 5000 H, HDMI, USB, VGA, 100-240V, 275W, 0 - $40^{\circ}\text{C}, 2.80$ kg

Acer X1328. Projector brightness: 5000 ANSI lumens, Projection technology: DLP, Projector native resolution: WXGA (1280x800). Light source type: Lamp, Service life of light source: 5000 h, Service life of light source (economic mode): 10000 h. Focus: Manual, Focal length range: 21.85 - 24 mm, Aperture range (F-F): 2.41 - 2.53. Analog signal format system: NTSC, PAL, SECAM, Digital signal format system: EDTV, HDTV, SDTV, Supported graphics resolutions: 1920 x 1200 (WUXGA). Serial interface type: RS-232, HDMI connector type: Full-size, HDMI version: 1.4b





Projector		Ports & interfaces	
Supported aspect ratios	4:3, 16:9	DVI port *	×
Screen size compatibility *	685.8 - 7620 mm (27 - 300")	Network	
Projection distance 1 - 10 m		Wi-Fi *	×
Projector brightness * Projection technology *	5000 ANSI lumens DLP		
Projection technology * Projector native resolution *	WXGA (1280x800)	Features	
Contrast ratio (typical) *	20000:1	Noise level (economic mode)	27 dB
Native aspect ratio *	16:10	HDCP	✓
Number of colours	1.07 billion colours	Multimedia	
Projector brightness (economic	4000 ANSI lumens	Built-in speaker(s) *	✓
mode)		RMS rated power	3 W
Uniformity	80%	Number of built-in speakers	1
Horizontal scan range Vertical scan range	15 - 100 kHz 24 - 120 Hz	Design	
Keystone correction, vertical	-40 - 40°	Market positioning *	Business
•		Product colour *	Black
Light source		Placement	Ceiling
Light source type *	Lamp	LED indicators	Light, Power, Temperature
Service life of light source * Service life of light source	5000 h	Cable lock slot type	Kensington
(economic mode)	10000 h	Display	
Lamp type	OSRAM	Built-in display *	×
Lamp power	240 W	Power	
Lamps quantity	1 lamp(s)	Power source *	AC
Lens system		Power consumption (typical) *	275 W
Focus *	Manual	Power consumption (standby) *	0.5 W
Focal length range	21.85 - 24 mm	AC input voltage	100 - 240 V
Aperture range (F-F)	2.41 - 2.53	Software	
Zoom capability	✓		
Zoom type	Manual	Windows operating systems supported	✓
Zoom ratio	1.1:1	Mac compatibility	1
Digital zoom	2x	Other operating systems supported	ChromeOS
Optical zoom	1.1x	Operational conditions	
Throw ratio Offset	1.54 - 1.72 125%	Operating temperature (T-T)	0 - 40 °C
	123/0	Operating temperature (1-1) Operating relative humidity (H-H)	0 - 40 °C
Video		operacing relative numbers (11-11)	0 00/0

NTSC, PAL, SECAM

Video		Weight & dimensions	
Digital signal format system Supported graphics resolutions	EDTV, HDTV, SDTV 1920 x 1200 (WUXGA)	Width Depth	313 mm 240 mm
Ports & interfaces		Height *	113.7 mm
HDMI connector type HDMI version	Full-size 1.4b	Weight * Packaging content	2.8 kg
USB 2.0 Type-A ports quantity	2	Remote control included *	✓
Audio (L/R) in *	1	Batteries included	✓
Audio (L/R) out Serial interface type * VGA (D-Sub) ports quantity * HDMI ports quantity *	1 RS-232 2 2	Cables included	AC, VGA
		Manual	✓
		Packaging content	Lens Cap Security Card
Composite video in *	1	Logistics data	
Component video (YPbPr/YCbCr) in * 1		Quantity per pack	1 pc(s)
		Other features	
		Special features	Acer ColorBoost3D™ Acer LumiSense™ Acer BlueLightShield™ Acer ColorSafe II Automatic Vertical Keystone Correction Eco-Mode
		RS-232 ports	1
		Maximum digital resolution	1920 x 1200 pixels
		Security features	Security Bar



4711474020130

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.