

GIGABYTE B550 AORUS ELITE V2 Motherboard - Supports AMD Ryzen 5000 Series AM4 CPUs, 12+2 Phases Digital Twin Power Design, up to 4733MHz DDR4 (OC), 2xPCIe 3.0 M.2, 2.5GbE LAN, USB 3.2 Gen1

Brand : GIGABYTE

Product code: B550 AORUS ELITE V2

Product name : B550 AORUS ELITE V2 Motherboard - Supports AMD Ryzen 5000 Series AM4 CPUs, 12+2 Phases Digital Twin Power Design, up to 4733MHz DDR4 (OC), 2xPCIe 3.0 M.2, 2.5GbE LAN, USB 3.2 Gen1

Socket AM4, AMD B550 Chipset, 4 x DDR4-SDRAM up to 128GB, LAN, 1 x RJ-45, 4 x SATA III, 2 x M.2(M), UEFI AMI, ATX

GIGABYTE B550 AORUS ELITE V2 Motherboard - Supports AMD Ryzen 5000 Series AM4 CPUs, 12+2 Phases Digital Twin Power Design, up to 4733MHz DDR4 (OC), 2xPCIe 3.0 M.2, 2.5GbE LAN, USB 3.2 Gen1:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.



Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	Headphone outputs	1
Processor socket *	Socket AM4	Microphone in	✓
Compatible processor series *	3rd Generation AMD Ryzen™ 3, 3rd Generation AMD Ryzen 5, 3rd Generation AMD Ryzen™ 7, 3rd Generation AMD Ryzen™ 9	S/PDIF out port	✓
		Network	
Maximum number of SMP processors	1	Ethernet LAN	✓
Supported processor sockets	Socket AM4	Ethernet interface type	2.5 Gigabit Ethernet, Gigabit Ethernet
Maximum internal memory supported by processor	128 GB	LAN controller	Realtek RTL8125
Memory		Wi-Fi *	✗
		Features	
Supported memory types *	DDR4-SDRAM	Motherboard chipset *	AMD B550
Number of memory slots *	4	Audio chip	Realtek ALC1200
Memory slots type	DIMM	Audio output channels *	7.1 channels
Memory channels	Dual-channel	Product colour	Black
ECC	✓	Component for *	PC
Non-ECC	✓	Motherboard form factor *	ATX
Supported memory clock speeds	2133,2400,2667,2933,3200 MHz	Motherboard chipset family *	AMD
Supported memory clock speed (max)	4733 MHz	Windows operating systems supported	Windows 10 x64, Windows 11 x64
Maximum internal memory *	128 GB	Expansion slots	
Supported memory module capacities	1GB, 2GB, 4GB, 8GB, 12GB, 16GB, 32GB	PCI Express x1 (Gen 2.x) slots	1
Unbuffered memory	✓	PCI Express x1 (Gen 3.x) slots	1
Storage controllers		PCI Express x16 slots	2
Supported storage drive types	HDD & SSD	PCI Express x16 (Gen 4.x) slots	1
Supported storage drive interfaces *	M.2, SATA III	Number of M.2 (M) slots	2
Number of HDDs supported	4	BIOS	
Number of storage drives supported	6	BIOS type *	UEFI AMI
RAID support	✓	BIOS memory size	256 Mbit
RAID levels	0, 1, 10	ACPI version	5.0
Graphics		Clear CMOS jumper	✓
Parallel processing technology support *	Not supported	Desktop Management Interface (DMI) version	2.7

Graphics		BIOS	
Graphics card family	AMD	System Management BIOS (SMBIOS) version	2.7
DirectX version	12.0		
Internal I/O		Logistics data	
USB 2.0 connectors *	2	Country of origin	China
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Products per shipping (inner) case	1 pc(s)
Number of SATA III connectors *	4	Harmonized System (HS) code	84733020
Total number of SATA connectors	4	Battery	
Front panel audio connector	✓	Battery weight	3 g
Front panel connector	✓	Lithium weight per battery	0.07 g
ATX Power connector (24-pin)	✓	Number of battery cells	1
CPU fan connector	✓	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
EPS power connector (8-pin)	✓	Battery type	CR2032
TPM connector	✓	Packaging data	
12V power connector	✓	Package width	335 mm
RGB LED pin header	✓	Package depth	270 mm
Rear panel I/O ports		Package height	80 mm
USB 2.0 ports quantity *	2	Package weight	1.8 kg
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	Weight & dimensions	
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2	Width	305 mm
Ethernet LAN (RJ-45) ports *	1	Depth	244 mm
DisplayPorts quantity	1	Height	35 mm
		Packaging content	
		Batteries included	✓
		Other features	
		Weight	1.12 kg
		Technical details	
		Warranty period	3 year(s)



0889523023945



889523023945



4719331809898

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.