



OPPO Reno12 F 5G 16.9 cm (6.67") Dual SIM Android 14 USB Type-C 8 GB 256 GB 5000 mAh Black, Green

Brand : OPPO

Product code: 110010233413

Product name : Reno12 F 5G

OPPO Reno12 F 5G. Display diagonal: 16.9 cm (6.67"), Display resolution: 2400 x 1080 pixels. Processor family: MediaTek Dimensity, Processor model: 6300. RAM capacity: 8 GB, RAM type: LPDDR4X, Internal storage capacity: 256 GB. Rear camera resolution (numeric): 50 MP, Rear camera type: Triple camera. SIM card capability: Dual SIM. Operating system installed: Android 14. Battery capacity: 5000 mAh. Product colour: Black, Green. Weight: 187 g



Display		Network	
Display diagonal *	16.9 cm (6.67")	Bluetooth *	✓
Panel type	AMOLED	Bluetooth version	5.3
Display resolution *	2400 x 1080 pixels	Bluetooth Low Energy (BLE)	✓
Native aspect ratio	20:9	Bluetooth profiles	AAC, SBC, LDAC
Contrast ratio (typical)	112600:1	aptX technology	✓
Maximum refresh rate	120 Hz	Frequency band	Quad-band
Touch response rate	240 Hz	Tethering (modem-mode)	✓
Display brightness	600 cd/m²	MIMO	✓
Maximum display brightness (Outdoor)	2100 cd/m²	Near Field Communication (NFC)	✓
Pixel density	394 ppi	Ports & interfaces	
Processor		USB port *	✓
Processor family *	MediaTek Dimensity	USB connector type	USB Type-C
Processor model *	6300	USB version	2.0
Processor cores	8	Headphone connectivity	USB Type-C
Processor boost frequency	2.4 GHz	Design	
Storage		Form factor *	Bar
RAM capacity *	8 GB	Product colour *	Black, Green
RAM expansion (max)	8 GB	International Protection (IP) code	IP64
RAM type	LPDDR4X	Performance	
Internal storage capacity *	256 GB	Video call	✓
Compatible memory cards *	MicroSD (TransFlash)	Fast charging	✓
Maximum memory card size	2 TB	Fast charging technology	SuperVOOC
Camera		Graphics card	Mali-G57 MC2
Rear camera sensor size	1/2.88"	Fingerprint reader	✓
Rear camera resolution (numeric) *	50 MP	Face recognition	✓
Second rear camera resolution (numeric)	8 MP	Speakerphone	✓
		Voice commands	✓
		Vibrating alert	✓

Camera		Navigation	
Third rear camera resolution (numeric)	2 MP	GPS (satellite)	✓
Rear camera aperture number	1.8	GLONASS	✓
Second rear camera aperture number	2.2	BeiDou	✓
Third rear camera aperture number	2.4	Galileo	✓
Second rear camera field of view (FOV) angle	112°	Quasi-Zenith Satellite System (QZSS)	✓
Rear camera lens elements	5-element lens	Position location *	✓
Second rear camera lens elements	5-element lens	Wi-Fi positioning	✓
Third rear camera lens elements	3-element lens	Multimedia	
Front camera lens elements	5-element lens	Audio formats supported	AAC, AMR, APE, FLAC, Mid, MP3, OGG, OPUS, WAV, WMA
Front camera type *	Single camera	Video formats supported	3GP, ASF, AVI, FLV, MKV, MOV, MP4, WMV
Front camera sensor size	1/2.74"	Software	
Front camera resolution (numeric) *	32 MP	Platform *	Android
Front camera aperture number	2.4	Operating system installed *	Android 14
Front camera pixel size	0.8 µm	Operating system fork	ColorOS 14.0
Front camera field of view (FOV) angle	90°	Battery	
Rear camera flash *	✓	Battery technology	Lithium
Front camera flash	✓	Battery capacity *	5000 mAh
Maximum frame rate	120 fps	Sensors	
Resolution at capture speed	1280x720@120fps,	Proximity sensor	✓
	1280x720@30fps,	Accelerometer	✓
	1280x720@60fps,	Ambient light sensor	✓
	1920x1080@30fps,	Gyroscope	✓
	1920x1080@60fps	Gravity sensor	✓
Video recording modes	720p, 1080p	Pedometer	✓
Rear camera type *	Triple camera	Geomagnetic sensor	✓
Auto focus	✓	Weight & dimensions	
3D depth rear camera	✓	Width	75.8 mm
3D depth front camera	✓	Depth	7.76 mm
Time lapse mode	✓	Height	163.1 mm
Image stabilizer	✓	Weight *	187 g
Image stabilizer type	Electronic Image Stabilization (EIS)	Package width	184 mm
Night mode	✓	Package depth	98 mm
Panorama	✓	Package height	37.5 mm
Portrait mode	✓	Package weight	400 g
Macro photography	✓	Certificates	
AI scene recognition	✓	Digital Living Network Alliance (DLNA) certified	✓
Network		Packaging content	
SIM card capability *	Dual SIM	Quick start guide	✓
Mobile network generation *	5G	Screen protector	✓
SIM card type *	NanoSIM + NanoUSIM	Warranty card	✓
3G standards *	WCDMA	Cables included	USB Type-C
4G standard *	LTE-TDD & LTE-FDD	SIM card ejector pin	✓
5G standard *	NR	AC adapter power	45 W
Top Wi-Fi standard *	Wi-Fi 5 (802.11ac)	Other features	
Wi-Fi	✓	Ringer type	Polyphonic
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Warranty period	2 year(s)



6932169349437

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 31-OCT-2024. Prints or copies of Information are only valid on the printed Publication date