

Logitech ERGO M575 for Business

Brand : Logitech

Product code: 910-006221

Product name : ERGO M575 for Business

ERGO M575 for Business
Logitech ERGO M575 for Business. Form factor: Right-hand. Movement detection technology: Trackball, Device interface: RF Wireless + Bluetooth, Movement resolution: 2000 DPI, Buttons type: Pressed buttons, Buttons quantity: 5, Scroll type: Wheel. Power source: Batteries. Product colour: Graphite



Mouse		System requirements	
Number of scroll wheels	1	Other operating systems supported	ChromeOS
Scrolling directions	Vertical	Weight & dimensions	
Purpose *	Office	Width	100 mm
Device interface *	RF Wireless + Bluetooth	Depth	134 mm
Movement detection technology *	Trackball	Height	48 mm
Movement resolution *	2000 DPI	Weight	145 g
Buttons type	Pressed buttons	Receiver width	1.44 cm
Scroll type *	Wheel	Receiver depth	6.6 mm
Programmable mouse buttons	✓	Receiver height	1.84 cm
Buttons quantity *	5	Receiver weight	2 g
Button functions	Forward	Packaging data	
Buttons durability (million clicks)	3	Quantity per pack *	1 pc(s)
Frequency band	2.4 GHz	Package width	51 mm
Bluetooth Low Energy (BLE)	✓	Package depth	106.5 mm
Design		Package height	160 mm
Form factor *	Right-hand	Package weight	235 g
Ergonomic design	✓	Packaging content	
Product colour *	Graphite	Receiver included	✓
Surface coloration	Monochromatic	Wireless receiver interface	USB Type-A
Ergonomics		Receiver type	Nano receiver
Wireless range	10 m	Batteries included	✓
Power		Other features	
Power source *	Batteries	Compatibility	Logi Bolt USB Receiver
Number of batteries supported	2	Packaging content	ERGO M575 Wireless Trackball for Business Logi Bolt USB Receiver 1xAA battery User documentation
Battery type	AA		
Battery technology	Alkaline		
Service life of battery	24 month(s)		

System requirements		Logistics data	
Windows operating systems supported	Windows 10, Windows 11	Harmonized System (HS) code	84716070
Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina	Products per master (outer) case	10 pc(s)
Linux operating systems supported	✓	Master (outer) case GTIN (EAN/UPC)	50992060965410
Mobile operating systems supported	Android 8.0, iPadOS	Master (outer) case width	219 mm
		Master (outer) case length	260 mm
		Master (outer) case height	173 mm
		Master (outer) case gross weight	2.62 kg
		Products per pallet	1350 pc(s)



5099206096547

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-DEC-2024. Prints or copies of Information are only valid on the printed Publication date